

# A Hybrid Semantic Knowledgebase-Machine Learning Approach for Opinion Mining

Rowida Alfrjani <sup>a</sup>, Taha Osman <sup>a,1\*</sup>, Georgina Cosma<sup>a</sup>

5 <sup>a</sup> School of Science and Technology, Nottingham Trent University, Nottingham, NG11 8NS,  
United Kingdom

---

## Abstract

Opinion mining tools enable users to efficiently process a large number of online  
10 reviews in order to determine the underlying opinions. This paper presents a Hybrid  
Semantic Knowledgebase-Machine Learning approach for mining opinions at the  
domain feature level and classifying the overall opinion on a multi-point scale. The  
proposed approach benefits from the advantages of deploying a novel Semantic  
15 Knowledgebase approach to analyse a collection of reviews at the domain feature level  
and produce a set of structured information that associates the expressed opinions with  
specific domain features. The information in the knowledgebase is further  
supplemented with domain-relevant facts sourced from public Semantic datasets, and  
the enriched semantically-tagged information is then used to infer valuable semantic  
20 information about the domain as well as the expressed opinions on the domain features  
by summarising the overall opinions about the domain across multiple reviews, and by  
averaging the overall opinions about other cinematic features. The retrieved semantic  
information represents a valuable resource for modelling a machine learning classifier  
to predict the numerical rating of each review. Experimental evaluation revealed that  
25 the proposed Hybrid Semantic Knowledgebase-Machine Learning approach improved  
the precision and recall of the extracted domain features, and hence proved suitable for  
producing an enriched dataset of semantic features that resulted in higher classification  
accuracy.

*Keywords:* Feature Extraction, Classification, Semantic Web, Knowledgebase

---

\* Corresponding author. Tel: ++44 (0)115 848 8370. E-mail address: taha.osman@ntu.ac.uk.

## 30 **1. Introduction**

Consumers often consult the opinion of others when considering purchasing decisions. For instance, it is common to seek out the opinion of friends, favourite bloggers and reviewers to make a decision about purchasing a product, voting for a political candidate or choosing a movie. Opinions, often in the form of reviews, are  
35 increasingly being published on websites, blogs and social media outlets. Organisations invest considerable resources to collate and analyse online material in order to analyse the underlying user trends regarding consumer sentiments, and use such information to improve their products and services and to shape their production strategies and marketing campaigns. The challenge is that online opinions are predominantly  
40 expressed in natural language text, and hence opinion mining tools are required to facilitate the effective extraction and analysis of opinions from unstructured text. Such tools often adopt algorithms from Natural Language Processing, Information Retrieval and Machine Learning disciplines.

Opinion mining is commonly implemented by extracting contents for a specific  
45 domain (e.g. movie, music, and product) and performing opinion mining at various levels of text granularity: document, sentence or domain feature level. At document and sentence level, opinion mining aims to classify the overall sentiment orientation that is expressed in a document [10], [23], [24] or a sentence [6], [17]. Opinion mining at the domain feature level is considered to be a difficult task because it requires deep  
50 understanding of the sentence structure and knowledge of the problem domain (e.g. movie reviews) in order to correctly classify sentences based on their polarity. Particularly challenging is the extraction of the domain feature mentions (e.g. actress, show, script, story) from the reviews and associating each domain feature with its corresponding sentiment to determine its polarity score (e.g. the beauty of the script +1;  
55 Bulletproof Heart is not an excellent movie -1; The great Matt Craven will probably be forever remembered +1). Opinion mining at domain feature level can be further considered for enhancing the opinion classification task via summing or averaging the polarity score of each extracted domain feature to determine the numerical rating of the review (e.g. 4,3,2,1 and 0 for very positive, positive, neutral, negative, and very  
60 negative respectively).

Opinion mining research at domain feature level employs different approaches such as Association Rule Mining, Machine Learning and Semantic Knowledgebase approaches to primarily improve the outcome of the domain feature extraction task, which consequently enhances the performance of opinion classification task.

65 Association Rule Mining approaches primarily rely on Natural Language Processing techniques to identify nouns and noun phrases to be domain features, whereas Machine Learning approaches rely on a large set of training data to learn domain features from reviews. More recently, Semantic Knowledgebase approaches have been deployed for domain feature extraction with promising success. The Semantic Knowledgebase

70 approaches are based on utilising domain knowledgebase to extract domain features from reviews, which contains a conceptualized knowledge background of the domain. The Domain Knowledge captures the key concepts and relations of the problem domain's environment, which is then populated with entities and facts/events that subscribe to the modelled concepts and relations [9]. Such domain knowledge can be

75 utilised to improve the performance of domain feature extraction task. Semantic Web technologies organise knowledge in a formalised Semantic Knowledgebase that provides efficient support for linking and sharing data between resources, and presenting data in a way that computer machines can process. In addition, the formalised Semantic Knowledgebase is capable of presenting the domain knowledge in

80 a structured and consistent manner which facilitates the qualitative interpretation of domain specific contents in a way that people can understand. Moreover, Semantic Web technologies provide support for enriching the modelled domain knowledgebase with relevant ground facts from public-sourced Linked Open Data resources. A chief challenge for the Semantic Knowledgebase approaches is the collection of sufficient

85 domain-related data to produce a sufficiently rich Semantic Knowledgebase that drives the domain feature extraction task [3].

Recently, the integration of Semantic knowledgebase and Machine Learning methods has emerged as an effective approach for improving the process of opinion mining at domain feature level, in particular, for enhancing the opinion classification

90 task [32], [36]. However, the reported efforts have mainly focused on binary classification tasks, i.e., identifying whether the content has a positive or negative

opinion. The work presented in this paper is principally motivated by the need to develop a Hybrid Semantic Knowledgebase-Machine Learning approach to enhance the performance of opinion mining at domain feature level and to improve opinion classification on a multi-point scale (i.e., multi-class classification). The proposed approach has been applied to the movie reviews problem domain.

The remainder of the paper is organised as follows: research contribution is presented in Section 2 and related work is discussed in Section 3. Section 4 discusses in detail the proposed Hybrid Semantic Knowledgebase-Machine Learning approach for opinion mining, which covers capturing domain knowledgebase, extracting and classification processes. Section 5 discusses the experimental evaluation, and Section 6 provides an overview of the proposed approach and how it can be applied to other domains. Finally, a conclusion and discussion of future work are presented in Section 7.

## 2. Contribution

The contribution of the proposed Hybrid Semantic Knowledgebase-Machine Learning approach can be summarised as follows:

- 1) A new Domain Feature Extraction algorithm that improves the precision and recall of the extracted domain features. The Domain Feature Extraction algorithm utilises a comprehensive knowledge of the chosen domain (key concepts and their synonyms and ground facts) and public Linked Open Data sources such as DBpedia and Internet Movie Database (IMDb).
- 2) A new Domain Feature-Sentiment Association algorithm that removes false positive opinions (i.e., the domain feature-sentiment pairs) that objectively describe factual information using a generated sentiment lexicon for each domain feature.
- 3) A new Opinion Classification algorithm that delivers enhanced opinion classification on a multi-point scale. The Opinion Classification algorithm generates an enriched set of semantic data from a modelled Semantic Knowledgebase and merge it with a statistical dataset and then use that as

input into machine learning algorithms. The Opinion Classification algorithm appears to be the first study that presents such kind of combination between Semantic Knowledgebase and Machine Learning approaches for classifying opinions on a multi-point scale.

### 125 **3. Related Work**

This section discusses related literature in opinion mining with a focus on methods for extracting domain features from natural language text reviews, and methods for classifying opinions.

#### *3.1 Domain feature extraction*

130 The Association Rule Mining approach, which primarily relies on Natural Language Processing techniques, is the most popular for domain feature extraction. Hu and Liu [16] extracted frequent nouns or noun-phrases to be domain features using an Apriori algorithm, whereas the approach by Eirinaki et al. [12] involved initially extracting nouns, and then computing the score for each noun with respect to the total number of  
135 their nearest adjectives in all reviews. Nouns with scores less than a particular threshold were removed and the rest were determined to be domain features. The work done by Ghorashi et al. [14] was similar to that of Hu and Liu [16] except that they applied the H-Mine algorithm instead of the Apriori algorithm. Yang et al. [40] extracted domain features utilising a semi-automatic constructed knowledgebase that contains the  
140 top hundreds of frequently normalized nouns and noun phrases which were extracted from a collection of pre-processed reviews.

Association Rule Mining approaches extract domain features without performing human pre-processing tasks (e.g. preparing manually training dataset) because automatic natural language pre-processing is used to identify nouns and noun phrases  
145 to be domain features. However, the extracted domain features tend to be frequent domain features, whereas infrequent domain features are ignored, which can result in a reduced recall rate. In addition, some of the extracted nouns and noun phrases may not

be domain features even if these occur more frequently in reviews, and this can affect the precision of the domain feature extraction task.

150 Machine Learning approaches require large trained datasets in order to perform the feature extraction with satisfactory accuracy. Zhuang et al. [42] extracted domain features by statistical analysis that is based on manually labelled reviews with the domain frequent features (key concepts and ground facts). Ma et al. [21] extracted domain features by training Latent Dirichlet Allocation algorithm on automatically  
155 labelled reviews with nouns or noun phrases, which were tagged via part of speech tagger and the learned domain features were expanded with synonyms, then the obtained candidate domain features were filtered by removing non-relevant domain features. Agarwal, et al. [2] extracted domain features by training a machine learning model to identify the semantic information and relations between terms in a text, which  
160 were detected by utilising dependency parse tree and Concept Net knowledgebase. Thereafter, the irrelevant domain features were removed using Minimum Redundancy and Maximum Relevance techniques. In general, Machine Learning approaches deliver significant results for domain feature extraction task using training datasets that have been manually annotated by a human expert. However, this can be an extremely time-  
165 consuming task as the required size of the training dataset should be sufficiently large to bootstrap the learning algorithms.

More recently, a new trend of studies has utilised Semantic Knowledgebase approaches that are mainly based on the knowledge of the problem domain. These approaches commonly translate the knowledge background of a chosen domain into a  
170 Semantic Knowledgebase, and then utilise this Semantic Knowledgebase to extract domain features from the pre-processed reviews. However, their approaches are different regarding the coverage of the problem domain. Zhao and Li [41] constructed a Semantic Knowledgebase that contained only the domain's key concepts and their synonyms. Martínez et al. [30] adopted a general Semantic Knowledgebase of a chosen  
175 domain that contained the domain's key concepts and their synonyms and collected ground facts from IMDB resources. Agarwal, Mittal, et al. [1] constructed a Semantic Knowledgebase for a specific domain using concepts from the top four levels of

Concept Net knowledgebase, then the Semantic Knowledgebase was expanded with synonyms from WordNet.

180 Semantic Knowledgebase approaches have demonstrated improved performance for domain feature extraction when the knowledge of the domain of interest is utilised to extract domain features. However, the success of these techniques largely depends on the domain knowledge coverage, and the conducted investigation into the state-of-the-art approaches showed that the domain knowledge coverage is often limited and  
185 incomprehensive.

### *3.2 Multi-class classification of opinions*

The problem of classifying opinions using a multi-point scale (also referred to as the rating inference problem) has been an interesting research area in the recent years. Early published research focused on binary classification of the overall polarity of the  
190 opinion, i.e., whether it is positive or negative [33], [25]. The obtained results of such studies indicated that Machine Learning algorithms outperformed humans on the task of binary classification of opinions [34]. More recently, researchers have focused on classifying opinions on multi-point scale rating using Machine Learning algorithms in particular supervised learning algorithms [39]. In general, these approaches are based  
195 on training a classifier on a dataset of features that have been extracted from textual contents and the corresponding target outputs (i.e., numeric rating). Then, the built classifier is tested on a dataset of features without the target outputs. Finally, the obtained outputs are compared against the real target outputs in order to evaluate the classifier [28], [31], [38]. Various techniques have been developed to improve the  
200 accuracy of the classifier's results as well as decrease the dimensionality of dataset. Lunardi, et al. [20] have proposed an approach for multiclass classification that is based on using Nested dichotomies algorithm to perform successive stages of binary classification processes. Asghar [5] has built various multi-class classifiers based on a combination of four types of extracted features (unigrams, bigrams, trigrams and latent  
205 semantic indexing) with four types of Machine Learning algorithms which are: Naïve Bayes, Perceptron Neural Networks, logistic regression and linear Support Vector

Classifier. Cosma and Acampora [7] have introduced an innovative computational intelligence framework to predict customer opinions rating, which is based on using information retrieval approaches to extract features and then using an integration of  
210 Singular Value Decomposition, dimensionality reduction, genetic algorithms and different fuzzy algorithms for opinion classification on a multi-point-scale rating. The same authors have presented their updated framework via applying fuzzy C-Means and the adaptive neuro-fuzzy inference algorithms for opinion classification on a multi-point-scale rating [8]. Shirani-Mehr [47] has introduced Low-Rank Recursive Neural  
215 Tensor Networks for multi-class sentiment analysis that resulted in significant savings in computational costs. Lu et al. [48] have proposed a novel P-LSTM model for sentiment classification. P-LSTM is based on a long short-term memory recurrent neural network which uses a three-word phrase embedding instead of a single word embedding for improved classification performance.

220 Until recently, Machine Learning approaches have been frequently adopted for the process of opinion classification as they deliver outstanding performance, and this is because they are trained using an effective dataset of features. However, Machine Learning approaches deliver poor performance when their training dataset features are simple such as single words, character Ngrams and word Ngrams; or a combination of  
225 them [35]. The Semantic Knowledgebase approach uses a Semantic Knowledgebase that represents a shared understanding of the domain of interest, hence, the Semantic Knowledgebase approach can be used to enrich a dataset with semantic features, which can improve the performance of opinion classification task. Semantic Knowledgebase approaches rely mainly on capturing the knowledge background of a chosen domain in  
230 order to extract the domain features from reviews. These domain features are then utilised to build a Machine Learning classifier in order to classify the overall opinion of the reviews as positive or negative as in [32] and [36]. However, there appear to be no studies that investigate the use of Semantic Knowledgebase approaches to produce dataset of semantic features and then use it to build a Machine Learning classifier to  
235 classify the opinions on multi-point rating scale.

#### 4. A New Hybrid Semantic Knowledgebase-Machine Learning Approach for Opinion Mining

The new Hybrid Semantic Knowledgebase-Machine Learning approach presents the integration of the Semantic Knowledgebase approach with Machine Learning approach to improve the performance of opinion mining process. In particular, improving the main tasks of opinion mining that include extracting domain features, associating them with their corresponding sentiments and opinion classification (i.e., solving the rating inference problem on a multi-point scale).

The new Hybrid Semantic Knowledgebase-Machine Learning approach processes unstructured textual contents, extracts domain features, and then associates the extracted domain features with relevant sentiments. Thereafter, the new Hybrid Semantic Knowledgebase-Machine Learning approach calculates the polarity for each associated feature-sentiment pair and inserts all the obtained information into a modelled domain knowledgebase. The modelled domain knowledgebase is used by the new Hybrid Semantic Knowledgebase-Machine Learning approach to further produce a semantic feature dataset, which it is merged with a statistical dataset and then used as input to Machine Learning classifier that delivers multi-point scale rating for the processed contents. Fig. 1 illustrates the architecture of the proposed new Hybrid Semantic Knowledgebase-Machine Learning approach, which comprises the following main components: knowledgebase Population, Natural Language Processing, Domain Feature Extraction, Sentiment Extraction, Domain Feature-Sentiment Association, Domain Feature Polarity, Knowledgebase Enrichment and Opinion Classification. Detailed account of the role of each component will be explained using a running example of a review about a movie called THE ADDICTION\_1995 as is shown in Fig. 2. The following three subsections illustrate the methodology of capturing a domain knowledgebase for the proposed approach, the functionality of the proposed approach for extracting domain features and sentiments, and the procedure of associating the domain feature with their corresponding sentiments, calculating the polarity of the extracted domain feature and determining the rating class of the textual content (i.e., classification process).




Fig. 1. A Hybrid Semantic Knowledgebase-Machine Learning Framework for Opinion Mining

ADDICTION, THE (1995)

ADDICTION, THE is an excellent movie. From Spike Lee's very first movie, ADDICTION, THE, he has demonstrated fresh and interesting approaches to standard material...The script is good and provides several large laughs...The great Katie Virant will probably be forever remembered. She is fantastic and her performance is amazing.

270

Fig. 2. Example of Movie Review

#### 4.1 Capturing domain knowledge

Opinion mining of movie reviews is considered a challenging topic because movie reviews tend to include a rich set of domain features (actors, script, plot, etc.). Furthermore, the popularity of the movie domain provides for the opportunity to exploit the ever-increasing crowd-sourced Linked Open Data repository corresponding to the movie and celebrity industry.

Using movie reviews as the target problem domain, this section describes the methodology for modelling the domain knowledge into a Semantic Knowledgebase that will be used for the domain feature extraction and opinion classification tasks. The section also describes the methodology for generating sentiment lexicons for movie's features, which will be used for associating domain features with their corresponding sentiments.

275

280

#### 4.1.1 Semantic modelling of knowledge

285 Domain Knowledge is knowledge about a domain's environment that contains  
information such as key concepts and their synonyms and ground facts, as well as the  
relation between them [9]. Information from a domain's semantic knowledgebase can  
be utilised to improve the performance of opinion mining process, in particular, the  
domain feature extraction task. Constructing a semantic knowledgebase starts with  
290 modelling the domain knowledge before translating the knowledge map into formal  
ontologies that represent the schemata for populating the knowledgebase with  
structured information. The semantic structure of the knowledgebase provides for  
obtaining data from other public sources that use similar standards for data structuring  
such as Linked Open Datasets, which can be used, for instance, to populate the proposed  
295 use-case knowledgebase with dynamic ground facts about movies, actors etc.

The conceptual model for the movie-review knowledgebase was based on the key  
concepts of the Movie, Opinion and Review domains and the interaction (relationships)  
between them as illustrated in Fig. 3.

300 The movie-review conceptual model was translated into a formal semantic ontology  
that represents the template box (T-Box) of the movie-review knowledgebase. The  
movie-review knowledgebase comprises a comprehensive knowledge of the movie  
domain with approximately 504 concepts related to movie domain such as actor, sound,  
script, performance, etc. as well as their synonyms and the relationships between them,  
which were distributed as classes, object properties, data properties and annotations.




Fig. 3. Movie-Opinion-Review Domain Concept Map

The advantage of utilising Semantic Web technologies is that they provide for the formal representation of the domain's key concepts, their synonyms and ground facts, and then link them using typed object properties (relationships). For example, the ABOUT property links a review to movie, the EXTRACTED-FROM property links an opinion to a review, and the DESCRIBE-FEATURE property links between an opinion and a movie. Moreover, there is a SYNONYM annotation for each concept and instance that has a synonym word. Such information can be used to infer valuable semantic information about the main domain concepts (such as movie) as well as the expressed opinions on its constituent features. Therefore, it is possible to compute the overall opinions about a movie across multiple reviews as well as for the cinematic features (actors, script, sound effects, etc.). For example, all movies that have a positive screenplay review can be retrieved by firing one query against the enriched movie-review knowledgebase.

320

#### 4.1.2 *Generating sentiment lexicons for domain features*

Most opinion mining approaches involve using publically available sentiment lexicons (e.g. SentiWordNet) for the domain feature-sentiment association task. Some authors developed special sentiment lexicons for specific tasks. For example, Ghiassi et al. [13] developed a sentiment lexicon that contained sentiment terms as well as emoticons to be used for analysing Twitter messages. In the proposed Hybrid Semantic Knowledgebase-Machine Learning approach, 6800 positive and negative sentiments were obtained from a public repository opinion lexicon [43] and a sentiment lexicon was generated for each domain feature that belongs to the chosen movie reviews. Each generated sentiment lexicon contains a list of sentiments that can be used only to express a subjective opinion for a specific domain feature. Different domain features may have a different list of sentiments. For example, the sentiment "horrific" in the sentence "It was a horrific scene" expresses a descriptive opinion on the domain feature "scene", whereas, in the sentence "It was a horrific movie" expresses a subjective opinion on the domain feature "movie". Thus, for the "scene" feature, a sentiment lexicon was generated that did not contain the sentiment "horrific", whereas it was included within a generated sentiment lexicon for the "movie" feature. Moreover, each list of sentiments can be applied to the same group of domain features. Hence, one

335

340 sentiment lexicon was generated for each group of domain features that have the same classification. Table 1 shows an example of some movie’s features and their relevant sentiments. Column 1 indicates a different group of movie’s features, and column 2 indicates the relevant sentiments for each group.

**Table 1**  
Example of Grouped Movies’ Features and their Relevant Sentiments.

345

Key Concepts and Associated Ground Facts	Sentiments
The concept “Movie” and movies’ names such as “Meet the Deedles”	Admirable, Undelivered, Horrific, Slow, Long
The concepts “Star, Writer, Editor, Director” and names of people who are stars, writer, etc.	Admirable, Able, Handsome, Gorgeous
The concepts “Writing, Screenplay, plot, script, story, idea”	Admirable, Undelivered, Well-Populated
The concept “Performance”	Admirable, Undelivered, Well, Well-Populated
The concepts “Special Effects, Visual Effects, Scene”	Admirable, Undelivered, Loud, Well-Crafted

## 4.2 The extraction stage

The purpose of this stage is to improve the performance of the domain feature extraction and the feature-sentiment association tasks. The extraction process exploits public data sources such as DBpedia to populate the generated movie-review knowledgebase with relevant ground facts about movies, actors, directors, prizes, etc. Then, the movie-review knowledgebase is utilised to extract the movie’s features from movie reviews. The next step deploys co-referencing to identify non-explicit domain features. The movie-review knowledgebase is used also to eliminate irrelevant (i.e., false positive) domain features. Finally, the false positive opinions that express descriptive statements have been removed using the generated sentiment lexicons for each group of movie’s features.

350

355

### 4.2.1 Knowledgebase population

The aim of populating the knowledgebase is to construct semantically structured information about each movie, which will be used for the domain feature extraction task. Thus, for each movie review, the proposed Hybrid Semantic Knowledgebase-Machine Learning approach populates the movie-review knowledgebase with the relevant ground facts (movie’s name, released date, running time, country and

360

language; movie’s stars, directors, writers, editors, cinematographers, producers, etc.) that are gathered from public data sets such as DBpedia and IMDb by following the steps in Knowledgebase Population Algorithm as illustrated in Fig. 4.

```

Algorithm Knowledgebase Population

Input: Reviews R, movie-review Knowledgebase
Do for i=1:R,
  MovieName=Extract ( Review[i] )
  MovieWikiURI=Search (MovieName)
  MovieDBpediaURI=MovieWikiURI.Replace(http://en.wikipedia.org, "http://dbpedia.org/resource")
  MovieGroundFacts=Retrieve (MovieDBpediaURI)
  movie-review Knowledgebase =Insert (MovieGroundFacts)
End for
Output: Populated movie-review Knowledgebase

```

Fig. 4. Knowledgebase Population Algorithm

```


prefix owl:<http://www.movie-review-ontology.owl#>
prefix dbpedia-owl:<http://dbpedia.org/ontology/>
prefix rdfs:<http://www.w3.org/2000/01/rdf-schema#>
prefix rdf:<http://www.w3.org/1999/02/22-rdf-syntax-ns#>
prefix dbpprop:<http://dbpedia.org/property/>
CONSTRUCT {
  ?subject owl:movie_Title ?name .
  ?subject rdfs:label ?label .
  ?subject rdfs:label "ADDICTION,THE (1995)".
  ?subject rdf:type owl:Movie .
  ?subject owl:hasLanguage ?language .
  ?subject owl:hasCountry ?country .
  ?subject owl:has_Starring ?star .
  ?subject owl:directed_by ?director .
  ?subject owl:edited_by ?editor . }
WHERE { VALUES ?subject {<http://dbpedia.org/resource/The_Addiction_1995>}
?subject a dbpedia-owl:Film.
OPTIONAL {?subject rdfs:label ?label.}
OPTIONAL {?subject dbpprop:name ?name.}
OPTIONAL {?subject dbpprop:language ?language.}
OPTIONAL {?subject dbpprop:country ?country.}
OPTIONAL {?subject dbpedia-owl:starring ?star .}
OPTIONAL {?subject dbpedia-owl:editing ?editor .}
OPTIONAL {?subject dbpedia-owl:director ?director . } }

```

Fig. 5. Example of SPARQL Construct Query

Although movie reviews are collected from the crowd-sourced data that provides extensive information with a high level of accuracy, it is likely that some movie reviews may contain incorrect information due to human error. For example, THE ADDICTION\_ (1995) movie is sometimes written in the review as “ADDICTION, THE” as shown in Fig. 2. Therefore, for disambiguation, the extracted title is inserted into the movie-review knowledgebase in addition to movie’s name that is retrieved from the DBpedia knowledgebase. Fig. 5 shows an example of SPARQL Construct

Query for retrieving the movie's ground facts and inserting them into the movie-review knowledgebase. Fig. 6 presents a snapshot of the populated semantic information about THE ADDICTION (1995) movie into the movie-review knowledgebase.



380

Fig. 6. A snapshot of Populated Semantic Information into movie-review knowledgebase about THE ADDICTION Movie

#### 4.2.2 Natural language pre-processing

The main objective of this process is to obtain the linguistic and syntactic structure of the textual review. Hence, Natural Language Processing tools have been implemented within the proposed Hybrid Semantic Knowledgebase-Machine Learning approach via the GATE framework [45]. Fig. 7 illustrates the linguistic and syntactic analysis including tokenisation, sentence splitting, part of speech tagging, morphological analysis, and syntax parsing, which were carried out by the Natural Language Processing components for the first sentence of the provided review in Fig. 2.

390

2.




Fig. 7. Example of a Processed Sentence Linguistically and Syntactically

395 The obtained grammatical categories from these analyses are used to enhance the domain feature extraction task. For example, many words in reviews cannot be matched to the conceptualised domain features in the movie-review knowledgebase because they are found as nouns (singular and plural) or verbs. Hence, morphological analysis is performed to lemmatise each word in the review to enable the matching with the domain features via the common base. Also, as part of the Natural Language Processing  
400 process, dependency relations are analysed to determine the relation between the domain feature and a sentiment in a sentence. For example, dependency relations are used to identify adjectival and noun subject phrases respectively, which intend to contain a domain feature and its corresponding sentiment.

#### 4.2.3 *Domain feature extraction*

405 The proposed Hybrid Semantic Knowledgebase-Machine Learning approach performs the domain feature extraction task using the proposed new Domain Feature Extraction algorithm that is illustrated in Fig. 8, which is primarily driven by the movie-review knowledgebase.

As illustrated in the Domain Feature Extraction algorithm, the process contains the  
410 steps described below.

##### 4.2.3.1 *Identifying domain features by the movie-review knowledgebase*

The movie-review knowledgebase was utilised to link between its conceptualised knowledge (domain's key concepts and their synonyms and ground facts) and the lemmatised words in the review. Synonyms are matched to their key concepts in the  
415 movie-review knowledgebase. For example, the word (movie) and synonymous words (film, show and picture) are matched to the same key concept (MOVIE) in the movie-review knowledgebase. Words that represent ground facts such as movie names, names of stars, writers, and editors are matched to the same individuals in the movie-review knowledgebase. In the use-case review (Fig. 2), the identified domain features by the  
420 movie-review knowledgebase are (ADDICTION THE (1995), THE ADDICTION, movie, Spike Lee, movie, ADDICTION THE, script, Katie Virant and performance) respectively.

##### 4.2.3.2 *Extracting non-explicit domain features using co-reference resolution process*

425       Once domain features are identified by the movie-review knowledgebase, co-  
reference resolution is applied to identify non-explicit domain features from movie  
reviews such as names of people related to the movie (stars, editors, writers, etc.), which  
are found within the expressed opinions as single names or pronouns. According to the  
conducted observation in this research on movie reviews, reviewers tend to mention the  
430 full name of people at the first time of expressing opinions on them, and then only single  
names or pronoun are mentioned to express opinions. The conducted experiment in [15]  
revealed that the target domain feature is presented by a pronoun within 14% of the  
expressed opinions. Hence, identifying such non-explicit domain features is essential  
to enhance the domain feature extraction task, which leads to improving the process of  
435 opinion mining at domain feature level. The proposed co-reference resolution process  
is based on determining the orthographic relation between two names that refer to the  
same person in which one name is mentioned in a full name such as “Spike Lee”,  
whereas the other name is mentioned in a single name such as “Lee” or “Spike”. In  
addition, it is based on detecting the pronominal relation between a person name and a  
440 pronoun. For example, in the sentence “Spike Lee is a great director. Also, he is an  
amazing actor” the anaphor “he” follows the expression to which it refers, i.e., Spike  
Lee. Detecting the orthographic relation and pronominal relation requires a Person  
annotation to be generated first; this entails grouping all names (full names and single  
names) and pronouns (he and she) under a Person annotation, which in turn can ensure  
445 performing an accurate matching. Full names of stars, editors, writers, and so forth are  
matched by the movie-review knowledgebase as mentioned in the previous step,  
whereas single names and pronouns are identified using hand-crafted JAPE rules with  
the aid of GATE’s named entity component called ANNIE Transducer. Secondly,  
GATE’s co-referencing components have been used to perform matching and co-  
450 referencing between the annotated full names, single names and pronouns. Finally, the  
co-referenced single names and pronouns are mapped to their corresponding  
individuals in the movie-review knowledgebase, where the mapped individuals present  
full names of people who are related to movies. For example, after determining the  
pronominal relation, the pronouns, he and she in the mentioned review in Fig. 2 will be

455 mapped to the director “Spike Lee” and actress “Katie Virant” respectively, which are individuals in the movie-review knowledgebase.

### **Algorithm** Domain Feature Extraction

Input: Pre-Processed Reviews R, movie-review Knowledgebase contains key concepts, synonyms, and ground facts

```
Do for i=1: R,
  //Extracting Domain features
  KeyConcepts=Extract (Review [i], movie-review) // Key Concept such as movie, film, script
  GroundFacts=Extract (Review [i], movie-review) // Ground Facts such as Joanne Rowling
  MovieNames=Extract (Review [i], movie-review) // Movie Name such as HARRY POTTER
  //Extracting Non-explicit Domain Feature
  FullNamePeople=Identify (GroundFacts)
  SingleNamePeople=Identify (GroundFacts)
  Pronouns=Identify (Reviews[i])
  CoReferencedSingleNames=InheritOrthographic(FullNamePeople, SingleNamePeople)
  CoReferencedPronouns=InheritPronominal (FullNamePeople, Pronouns)
  ExpandedGroundFacts=Specify (GroundFacts,CoReferencedSingleNames,CoReferencedPronouns)
  //Filtering Domain features
  K= Count (KeyConcepts)
  Do for j=1: K,
    If (KeyConcepts[j] is Uppercase Letter), // such as STAR, PICTURE
      Discard (KeyConcepts[j]) // discard because they are movie names and not features
    End if
  End for
  K= Count (ExpandedGroundFacts)
  Do for j=1: K,
    If (ExpandedGroundFacts[j] is not related to the reviewed movie in review[i]),
      // such as mentioning the star Jay Baruchel within a movie review about HARRY POTTER
      Discard (ExpandedGroundFacts[j])
    End if
  End for
  K= Count (MovieNames)
  Do for j=1: K,
    If (MovieNames[j] is not related to the reviewed movie in review[i]),
      // such as mentioning the movie name COCO within a movie review about HARRY POTTER
      Discard (MovieNames[j])
    End if
    If (MovieNames[j] is Lowercase Letter), // such as star, picture
      Discard (MovieNames[j]) // because they are movie features not names
    End if
  End for
  Domain-Features=Specify (KeyConcepts,ExpandedGroundFacts, MovieNames)
End for
```

Fig. 8. Domain Feature Extraction Algorithm

460 4.2.3.3 *Filtering out the non-relevant extracted domain features using SPARQL's ASK queries*

It has been observed that characteristic of reviews for movie domain is the use of uppercase letters for movie names; hence hand-crafted rules were applied to discard  
465 matched movie names that are typed in lowercase. In addition, to deal with matched movie features that are typed in upper case letters (similar to movie names). For example, in the sentence “Although Spike Lee’s PICTURE, for which he won an Academy Award for the writing, is arguably his best-known film, his picture MALCOLM X, starring Denzel Washington, remains my personal favorite”, the term  
470 “PICTURE” points to movie name, whereas the term “picture” is a movie’s feature. Moreover, it has been observed that movie reviews contain opinions on movie’s features such as (movie names and names of stars, writers, editors, etc.) that belong to the target movie as well as to other movies that are sometimes discussed in the review. Hence, the relevant semantically structured ground facts about the target movie were  
475 exploited to discard irrelevant domain features. SPARQL’s ASK query was used to investigate each matched domain feature against the relevant semantically structured ground facts in the movie-review knowledgebase as illustrated in Fig. 9. In the query, the extracted name of a person is checked whether it is relevant to the target movie or not (i.e., a star, writer, editor, director, producer or cinematographer, etc.).

```
The Query:
prefix:owl:<http://www.movie-review-ontology.org/movieontology.owl#>
ASK
{owl:The_Addiction_1995 ?Relation owl:Spike_Lee. }
The Result: True
```

480

Fig. 9. ASK SPARQL Query for Examining the Relevant and Irrelevant Domain features

4.2.4 *Sentiment extraction*

In this stage, sentiments are identified using a list of sentiments (positive and  
485 negative) that were obtained from Opinion Lexicon in [43]. The particular list has been used widely in many studies [16], [19]. For example, the words (excellent, first, fresh, interesting, good, large, great, fantastic and amazing) were extracted from the provided review in Fig. 2 and annotated as sentiments. Following the identification of sentiments,

any adjacent shifters (negation or adverb) were taken into account to moderate the sentiment's score accordingly. For example, in the sentence "This is not a great movie", the shifter "not" is located nearby to the sentiment "great". Hence, the sentiment is modified to be "not great" with a score of -1. As shown in Fig. 10, the modification process was performed using hand-crafted JAPE (Java Annotation Patterns Engine) rules. JAPE provides finite state transduction over annotations based on regular expressions [37].

```
Phase: Modified-Sentiment
Input: Sentiment RB Token
Rule: Mo-Sentiment
( {RB} ({Token})? {Sentiment} ):label // RB points to shifters, Token points to a word
-->
{ gate.AnnotationSet matchedAnns = (gate.AnnotationSet)bindings.get("label");
gate.Annotation matchedA = (gate.Annotation)matchedAnns.iterator().next();
outputAS.add(matchedAnns.firstNode(),matchedAnns.lastNode(),"Modified-Sentiment",
newFeatures); }
```

Fig. 10. Jape Rules for Associating Sentiment with Shifter

### 4.3 Classification process

The classification process implemented in this stage aims to address the rating inference problem on a multi-point scale (i.e., opinion classification) by integrating an enriched set of semantic data generated from the modelled movie-review knowledgebase with a statistical dataset contains the frequency of the refined term in textual reviews; the integrated data is then used to train machine learning classification algorithms.

#### 4.3.1 Domain feature-sentiment association

In this stage, the extracted filtered domain features are associated with their corresponding extracted sentiments (feature-sentiment pairs). In other words, in each review all the mentioned statements that contain sentiments about the domain features are identified. The association process was initially performed by implementing dependency pattern rules (see Table 2) using the syntactical structure of the content where the grammatical relationships between tokens in a sentence are identified such as "amod" and "nsubj" for adjectival phrase (i.e., serves to modify the meaning of the noun phrase such as "great script") and noun subject phrase (i.e., the syntactic subject

of a clause such as “the actor is good”) respectively. Then, retaining only the patterns  
 515 that contain both domain feature and sentiment. Finally, the associated feature-  
 sentiment pairs (i.e., retained patterns) that hold descriptive statements were discarded  
 using the generated sentiment lexicons for the domain features. For example, using the  
 review example in Fig. 11, the opinion phrase “first movie” represents a descriptive  
 statement, hence, it is discarded. Other opinion phrases such as “excellent movie, the  
 520 script is good, great Katie Virant, she is fantastic, performance is amazing” represent  
 subjective statements, and because their domain features are associated with their  
 sentiments they are retained. A new Domain Feature-Sentiment Association algorithm,  
 shown in Fig. 12, illustrates the association process in detail.

**Table 2**  
 525 Dependency Pattern Rules.


Dependency Relation	Pattern Rules	Example
<b>Nsubj</b> : a noun phrase which is the syntactic subject of a clause	Domain feature(NN), Sentiment(JJ)	The <i>movie</i> is <i>great</i>
<b>Dobj</b> : the noun phrase which is the (accusative) object of the verb	Sentiment(V), domain feature(NN)	I <i>hate</i> this <i>music</i>
<b>Prep-of + NN</b> : Prepositional phrases followed by a noun	Sentiment(NN)+ “of”, Domain feature(NN)	The <i>beauty</i> of the <i>script</i>
<b>Amod</b> : Adjectival phrase that serves to modify the meaning of the noun phrase	Sentiment(JJ), domain feature(NN)	It is a <i>nice script</i>

NN=Noun, JJ= adjective, V=Verb,

#### 4.3.2 Domain feature polarity

In this phase, the polarity of each extracted domain feature that has been associated  
 530 with its sentiment in the previous stage is calculated using the sentiment aggregation  
 function, which was adopted in various studies in the literature for calculating the  
 polarity of domain features. The devised function assigns a score (weight) that indicates  
 the proximity (distance) of the sentiment to the identified corresponding domain feature  
 in the opinion phrase. Adopting sentiment aggregation function for domain features  
 535 polarity is more effective than relying solely on syntactic dependencies that can indicate  
 the right relation between a domain feature and a sentiment, but may not always yield  
 accurate results, as the associated dependency patterns do not cover all the sentiments  
 and shifters that express the opinion [11]. For example, in sentences “It is a great movie,

however, it is not”, “I do not think that this movie is great” and “I am not sure whether  
 540 this movie is good or not”, the dependency relations can be used to identify the  
 underlined opinion phrases in order to associate domain features with their sentiments.  
 However, the dependency relations cannot be used to accurately indicate the polarity  
 score because they do not take into account the negation shifters.



545 Fig. 11. Example review illustrating the difference between descriptive statements (circled in 'red') and  
 subjective statements (circled in 'green')

```

Algorithm Domain Feature-Sentiment Association
Input: Pre-processed Reviews R, Extracted domain features F, Extracted Sentiments S, Sentiment
Lexicons SL for domain features
Do for i=1: R
  Sentences=IdentifySentence (Review[i])
  DependencyPatterns=IdentifyDependencyPattern(Sentences)
  // Identify Feature-Sentiment Pairs FSPs that contains both a domain feature and a Sentiment
  FSPs=IdentifyFeature-Sentiment Pairs (DependencyPatterns, F,S)
  K=Count(DependencyPatterns)
  Do for j=1: K,
    If (DependencyPatterns[j] contains F and S)
      FSPs[j]=DependencyPatterns[j]
    Else
      Discard(DependencyPatterns[j])
    End if
  End for
  // Filtering Feature-Sentiment Pairs that present descriptive opinions
  K=Count(FSPs)
  Do for j=1:K,
    If (FSPs[j] contains S that is not listed within SL for F)
      Discard (FSPs[j])
    End if
  End for
End for
Output: Filtered Features-Sentiment Pairs FSPs
  
```

Fig. 12. Domain Feature-Sentiment Association Algorithm

The sentiment aggregation Score function as presented in Function (1) is based on  
 550 determining the final polarity score for each extracted domain feature in a sentence.

$$\text{Score}(f_i, s) = \sum_{s_j \in S} \frac{s_j \cdot sv}{\text{dist}(s_j, f_i)} \quad (1)$$

Let S be a sentence (e.g. I do not think that this movie is great) that contains a set of domain features  $f_i$  (e.g. movie), and a set of sentiments  $s_j$  (e.g. not and great); let  $s_j, sv$  be the assigned score value to  $s_j$  (e.g. *not* = -1 and *great* = +1); and let  $\text{dist}(s, f)$  be the distance between  $s$  and  $f$  (e.g. 4 steps between not and movie; and 2 steps between movie and great). The multiplicative inverse ( $s_j, sv \div \text{dist}(s, f)$ ) is used to give lower weights to the extracted sentiments  $s_j$  that are far away from the extracted domain feature  $f_i$ . Finally, the domain feature  $f_i$  is assigned the final calculated polarity score after summing the multiplicative inverse of each  $f_i$  and  $s_j$  (e.g.  $((-1 \div 4) + (1 \div 2)) = 0.25$ ) as well as it is assigned the polarity level (e.g. positive) using the condition below:


- Polarity level= Very Positive if  $0.5 < \text{polarity score} \leq 1$
- Polarity level= Positive if  $0 < \text{polarity score} \leq 0.5$
- Polarity level= Neutral if  $\text{polarity score} = 0$
- Polarity level= Negative if  $-0.5 < \text{polarity score} < 0$
- Polarity level= Very Negative if  $-1 \geq \text{polarity score} \leq -0.5$

Dealing with negation terms or shifters such as *not*, *no*, *never*, *none*, *nobody*, *nowhere* and *neither* can be sometimes problematic when these shifters are mentioned without the associated succeeding sentiments [11]. That is because there are not any fixed rules for them. Therefore, they were treated as sentiments by assigning them a negative score value -1 and counting their distance from the specified domain feature, then aggregate them with other scores. Whereas the score of each sentiment that is preceded by a shifter in case they are adjacent such as (not good) was shifted (+1 to -1 or -1 to +1). Then, the sentiment aggregation, Function (1) was applied.

#### 4.3.3 Knowledgebase enrichment

In this stage, the initial movie-review knowledgebase that was used to bootstrap the domain feature extraction process is further enriched with new semantic information related to the analysed review and the corresponding extracted domain features. Firstly, the review ID and the name of reviewer who wrote the review were inserted into the movie-review knowledgebase. Secondly, new semantic relations are injected into the movie-review knowledgebase for each extracted domain feature that was associated with a sentiment.

Fig. 13 illustrates a concept map for some of the injected semantic information into the movie-review knowledgebase, which is related to a review about THE ADDICTION movie. The labels in the concept map that contain “The Addition 1995”, “Katie Virant” and “Performance” indicate the movie domain’s key concepts and ground facts that were used to extract domain features, whereas, the rest of the labels indicate to the semantically-tagged information and relations about the analysed review and the extracted domain features such as the polarity level (such as very positive, positive, neutral, negative, very negative) of the extracted domain feature, and the sentiment term that was used to describe the domain feature.



590

Fig. 13. A Concept Map for the Injected Semantic Information into the movie-review knowledgebase

The resulting movie-review knowledgebase will be accumulatively enriched with the semantically annotated movie’s features and sentiments extracted from the review, and hence will represent a valuable resource not only for predicting general opinion about a movie, but also for sophisticated retrieval of opinions associated with a specific movie’s feature. For instance, the movie-review knowledgebase should be able to answer a query about movies with the favourable screenplay, filtered by a specific genre, actor, origin, etc.

595

#### 4.3.4 Opinion classification

600

In order to use the enriched movie-review knowledgebase for conducting the opinion classification task, it was necessary to represent the semantic information of the enriched movie-review knowledgebase in a semantic feature matrix; which will be

input into the Machine Learning algorithm after merging it with another statistical feature matrix that are generated from the same analysed reviews via applying standard  
605 Vector Space Model [29]. A new Opinion Classification algorithm illustrates the classification process in detail as showed in Fig. 14. As illustrated in the Opinion Classification algorithm, the process contains the steps described below.

#### 4.3.4.1 *Generating the semantic feature matrix*

610 The generated semantic features present facts of the semantically structured opinions such as number of extracted domain features. Let  $m \times n$  be a semantic feature by review matrix  $F_{mn} = [f_{ij}]$  where each row  $i$  holds a semantic value about the extracted domain features from textual reviews, and each column  $j$  represents a textual review. Hence, each cell  $f_{ij}$  of matrix  $F$  contains a semantic value at which a domain feature  $i$  appear in  
615 a review  $j$ . The semantic values contained in matrix  $F$  were retrieved from the enriched movie-review knowledgebase, in which each semantic value presents a specific type of information as listed below:

- Number of extracted Domain Features per a review (NDF)
- Number of Positive Sentiments mentioned in the review (NPS)
- 620 • Number of Negative Sentiments mentioned in the review (NNS)
- Frequency of each Sentiments that were Associated with Domain Features per review (FSADF)
- Average Polarity of each group of domain features (AvgP-  $i$ )

An example of the average polarity in 5) above is that the average polarity value will  
625 be '1' for a grouped domain feature  $i$  in a review  $j$  when the grouped domain features  $i$  (e.g. script, story, screenplay) were extracted from a review  $j$  and associated with their corresponding sentiments (e.g. "the beauty of the script", "lovely story", "the screenplay was fantastic"), and their calculated polarity values are +1, +1 and +1. Although the polarity value for each extracted domain feature can be obtained via  
630 running a query on each domain feature individually, a single query was performed on each group of domain features. Grouping the domain features is based on the structure of the modelled domain key concepts in the movie-review knowledgebase. For example, the movie's features "staring, writer, editor, etc." are specified as a person, hence, instead of performing an individual query for each of them, one query is applied

635 for these movie's features in order to combine their polarities and derive the average value as shown in Fig. 15.

```
Algorithm Opinion Classification
Input: Number of Reviews N, List of Reviews' unique identity ID, movie-review Knowledgebase
contains key concepts, synonyms, ground facts and semantic information
//Generate Semantic Feature Matrix*/
Do for i=1: N,
// Number of Extracted Domain features (NEDF)
NEDF= SumDomainFeatureQuery(ID[i], movie-review)
// Number of Positive Sentiments (NPS)
NPS= SumPositiveSentimentsQuery (ID[i], movie-review)
// Number of Negative Sentiments (NNS)
NNS= SumNegativeSentimentsQuery (ID[i], movie-review)
// Frequency of the associated Sentiments (FS)
FS= CountSentimnetQuery(ID[i], movie-review)
// Average Polarity for each Group of Domain features (APGDF)
APGDF= AVGPolarityQuery(ID[i], movie-review)
// Insert all the semantic value into a matrix
Matrix F= Insert (NEDF, NPS, NNS, FS, APGDF)
End for
//Generate Statistical Feature Matrix
Matrix S= VectorSpaceModel(Reviews)
// Merging the matrices
Matrix FS= Merge (Matrix F, Matrix S)
// Modelling a classifier
TrainingData= Get (MatrixFS)
TestingData=Get (MatrixFS)
ClassifierModel= Build (TrainingData)
RatingResults= Test (ClassifierModel, TestingData)
Output: Numeric Rating Number for Reviews
```

Fig. 14. Opinion Classification Algorithm

640 The aim of grouping the polarity value of domain features is to reduce the number of zeros values in the matrix as a technique for improving the quality of matrices passed into the classifier. Prior to grouping the polarity value of domain features, the matrices were Sparse, meaning that most of their elements were zero values. Users often express their opinions on certain domain features and focus less on other domain features and this resulted in Sparse matrices. Sparse training matrices can have impact on the performance of the Machine Learning classifier because they do not contain sufficient data for training the classifier (i.e., have many zeros). Hence, minimizing the zero values would improve the quality of the training data and as a consequence will improve

645

the performance of the classifier [46]. The value of the average polarity is presented as a fuzzy value using the conditions below, where (5, 4, 3, 2, and 1 presents strongly positive, positive, neutral, negative and strongly negative respectively).

- Fuzzy Value =5 if  $0.5 < \text{average polarity} \leq 1$
- Fuzzy Value =4 if  $0 < \text{average polarity} \leq 0.5$
- Fuzzy Value =3 if  $\text{average polarity} = 0$
- Fuzzy Value =2 if  $-0.5 < \text{average polarity} < 0$
- Fuzzy Value =1 if  $-1 \leq \text{average polarity} \leq -0.5$

```
Prefix owl:<http://www.movie-review-ontology.owl#>
PREFIX rdfs:<http://www.w3.org/2000/01/rdf-schema#>
PREFIX rdf:<http://www.w3.org/1999/02/22-rdf-syntax-ns#>
SELECT      ?review  AVG(?polarity)
WHERE      {
?review owl:hasOpinion ?opinion .
?opinion rdf:type owl:Opinion .
?opinion owl:describesFeature ?K .
{?K rdf:type owl:Writer } UNION
{?K rdf:type owl:Editor } UNION
{?K rdf:type owl:Staring } UNION
{?K rdf:type owl:Director } UNION
{?K rdf:type owl:Cinematographer } .
?opinion owl:hasPolarityValue ?polarity .} GROUP BY ?review
```

Fig. 15. Example of querying the average polarity of a group of domain features

**Table 3**  
Generated Semantic Features Matrix

F \ R	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13
R1	3	2	1	1	1	0	0	0	0	0	5	0	5
R2	2	2	0	0	0	1	1	0	0	0	5	5	0
R3	2	0	2	0	0	0	0	1	1	0	1	1	0
R4	2	1	1	0	0	1	1	0	0	0	0	5	1
R5	2	2	0	0	0	1	0	0	0	1	0	5	0

Table 3 presents the generated semantic feature matrix from few examples of movie reviews that are listed below. The matrix presents the total number of extracted domain features (F1), positive sentiments (F2) and negative sentiments (F3); the frequency of each sentiment that is used to express subjective opinions in each review (F4, F5, F6, F7, F8, F9 and F10 for like, beauty, great, amazing, hate, bad and nice respectively); and the average polarity of each group of domain features for example story and script

are grouped together (F11, F12 and F13 for the group movie and film; the group performance and acting; and the group script and story respectively).

- Review1: I liked this movie ... the beauty of the script... horrific scene.
- 670 • Review2: This movie is great ... the performance is amazing.
- Review3: I hate this movie ... the performance is very bad.
- Review4: The story is not great ... the acting is amazing.
- Review5: This is a nice film ... the acting is great.

#### 4.3.4.2 *Generating a statistical feature matrix*

675 The generated statistical features represent the frequency of the refined terms in textual reviews. Let  $m \times n$  be a statistical feature by review matrix  $S_m = [s_{ij}]$  where each row  $i$  holds the frequency of the refined term in textual reviews, and each column  $j$  represents a textual review. Hence, each cell  $s_{ij}$  of  $S$  contains the frequency value (i.e., 0 for the absence or 1 for the presence) at which a term  $i$  appears in a review  $j$ . The  
680 statistical values contained in Matrix  $S$  were generated from the textual reviews as follows:

- 1) Tokenising each review's contents into a list of tokens;
- 2) Filtering the list of tokens by removing stop words, punctuations marks, semicolons, colons, numbers, tokens with length equal to one, tokens contain  
685 numbers and tokens that occur in only one review;
- 3) Stemming the list of filtered tokens by formatting each token to its root and converting each token to lowercase letters; and
- 4) Creating a Vector Space Model [29] that represents the frequency of each refined token across all reviews.

690 Table 4 presents the generated statistical feature matrix from few examples of movie reviews that are listed below. The matrix presents the frequency value of the refined terms that occur in more than one review (T1, T2, T3, T4 and T5 for the refined terms movie, great, performance, amazing and acting respectively).

- Review1: I liked this movie ... the beauty of the script... horrific scene.
- 695 • Review2: This movie is great ... the performance is amazing.
- Review3: I hate this movie ... the performance is very bad.
- Review4: The story is not great ... the acting is amazing.

- Review5: This is a nice film ... the acting is great.

700 **Table 4**  
Generated Statistical Features Matrix

	T	T1	T2	T3	T4	T5
R						
R1		1	0	0	0	0
R2		1	1	1	1	0
R3		1	0	1	0	0
R4		0	1	0	1	1
R5		0	1	0	0	1

#### 4.3.4.3 Merging semantic and statistical feature matrices

705 The matrix  $F_{mn}$  and  $S_{mn}$  were concatenated together horizontally to produce a new matrix  $FS_{mn}$ , in which concatenates rows of matrix  $F$  with rows of matrix  $S$  as both matrices have the same number of rows. Hence, the generated new matrix is considered a ‘review by a semantic-statistical feature’ matrix  $FS_{mn}=[fs_i]$  where each row  $i$  represents a textual review, and each column  $j$  holds a semantic feature or a statistical feature as illustrated in Table 5. After concatenating matrices, normalisation process was performed by deploying feature scaling (i.e., each column) and instance scaling (i.e., each row).  
710 Finally, the normalized FS matrix was passed to machine learning classifiers such as Support Vector Machine in order to result the rating inference for each review.

**Table 5**  
Merging Semantic and Statistical Features Matrices

F/T	F1	F2	F3	...	F13	T1	T2	T3	T4	T5
R										
R1	3	2	1	...	5	1	0	0	0	0
R2	2	2	0	...	0	1	1	1	1	0
R3	2	0	2	...	0	1	0	1	0	0
R4	2	1	1	...	1	0	1	0	1	1
R5	2	2	0	...	0	0	1	0	0	1

## 5. Experimental Evaluation

715 This section presents the conducted experiments on a movie review dataset as a case study in order to evaluate the performance of the proposed Hybrid Semantic Knowledgebase-Machine Learning approach for improving the performance of domain

feature extraction, the domain feature-sentiment association and opinion classification tasks. The experiments were conducted using a computer system with a processor (Intel® Core™ i5-4570 CPU @3.20GHz 3.20 GHz), memory RAM 32.0GB and 64-bit operating system. In addition, the GATE 8.0, Protégé 4.3, Weka 3.6 and NetBeans 8.0.1 software were installed on the system.

### 5.1 Datasets

A dataset of movie reviews [44] was used for the experiments, and this dataset has been widely used in the sentiment analysis literature [4], [18], [26]. The dataset contains 1770 reviews written by the same author. Each review is accompanied by a numerical rating based on its polarity. Table 6 presents the characteristics of the chosen dataset.

**Table 6**  
Dataset Characteristics for 3-class Classification.

Rating	Count
0	413
1	648
2	709
Total	1770

In order to perform evaluations for the domain feature extraction and the domain feature-sentiment association tasks, a total of 475 sentences containing 9301 words were selected from the downloaded dataset, and then from the selected sentences 422 domain features (277 Key concepts and synonyms, 18 movies' names, 91 names of people related to movies, 36 pronouns) were manually extracted and then associated with their corresponding sentiments (107 domain feature-sentiment pairs). The manually identified domain feature baseline and the feature-sentiment pairs baseline were used to evaluate the obtained domain features and domain feature-sentiment pairs via the proposed Hybrid Semantic Knowledgebase-Machine Learning approach. In terms of the evaluation of opinion classification task, the downloaded dataset contains 1770 movie reviews and their corresponding numerical ratings for 3-class classification (0, 1 and 2). The numerical ratings of the chosen dataset will be used as

reviews' rating baseline to evaluate the obtained reviews' rating via the proposed  
745 Hybrid Semantic Knowledgebase-Machine Learning approach.

## 5.2 Methodology

The obtained movie reviews were processed using the proposed Hybrid Semantic Knowledgebase-Machine Learning approach. Firstly, the modelled movie-review knowledgebase was populated with relevant ground facts from public datasets. Then,  
750 the movie reviews were processed linguistically and syntactically to tokenise, tag and lemmatise words as well as to determine the relation between them. After that, the target domain features were extracted from reviews and filtered to remove irrelevant extracted domain features by the proposed Domain Feature Extraction algorithm. In addition, sentiments were extracted from movie reviews and then modified to take into  
755 account any preceding shifters that might modify their polarity. Thereafter, the filtered domain features were associated with their corresponding sentiments using the proposed Domain Feature-Sentiment Association algorithm, and then their polarities were counted. Further, the movie-review knowledgebase was enriched with the obtained new semantic information and relations that belong to the processed movie  
760 reviews and the extracted domain features from them. Then, the semantic matrix  $F$  was generated from the movie-review knowledgebase, and it was merged with the statistical matrix  $S$  that was generated via standard Vector Space Model [29]. Finally, the matrix  $FS$  was normalised by deploying feature scaling (i.e., each column) and instance scaling (i.e., each row). After that, the normalised  $FS$  matrix was used to build a Support Vector  
765 Machine and Naïve Bayes classifiers to classify each review at numerical rating scale.

## 5.3 Experimental results

This subsection describes the results of the domain feature extraction task, the domain feature-sentiment association task, and the opinion classification task.

### 5.3.1 Evaluation of the domain feature extraction task

The evaluation is based on comparing the performance of the proposed Domain Feature Extraction algorithm against the prepared domain feature baseline results as well as against two existing approaches that adopt Semantic Knowledgebase technique. In particular, three experiments were performed using the proposed Domain Feature Extraction algorithm on the same selected sentences from the downloaded reviews for three modelled knowledgebases. In the first experiment (EXP1), the modelled movie-review knowledgebase for the proposed Hybrid Semantic Knowledgebase-Machine Learning approach was utilised, which contains a comprehensive knowledge about movie domain (key concepts, synonyms and ground facts that are collected from DBpedia and IMDb resources) as described in Section 4.2.1. In the second (EXP2) and third (EXP3) experiments, two knowledgebases K1 and K2 were modelled and used as described by Zhao and Li in [41], and by Peñalver-Martinez et.al in [30]. The K1 knowledgebase contains only the movie domain's key concepts and their synonyms while the K2 knowledgebase is a general movie domain knowledgebase that contains few number of movie's key concepts, synonyms and ground facts that were collected from IMDb resources.

In all experiments (EXP1, EXP2 and EXP3), the main focus was on evaluating the number of the retrieved domain features (Recall) via different coverage of the used knowledgebase. Functions (2) was used to compute the Recall of the extracted domain features.

$$\text{Recall} = \frac{| \{ \text{relevant domain features} \} \cap \{ \text{retrieved domain features} \} |}{| \{ \text{relevant domain features} \} |} \quad (2)$$

The results indicate that the proposed Domain Feature Extraction algorithm for Hybrid Semantic Knowledgebase-Machine Learning approach achieved high overall recall (86%) even before considering the co-reference resolution in EXP1 in the case that the proposed comprehensive movie-review knowledgebase was utilised, whereas the Domain Feature Extraction algorithm achieved 64% and 57% recall in EXP2 and EXP3 when the K1 and K2 knowledgebases were utilised. In terms of the precision, the results were less relevant for critical analysis as all the experiments EXP1, EXP2 and

EXP3 achieved 100% precision because all the annotated baseline domain features were extracted (i.e., relevant domain features).

EXP1 was rerun after deploying the co-reference resolution in the new proposed Domain Feature Extraction algorithm. Using Function (2), the results indicated that before applying co-referencing the recall was 86% and after co-referencing the recall increased to 93%. The number of extracted movie domain features increased by 9%, which means that non-explicit movie domain features such as single names and pronouns were matched successfully. These names and pronouns refer to people related to a movie in a particular review. Thus, the results show that deploying co-reference resolution could enhance the recall performance of domain feature extraction process especially for movie review domain, where it was observed that reviewers tend to use single names and pronouns most of the time after mentioning in the review the full name of the star, writer, editor, etc. at the first time.

Experiment EXP1 was again rerun to evaluate the impact of eliminating the non-relevant domain features by querying the movie-review knowledgebase ground facts that were obtained from public Linked Open Data sources. Functions (3) was used to compute the Precision of the extracted domain features after applying filtering process.

$$\text{Precision} = \frac{|\{\text{relevant domain features}\} \cap \{\text{retrieved domain features}\}|}{|\{\text{retrieved domain features}\}|} \quad (3)$$

The results evidenced that this step improved the precision of the domain feature extraction process as the number of the retrieved domain feature before filtering was 525 and after filtering was 407, and hence 118 of the retrieved were detected as non-relevant and removed. Based on the experiment EXP1, all of the 118 non-relevant domain features were movie's domain ground facts such as names of star, writer, editor, etc. As well as names of movies, however, these ground facts were determined as non-relevant because they are not relevant to the reviewed movie in a particular review. Consequently, performing a query about each extracted domain feature through the movie-review knowledgebase that was sourced via Linked Open Data resources can help to determine whether the retrieved domain feature is relevant to the reviewed movie or not.

### 5.3.2 Evaluation of the domain feature-sentiment association task

In this experiment, the proposed Domain Feature-Sentiment Association algorithm was evaluated against feature-sentiment pairs baseline. As described in Section 4.3.1, the proposed Domain Feature-Sentiment Association algorithm associates the extracted filtered domain features with their corresponding extracted sentiments (domain feature-sentiment pairs) using dependency pattern rules, which is similar to the approach published in [1] and [2]. The novelty of the Domain Feature-Sentiment Association algorithm is that it discards the associated domain feature-sentiment pairs that hold descriptive statements using the generated sentiment lexicons for domain features, and it retains the associated domain feature-sentiment pairs that hold subjective statements. Hence, two experiments were performed on the same selected sentences from the downloaded reviews. In the first experiment, the domain features-sentiment pairs were obtained using dependency pattern rules and without performing the filtering process, whereas in the second experiment, the domain features-sentiment pairs were obtained using the proposed Domain Feature-Sentiment Association algorithm in which the dependency pattern rules are used and the filtering process is performed. Functions (4) was used to compute the Precision of the associated domain feature-sentiment pairs within the two experiments. In function (4) DFSPs stands for Domain Feature-Sentiment Pairs.

$$\text{Precision} = \frac{| \{ \text{relevant DFSPs} \} \cap \{ \text{retrieved DFSPs} \} |}{| \{ \text{retrieved DFSPs} \} |} \quad (4)$$

The domain feature-sentiment pairs associated by the proposed Domain Feature-Sentiment Association algorithm achieved the highest precision value (84%), whereas the associated domain feature-sentiment pairs using dependency pattern rules and without applying filtering process obtained a precision value of 51%. This is due to the fact that using dependency pattern rules solely could result in associating all domain features with their corresponding sentiment whether they present descriptive or subjective opinion phrases, while in the proposed Domain Feature-Sentiment Association algorithm such descriptive opinion phrases were filtered using the generated sentiment lexicons for domain features.

This research also evaluated the advantages of utilising public Linked Open Data sources on the domain feature-sentiment association task. Hence, two experiments were

carried out using the same selected sentences from the downloaded movie reviews that contain the baseline associated domain feature-sentiment pairs. The first experiment (E1-KB) is based on evaluating the performance of the proposed Domain Feature-Sentiment Association algorithm when the associated domain features are the domain's key concepts and synonyms only. The second experiment (E2-KBLOD) is based on evaluating the performance of the proposed Domain Feature-Sentiment Association algorithm when the associated domain features are the domain's key concepts and synonyms in addition to the relevant ground facts that were gathered from Linked Open Data resources. Functions (5) was used to compute the Recall of the associated domain feature-sentiment pairs within the two experiments E1-KB and E2-KBLOD. In function (5), DFSPs stands for Domain Feature-Sentiment Pairs.

$$\text{Recall} = \frac{|\{\text{relevant DFSPs}\} \cap \{\text{retrieved DFSPs}\}|}{|\{\text{relevant DFSPs}\}|} \quad (5)$$

The obtained results evidenced that the recall of E1-KB and E2-KBLOD experiments was 69% and 73% respectively, which indicates that the number of extracted opinion phrases (associated domain feature-sentiment pairs) was increased in E2-KBLOD experiment. The improved Recall in the E2-KBLOD experiment demonstrates the benefit of populating the knowledgebase with ground facts from Linked Open Data resources which increased the number of the matched domain features and subsequently the number of the extracted opinions. Therefore, it can be concluded that populating the knowledgebase using Linked Open Data resources can enhance both domain feature extraction and feature-sentiment association processes.

### 5.3.3 Results of the opinion classification task

In this experiment, the proposed Opinion Classification algorithm was evaluated for the multi-class classification of movie reviews. The aim is to determine whether adding additional semantic features to a pure dataset of statistical features can result in higher classification accuracy, as opposed to using a statistical dataset containing the frequencies of features.

The additional semantic features were generated from the movie-review knowledgebase after pre-processing the reviews by the Hybrid Semantic Knowledgebase-Machine Learning approach. For the evaluation, the reviews were

classified using three (Statistical, Semantic, and Statistical-Semantic) datasets. The Statistical dataset is generated using standard Vector Space Model [29]; it contains the frequency number of each extracted word per a review (that is zero for the absence of the word or one for the present of the word). The Semantic dataset contains the valuable  
895 semantic information about the extracted domain features, which was retrieved from the enriched movie-review knowledgebase. The Statistical-Semantic dataset is a result of merging the Statistical and Semantic datasets.

Each dataset was input into the Support Vector Machine (SVM) [27] and Naïve Bayes (NB) [22] classifiers, and classification performance was evaluated. Both  
900 classifiers were tuned using the linear kernel function. The obtained results were compared against the reviews' numerical ratings on a scale [0, 1 and 2] for 3-class classification. Functions (6), (7) and (8) were used to compute each of Precision, Recall and F-measure respectively for evaluating classification performance.

$$\textbf{Precision} = \frac{| \{ \text{relevant reviews} \} \cap \{ \text{retrieved reviews} \} |}{| \{ \text{retrieved reviews} \} |} \quad (6)$$

$$\textbf{Recall} = \frac{| \{ \text{relevant reviews} \} \cap \{ \text{retrieved reviews} \} |}{| \{ \text{relevant reviews} \} |} \quad (7)$$

$$\textbf{F-measure} = \frac{2 * \text{Precision} * \text{Recall}}{\text{Precision} + \text{Recall}} \quad (8)$$

905 Table 7 presents the obtained results from two classifiers SVM and NB using the three datasets (Statistical, Semantic, and Statistical-Semantic) for 3-class classification. The results indicate that the performance of both the SVM and NB classifiers improved when they were trained using the Statistical-Semantic dataset as opposed to using the other datasets.

910 Table 8 presents the accuracy of the classified 1770 reviews by SVM and NB classifiers for the three datasets with respect to the number of features for each dataset, which are 1322, 716 and 2038 for the Statistical, Semantic, and Statistical-Semantic datasets respectively. Comparing the results across the various datasets when using the SVM and NB classifiers, maximum classification accuracy was consistently achieved  
915 by the SVM classifier. In particular, accuracy using SVM was 0.5%, 0.7%, and 0.4% higher for the Statistical, Semantic, and Statistical-Semantic datasets respectively, when using the SVM as opposed to when using the NB approach.

**Table 7**  
The Results for 3-Class Classification Task. (Cross Validation K=10)

Classifier	Rating Class	Statistical Dataset			Semantic Dataset			Statistical-Semantic Dataset		
		P	R	F	P	R	F	P	R	F
SVM	0	74	54	63	72	38	50	75	54	63
	1	57	65	61	51	67	58	59	69	64
	2	75	77	76	72	70	71	78	79	79
	Average	68	67	67	64	62	61	71	70	70
NB	0	67	67	67	62	47	53	70	66	68
	1	59	62	60	51	63	56	60	67	64
	2	75	71	73	72	67	70	79	73	76
	Average	67	67	67	62	61	61	70	69	70

**Table 8**  
Accuracy of the classified reviews using the SVM and NB classifiers for the three datasets that have different number of features.

Classifier	Accuracy	Statistical Dataset	Semantic Dataset	Statistical-Semantic Dataset
SVM	Correctly Classified	67.6%	62%	70.1%
	Incorrectly Classified	32.3%	37.9%	29.8%
NB	Correctly Classified	67.1%	61.3%	69.7%
	Incorrectly Classified	32.8%	38.6%	30.2%

Table 9 presents the improvement of both classifiers SVM and NB when using the Statistical-Semantic dataset against Statistical dataset and Semantic dataset respectively. There was a noticeable improvement of both classifiers on each of precision, recall and f-measure of the classified reviews per a rating class as well as in a total. For example, when using Statistical-Semantic dataset instead of Statistical dataset, the improvement was from +1% to +6% for the classified reviews using SVM classifier, and from +1% to +8% for the classified reviews using NB classifier. Hence, complementing the Statistical dataset with the Semantic dataset enhanced the quality of the training data and resulted in improving the performance of opinion classification task.

**Table 9**

Improvement of SVM and NB classifiers when using the Statistical-Semantic dataset vs. the Statistical dataset and Semantic dataset

Classifier	Rating Class	Statistical-Semantic vs. Statistical (%)			Statistical-Semantic vs. Semantic (%)		
		P	R	F	P	R	F
SVM	0	+1	+0	+0	+3	+16	+13
	1	+2	+4	+3	+8	+2	+6
	2	+3	+2	+3	+6	+9	+8
	Total	<b>+6</b>	<b>+6</b>	<b>+6</b>	<b>+17</b>	<b>+27</b>	<b>+27</b>
NB	0	+3	+0	+1	+8	+19	+15
	1	+1	+5	+4	+9	+4	+8
	2	+4	+2	+3	+7	+4	+6
	Total	<b>+8</b>	<b>+7</b>	<b>+8</b>	<b>+24</b>	<b>+27</b>	<b>+29</b>

945

## 6. OVER VIEW OF THE PROPOSED APPROACH AND ITS APPLICATIONS

This paper presents a new hybrid approach for semantically extracting and analysing opinions from unstructured online reviews. The proposed approach integrates a Semantic Knowledgebase and Machine Learning approaches to improve the actionable intelligence extraction and analysis of opinions from unstructured domain reviews.

950

This approach comprises several stages, in which each stage was developed to improve opinion mining challenges at domain feature level. In the initial stage, we constructed a semantic knowledgebase that contains comprehensive knowledge of the problem domain. Constructing a semantic knowledgebase starts with modelling the domain knowledge into a domain model that can represent and associate generic information about the domain, opinions as well as its reviews. The domain model was then translated into a formal ontology that represents the schemata for populating the domain knowledgebase with structured information. The semantic structure of the domain knowledgebase provides for obtaining data from other public sources that use similar standards for data structuring such as Linked Open Datasets, which can be used, for instance, to populate the domain knowledgebase with dynamic ground facts about

955  
960

the problem domain, which is considered valuable for the process of opinion mining at domain feature level. In the second stage, we developed and implemented the domain feature extraction process to extract domain features from movie reviews. Linked Open  
965 Data resources such as DBpedia and Internet Movie Database were utilized to populate the constructed semantic domain knowledgebase with structured relevant ground facts about each processed domain review via performing composed SPARQL Construct queries. A set of Natural Language Processing components were built to obtain the linguistic and syntactic structure of the textual review. In the third stage, we developed  
970 and implemented the domain feature-sentiment association process to associate the extracted domain features with their corresponding features. Sentiment lexicon was used to extract sentiment words from the pre-processed reviews. To associate the extracted domain features with the extracted sentiments, a set of dependency pattern rules was implemented as well as a sentiment lexicon for each group of domain features  
975 was generated, which contains a list of sentiments that can be used only to express subjective opinions for a specific group of domain features. The generated domain sentiment lexicons were used to discard the identified patterns that contain descriptive opinions. In the fourth stage, the semantically structured domain knowledgebase that was used to bootstrap the domain feature extraction process was further enriched with  
980 new semantic information related to the analysed review and the corresponding semantically annotated domain features and their corresponding sentiments as well as their polarities. The resulting domain knowledgebase represents a valuable resource not only for predicting general opinion about a domain, but also for sophisticated retrieval of opinions associated with a specific domain feature. In the fifth stage, a novel hybrid  
985 Semantic Knowledgebase-Machine Learning approach was developed for classifying the overall opinion of the reviews on a multi-point scale. It is based on combining statistical features with semantic features for bootstrapping the Machine Learning opinion classifiers. The Vector Space Model was used to generate the statistical features that represent the frequency of the refined terms in textual reviews. SPARQL queries  
990 were implemented to retrieve from the developed semantic knowledgebase the semantic features that represent facts about the semantically structured opinions about domain features.

The above described methodology is applicable to other domains provided that the following two conditions is fulfilled:

- 995           1) Construction of a semantic knowledgebase that contains comprehensive  
                  knowledge of the problem domain.
- 2) The problem domain should has similar characteristics to the movie reviews  
                  domain in terms of the volume and quality of the domain’s semantic  
                  information. For example, Twitter has become the most popular sources for  
1000           conducting researches on sentiment analysis because it is very convenient  
                  to collect the activity of users. However, Twitter allows users to view and  
                  share limited character messages with the public, which would pose a  
                  challenge because the volume and quality of the semantic information  
                  within these posts are significantly less than within textual reviews (i.e.,  
1005           represent elaborate reviews written by expert critics). As in this research  
                  the analysed domain reviews represent elaborate reviews written by expert  
                  critics.

## 7. CONCLUSION

Opinions play an important role in supporting consumers make decisions about  
1010           purchasing products or services. Opinion mining tools are needed to enable users to  
                  efficiently process a large number of reviews found online, in order to determine the  
                  underlying opinions. In this paper, a Hybrid Semantic Knowledgebase-Machine  
                  Learning approach is proposed where a novel Domain Feature Extraction algorithm  
                  utilises a comprehensive knowledge of the chosen domain and relevant public Linked  
1015           Open Data (DBpedia, IMDb) for the purpose of improving the precision and recall of  
                  the domain feature extraction task. Our approach also improves the accuracy of  
                  computing the reviews’ sentiments by deploying a new Domain Feature-  
                  Sentiment Association algorithm that relies on a generated sentiment lexicon for each  
                  domain feature. Finally, our Hybrid approach enhances the accuracy of opinion  
1020           classification on a multi-point scale by deploying a new Opinion Classification  
                  algorithm that is based on integrating semantic data from a modelled semantic  
                  knowledgebase with a statistical dataset.

The experimental results for the domain feature extraction task demonstrated that  
the developed Domain Feature Extraction algorithm performs better with the produced

1025 movie-review knowledgebase that has more comprehensive coverage than similar  
reported works. Moreover, the accuracy of the proposed feature extraction algorithm  
was further improved by deploying co-reference resolution and by consulting the  
movie-review knowledgebase, which was populated utilising Linked Open Data  
resources, to filter out irrelevant domain features.

1030 The experimental results for domain feature-sentiment association task evidenced  
that the proposed Domain Feature-Sentiment Association algorithm provided for the  
accurate detection of subjective opinion phrases that contain the domain features-  
sentiments pairs when both dependency pattern rules and the sentiment lexicons for the  
domain features were utilised together.

1035 Finally, the experimental results for the opinion classification task demonstrated that  
the proposed Opinion Classification algorithm enhanced the classification on a multi-  
point scale, which answers the hypothesis of whether complementing the dataset of  
statistical features with knowledge-based semantic features can result in an improved  
classification accuracy. Future work includes an investigation on developing a  
1040 SPARQL based Natural Language Query engine for sophisticated interrogation of  
opinions from the modelled movie-review knowledgebase. In addition, the proposed  
Hybrid Semantic Knowledgebase-Machine Learning approach will be evaluated on  
short text of movie reviews that are expressed by users as in this research the analysed  
movie reviews represented elaborate reviews written by expert critics.

1045 Recent approaches on Sentiment Analysis and Opinion mining which utilise  
machine learning and deep learning methods focus on classification tasks. To the best  
of the authors' knowledge, there are no approaches which propose the adoption of a  
Semantic Knowledgebase approach with Deep Learning methods for classification  
tasks. In future work we will apply the proposed Semantic Knowledgebase approach  
1050 on larger datasets to facilitate the need for Deep Learning approaches, and to evaluate  
the impact of the proposed Semantic Knowledgebase approach when hybridised with  
Deep Learning instead of conventional machine learning approaches. The proposed  
Semantic Knowledgebase approach can be adopted with any classifier, and the choice  
of classifier, whether conventional or deep learning, depends on the scale of the dataset

1055 and the task. The main contribution in this paper is based on improving the quality of  
the training dataset for classification tasks using a Semantic Knowledgebase approach.

## References

- 1060 [1] Agarwal, B., Mittal, N., Bansal, P. & Garg, S. 2015, "Sentiment Analysis  
Using Common-Sense and Context Information", Computational intelligence  
and neuroscience, vol. 2015.
- [2] Agarwal, B., Poria, S., Mittal, N., Gelbukh, A. & Hussain, A. 2015, "Concept-  
level sentiment analysis with dependency-based semantic parsing: A novel  
approach", Cognitive Computation, , pp. 1-13.
- 1065 [3] Ali, F., Kim, E. and Kim, Y. (2014). Type-2 fuzzy ontology-based opinion  
mining and information extraction: A proposal to automate the hotel  
reservation system. Applied Intelligence, 42(3), pp.481-500.
- [4] Allison, B. (2008), "Sentiment detection using lexically-based  
classifiers", Text, speech and dialogue Springer, , pp. 21.
- [5] Asghar, N. (2016) "Yelp Dataset Challenge: Review Rating Prediction."
- 1070 [6] M. W. Berry, S. T. Dumais, and G. W. O'Brien, "Using linear algebra for  
intelligent information retrieval," Tech. Rep. UT-CS-94-270, 1994. [Online].  
Available: [citeseer.ist.psu.edu/berry95using.html](http://citeseer.ist.psu.edu/berry95using.html)
- 1075 [7] Acampora, G. and Cosma, G., 2015, June. A comparison of fuzzy approaches  
to e-commerce review rating prediction. In Proceedings of International Fuzzy  
Systems Association (IFSA) and the 9th Conference of the European Society  
for Fuzzy Logic and Technology (EUSFLAT) (p. 122).
- [8] Cosma, G. and Acampora, G., 2016. A computational intelligence approach to  
efficiently predicting review ratings in e-commerce. Applied Soft Computing.  
ISSN 1568-4946
- 1080 [9] Dalvi, B., Minkov, E., Talukdar, P.P. & Cohen, W.W. (2015), "Automatic  
gloss finding for a knowledgebase using ontological constraints", Proceedings

of the Eighth ACM International Conference on Web Search and Data Mining ACM, , pp. 369.

- 1085 [10] Deng, Z. H., Luo, K. H., & Yu, H. L. (2014). A study of supervised term weighting scheme for sentiment analysis. *Expert Systems with Applications*, 41(7), 3506–3513.
- [11] Ding, X. & Liu, B. 2007, "The utility of linguistic rules in opinion mining", *Proceedings of the 30th annual international ACM SIGIR conference on Research and development in information retrieval ACM*, , pp. 811.
- 1090 [12] Eirinaki, M., Pital, S. & Singh, J. (2012), "Feature-based opinion mining and ranking", *Journal of Computer and System Sciences*, vol. 78, no. 4, pp. 1175-1184.
- 1095 [13] Ghiassi, M., Skinner, J., & Zimbra, D. (2013). Twitter brand sentiment analysis: A hybrid system using n-gram analysis and dynamic artificial neural network. *Expert Systems with Applications: An International Journal*, 40(16), 6266–6282.
- [14] Ghorashi, S.H., Ibrahim, R., Noekhah, S. & Dastjerdi, N.S. (2012), "A Frequent Pattern Mining Algorithm for Feature Extraction of Customer Reviews Extraction of Customer Reviews".
- 1100 [15] Jason Kessler and Nicolas Nicolov. 2009. Targeting sentiment expressions through supervised ranking of linguistic configurations. In *Proceedings of the Third International AAAI Conference on Weblogs and Social Media*, San Jose, CA, USA, May.
- 1105 [16] Hu, M. & Liu, B. (2004), "Mining and summarising customer reviews", *Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining ACM*, , pp. 168.
- [17] Kontopoulos, E., Berberidis, C., Dergiades, T., & Bassiliades, N. (2013). Ontology based sentiment analysis of twitter posts. *Expert Systems with Applications*, 40,4065–4074.

- 1110 [18] Li, G., & Liu, F. (2012), "Application of a clustering method on sentiment analysis". *Journal of Information Science*, 38(2), 127-139.
- [19] Liu, B. (2015). *Sentiment analysis*. New York: Cambridge University Press.
- [20] Lunardi, A., Viterbo, J., Boscaroli, C., Bernardini, F. and Maciel, C., 2016, July. Domain-Tailored Multiclass Classification of User Reviews Based on Binary Splits. In *International Conference on Social Computing and Social Media* (pp. 298-309). Springer International Publishing.
- 1115 [21] Ma, B., Zhang, D., Yan, Z. & Kim, T. (2013). "An LDA and Synonym Lexicon Based Approach to Product Feature Extraction from Online Consumer Product Reviews", *Journal of Electronic Commerce Research*, vol. 14, no. 4.
- 1120 [22] Domingos, P. and Pazzani, M., (1997). On the optimality of the simple Bayesian classifier under zero-one loss. *Machine learning*, 29(2), pp.103-130.
- [23] Martín-Valdivia, M. T., Martínez-Cámara, E., Perea-Ortega, J. M., & Ureña-López, L. A. (2013). Sentiment polarity detection in Spanish reviews combining supervised and unsupervised approaches. *Expert Systems with Applications*, 40, 3934–3942.
- 1125 [24] Min, H. J., & Park, J. C. (2012). Identifying helpful reviews based on customer's mentions about experiences. *Expert Systems with Applications*, 39(15), 11830–11838.
- [25] R. Moraes, J. F. Valiati, and W. P. G. Neto, "Document-level sentiment classification: An empirical comparison between svm and ann," *Expert Systems with Applications*, vol. 40, pp. 621–633, 2013.
- 1130 [26] Mukras R, Carroll J. A comparison of machine learning techniques applied to sentiment classification, 2004.
- [27] Vapnik, V.N., 1997, October. The support vector method. In *International Conference on Artificial Neural Networks* (pp. 261-271). Springer, Berlin, Heidelberg..
- 1135

- [28] B. Pang and L. Lee, "Opinion mining and sentiment analysis," *Foundation Trends in Information Retrieval*, vol. 2, no. 1-2, pp. 1–135, Jan.2008.
- 1140 [29] Salton, G., Wong, A. and Yang, C.S., 1975. A vector space model for automatic indexing. *Communications of the ACM*, 18(11), pp.613-620.
- [30] Peñalver-Martinez, I., Garcia-Sanchez, F., Valencia-Garcia, R., Rodríguez-García, M., Moreno, V., Fraga, A. and Sánchez-Cervantes, J. (2014). Feature-based opinion mining through ontologies. *Expert Systems with Applications*, 41(13), pp.5995-6008.
- 1145 [31] R. Prabowo and M. Thelwall, "Sentiment analysis: A combined approach." *Journal of Informetrics*, vol. 3, no. 2, pp. 143–157, 2009.
- [32] Polpinij, J. and Ghose, A.K., 2008, December. An ontology-based sentiment classification methodology for online consumer reviews. In *Proceedings of the 2008 IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology-Volume 01* (pp. 518-524). IEEE Computer Society.
- 1150 [33] S, Sashi Rekha k, P. (2015). Opinion Mining from Text Reviews Using Machine Learning Algorithm. *IJIRCCE*, 03(03), pp.1567-1570.
- [34] F. Sebastiani, *Machine learning in automated text categorization*, *ACM Comput.Surv.* 34 (1) (2002) 1–47.
- 1155 [35] Shein, K.P.P. 2009, "Ontology based combined approach for sentiment classification", *Proceedings of the 3rd International Conference on Communications and information technologyWorld Scientific and Engineering Academy and Society (WSEAS)*, , pp. 112.
- 1160 [36] Sulthana, A.R. and Subburaj, R., (2016). An Improvised Ontology based K-Means Clustering Approach for Classification of Customer Reviews. *Indian Journal of Science and Technology*, 9(15).

- 1165 [37] Gate.ac.uk. (2017). JAPE: Regular Expressions over Annotations. [online] Available at: <https://gate.ac.uk/sale/tao/splitch8.html> [Accessed 10 Nov. 2017].
- [38] H. Tang, S. Tan, and X. Cheng, "A survey on sentiment detection of reviews," *Expert Systems with Applications*, vol. 36, no. 7, pp. 10 760–10 773, sep 2009.
- [39] V. Vapnik *The Nature of Statistical Learning Theory* Springer-Verlag, New York (1995), pp. 123–171
- 1170 [40] Yang, C., Chen, Z., Wang, T. & Sun, P. 2015, "Research on the Sentiment Analysis of Customer Reviews Based on the Ontology of Phone", .
- [41] Zhao, L. & Li, C. (2009), *Ontology based opinion mining for movie reviews*, Springer.
- 1175 [42] Zhuang, L., Jing, F. & Zhu, X. (2006), "Movie review mining and summarisation", *Proceedings of the 15th ACM international conference on Information and knowledge management ACM*, , pp. 43.
- [43] Liu, B. (2017). *Opinion Mining, Sentiment Analysis, Opinion Extraction*. [online] Cs.uic.edu. Available at: <https://www.cs.uic.edu/~liub/FBS/sentiment-analysis.html#lexicon> 1180 [Accessed 10 Nov. 2017].
- [44] Cs.cornell.edu. (2017). *Movie Review Data*. [online] Available at: <http://www.cs.cornell.edu/people/pabo/movie-review-data/> [Accessed 10 Nov. 2017].
- 1185 [45] Gate.ac.uk. (2017). *General Architecture for Text Generation*. [online] Available at: <https://gate.ac.uk/> [Accessed 10 Nov. 2017].
- [46] Xu, J., Xu, B., Wang, P., Zheng, S., Tian, G. and Zhao, J. (2017). Self-taught convolutional neural networks for short text clustering. *Neural Networks*, 88, pp.22-31.
- 1190 [47] Shirani-Mehr, H. (2014). *Applications of deep learning to sentiment analysis of movie reviews*. In Technical report. Stanford University.

- [48] Lu, C., Huang, H., Jian, P., Wang, D. and Guo, Y.D., 2017, May. A P-LSTM neural network for sentiment classification. In Pacific-Asia Conference on Knowledge Discovery and Data Mining (pp. 524-533). Springer, Cham.