Automation in Construction, Elsevier, 81, pp. 44-55. ISSN 0926-5805 (Impact Factor: 3.432, SNIP: 2.68)

| 1<br>2 | Formulating Project-level Building Information Modeling Evaluation Framework from<br>the Perspectives of Organizations: A Review                               |
|--------|--|
| 3      | Ying Zhou <sup>1,*</sup> , Lieyun Ding <sup>1</sup> , Yang Rao <sup>1</sup> , Hanbin Luo <sup>1</sup> ,Benachir Medjdoub <sup>2</sup> , Hua Zhong <sup>2</sup> |
| 4<br>5 | 1. School of Civil Engineering and Mechanics, Huazhong University of Science and Technology, Hubei, P.R. China   |
| 6<br>7 | 2. School of Architecture, Design and the Built Environment, Nottingham Trent University,<br>United Kingdom  |
| 8      | Abstract: This study identifies Building Information Modeling (BIM) benefits in the  |
| 9      | presentations of previous project participants and specialties. Based on recent data, a framework  |
| 10     | for evaluating the project-level BIM benefits from the perspectives of different stakeholders  |
| 11     | involved in the project is proposed. In order to maximize the benefits for each user or  |
| 12     | stakeholder, the functions and methods for implementing BIM on construction projects are   |
| 13     | explained. The results show that the advantages of implementing BIM in construction projects   |
| 14     | can be effectively evaluated by the proposed framework. Results presented herein provide   |
| 15     | documentation to improve the understanding of BIM benefits to all construction industry  |
| 16     | stakeholders.  |

17 Key words: BIM; benefits; evaluation

18

# 19 1 Introduction

Building Information Modeling (BIM) has been widely used in the whole life cycle of 20 infrastructure projects, including civil and mechanical engineering projects, to improve the 21 efficiency and effectiveness of these projects<sup>[1]</sup>. The utilization of BIM has grown significantly 22 in recent years and it has been used to support various specialties in different phases of 23 construction projects. The full impact of BIM principles and methodologies on the evolution of 24 design tools in the Architecture/Engineering/Construction (AEC) industry has recently become 25 a research area topic. In the past ten years, BIM has drawn the attention of researchers. From 26 a prior research review, BIM can improve visualization, communication and integration in 27 construction projects<sup>[2]</sup>. As an emerging technology, BIM has played an important role in the 28 built environment <sup>[3]</sup>. Previous research found that the implementation of BIM can certainly 29 improve construction efficiency and decision making throughout the life cycle of a project <sup>[4, 5,</sup> 30 <sup>6]</sup>. However, there is hesitation in adopting these creative tools and processes <sup>[7]</sup>. The main 31

Corresponding author: Associate Professor, School of Civil Engineering and Mechanics, Huazhong University of Science and Technology, Wuhan 430074, P.R. China *E-mail address: ying\_zhou@ hust.edu.cn* 

reasons for this reluctance to incorporate advanced technology are uncertainty about the 32 competitive advantages and lack of awareness regarding the technologies and related benefits 33 <sup>[8]</sup>. Currently, there is no agreed basic methodology to evaluate the advantages of BIM. Instead, 34 there are various opinions regarding the benefits of BIM, leading to some misunderstanding. 35 Thus, a standard evaluation framework is needed to assess BIM implementation <sup>[9]</sup>. Such a 36 framework can help multiple participants and specialists understand and evaluate BIM benefits. 37 Prior case studies have been done to evaluate the advantages of BIM implementations on 38 actual construction projects. Khanzode et al. analyzed the quantitative and qualitative benefits 39

of using BIM tools in Mechanical, Electrical and Plumbing (MEP) systems <sup>[3]</sup>. A survey was 40 conducted to clarify the ambiguity surrounding BIM and to identify the mutual benefits of 41 adopting BIM<sup>[10]</sup>. Succar et al. proposed a method to evaluate BIM projects from five 42 perspectives, which are BIM capability stage, BIM maturity level, BIM competencies, 43 organizational scale, and granularity levels <sup>[11]</sup>. However, it cannot be used for quantitative 44 evaluation of BIM projects. bimSCORE was developed to evaluate the maturity of a BIM 45 project<sup>[12]</sup>. However, it utilizes the same evaluation factors for different projects in spite of their 46 different objectives. Considering the necessity and importance of applying BIM technology in 47 the built environment, it can be inferred that an evaluation framework, which facilitates the 48 implementation of BIM technology, would enlighten practitioners about the potential of BIM 49 applications in construction project management. This would then deepen their understanding 50 about the advantages of using BIM in their own projects. 51

52 To develop an applicable evaluation framework, it is necessary to understand and define 53 the requirements of the industry users and how to analyze the actual benefits. Won et al. conducted case studies to validate the applicability of a success level assessment model for BIM 54 project (SLAM BIM)<sup>[13]</sup>. Actually, according to the research conducted by Bakis et al.<sup>[14]</sup>, case 55 study analysis is the most appropriate method for investigating the benefits of information 56 57 technologies. Case study analysis has been the most adopted method in previous research (will be explained in the following sections). However, the concerns of different participants are not 58 quite the same, and these concerns change while the construction project moves forward. 59

Fortunately, much of the literature on actual implementation of BIM applications on 60 construction sites is available in the form of papers and reports. Hence, this study collects and 61 62 analyzes prior research to formulate and propose a project-level BIM benefits evaluation framework from the perspectives of different stakeholders involved in the project. The 63 following section introduces the research approach. Section 3 analyzes the literature and 64 extracts the various concerns of individual participants. In Section 4, an evaluation framework 65 66 is formulated, and methods to calculate the benefits of BIM implementation are proposed. Specifically, in order to maximize the benefits for each type of user, the functions and methods 67 of BIM implementation on actual construction projects are explained. The results can help 68 construction industry practitioners better understand how to implement BIM technology to 69

70 improve safety, reduce rework, reduce costs, and improve sustainability and effectiveness.

# 71 2 Research Approach

The effectiveness of BIM implementation in various situations, such as educational and industrial settings, has been evaluated<sup>[15]</sup>. Despite the topic of BIM having been studied by academics <sup>[16,17,18,19]</sup>, and professional industry groups <sup>[20,21,22]</sup>, the financial investment in this innovative methodological and technological solution makes private sector clients very prudent<sup>[23]</sup>. Research has shown that the major hurdle for adopting BIM into standard industry practice is to justify the additional cost to achieve the benefits discussed <sup>[24]</sup>. Therefore, the development of the ability to quantify the benefits of adopting BIM is required <sup>[23,25]</sup>.


In recent years, although there have been significant advances in BIM research and development, there is still a gap in providing a strong and reliable evaluation framework able to quantify BIM benefits. This paper is timely and aims to analyze and understand the existing BIM research map to:

- support the formulation of a BIM benefits evaluation framework;
- highlight the benefits for different stakeholders;
- understand the challenges of BIM implementation and suggest how they can be solved;
- forecast future research and development trends.

# 87 3 Review of BIM Benefits

# 88 3.1 Characteristics of Collected Articles

To make the framework applicable to various projects and stakeholders, we have analyzed a large number of case studies from existing literature. There were 65 relevant international journal articles were analyzed. The number of articles by year of publication is shown in Figure 1. The number of publications evaluating the benefits of BIM has grown considerably from 2006, with a substantial increase from 2011.



95

# Fig. 1 Number per year of international journal publications related to BIM benefits evaluation research (journals listed in Table 1)

96

97 The list of publications analyzed includes (see Table 1) 29 research projects conducted in 98 the United States between 2008 to 2016. The remaining research projects were conducted in 99 different countries including the UK, Singapore, South Korea, Australia, Canada, Hong Kong, 100 Germany, Israel, and Jordan. The analysis of these projects shows that since 2012 more 101 countries/districts began to realize the importance of evaluating BIM benefits. Therefore, the 102 formulation of an evaluation framework is both timely and necessary in order for the 103 construction industry stakeholders to understand the importance of adopting BIM.

The analysis of the projects listed in Table 1 shows that the methods used for evaluating BIM benefits in individual projects are diverse and are classified into seven types <sup>[18,26]</sup>. These types listed in "Evaluation Methodologies" column of Table 1. In the "Project Participants" column, "all" means all the participants, specifically, including contractors, design agencies and owners. In the "phase" column, "all" means all the phases in construction management, specifically, including planning, design, construction and maintenance/operation phases.

110

#### Table.1 characteristics of existing BIM evaluation methods

| NO | Year | Country<br>/District | Evaluation Methodologies        | Project Participants         | Phase               | Authors             |
|----|------|----------------------|---------------------------------|------------------------------|---------------------|---------------------|
| 1  | 2016 | USA                  | Case study and model or process | Owners; Design agencies      | Design              | Wasmi et al. [27]   |
| 2  | 2016 | Korea                | Survey                          | Design agencies; Contractors | Construction        | Lee et al. [28]     |
| 3  | 2016 | Australia            | Case study and model or process | Design agencies; Contractors | Design/Construction | Wang et al. [29]    |
| 4  | 2016 | UK                   | Theory and general assumptions  | All                          | All                 | Bradley et al. [30] |
| 5  | 2016 | Korea                | Case studies                    | All                          | All                 | Won et al. [13]     |
| 6  | 2015 | Hong Kong            | Theory and general assumptions  | All                          | All                 | Wong et al. [31]    |
| 7  | 2015 | Singapore            | Theory and general assumptions  | All                          | All                 | Nath et al. [32]    |
| 8  | 2015 | Hong Kong            | Case study and model or process | All                          | All                 | Lu et al. [33]      |
| 9  | 2015 | USA                  | Survey and Case studies         | All                          | All                 | Francom et al. [34] |
| 10 | 2015 | China                | Survey and Case studies         | All                          | Design/Construction | Cao et al. [35]     |
| 11 | 2015 | USA                  | Case study                      | All                          | Design/Construction | Terreno et al. [36] |
| 12 | 2014 | Poland               | Theory and general assumptions  | Design agencies              | Design              | Czmoch et al. [37]  |
| 13 | 2014 | China                | Model or process                | All                          | All                 | Xu et al. [38]      |
| 14 | 2014 | Iran                 | Survey and Case studies         | All                          | All                 | Fazli et al. [39]   |
| 15 | 2014 | Australia            | Case study and model or process | Owners; Contractors          | All                 | Nepal et al. [40]   |
| 16 | 2014 | USA                  | Survey                          | Owners                       | All                 | Giel et al. [41]    |
| 17 | 2014 | Pakistan             | Survey                          | All                          | All                 | Masood et al. [42]  |

| NO | Year | Country<br>/District | Evaluation Methodologies             | Project Participants         | Phase               | Authors                     |
|----|------|----------------------|--------------------------------------|------------------------------|---------------------|-----------------------------|
| 18 | 2014 | Czech<br>Republic    | Theory and general assumptions       | All                          | All                 | Tomek et al. [43]           |
| 19 | 2014 | USA                  | Theory and general assumptions       | All                          | All                 | Abdirad et al. [44]         |
| 20 | 2014 | Australia            | Theory and general assumptions       | Owners                       | All                 | Love et al. [45]            |
| 21 | 2014 | Germany              | Survey and Case studies              | All                          | All                 | Volk et al. [46]            |
| 22 | 2014 | USA                  | Survey                               | Contractors                  | Construction        | Boktor et al. [47]          |
| 23 | 2014 | USA                  | Survey and case studies              | All                          | All                 | Stowe et al. [48]           |
| 24 | 2014 | USA                  | Survey and case studies              | All                          | All                 | McGraw-Hill[49]             |
| 25 | 2014 | USA                  | Survey and case studies              | All                          | Design/Construction | Monteiro et al. [50]        |
| 26 | 2014 | Australia            | Theory and general assumptions       | All                          | All                 | Wang et al. [51]            |
| 27 | 2013 | Australia            | Theory and general assumptions       | Owner                        | All                 | Love et al. [23]            |
| 28 | 2013 | USA                  | Case study and quantifiable findings | Contractors                  | Construction        | Vaughan et al. [52]         |
| 29 | 2013 | USA                  | Survey and case studies              | Design agencies; Contractors | Design/Construction | Clevenger et al. [53]       |
| 30 | 2013 | USA                  | Survey and case studies              | Owners                       | All                 | Giel et al. [54]            |
| 31 | 2013 | UK                   | Theory and general assumptions       | Owners                       | All                 | Xu et al. [55]              |
| 32 | 2013 | USA                  | Case study                           | Design agencies; Contractors | Design Construction | Luth et al. [6]             |
| 33 | 2013 | USA                  | Survey                               | Design agencies; Contractors | Design/Construction | Bynum et al. [56]           |
| 34 | 2013 | UK                   | Survey and case studies              | All                          | All                 | Bryde et al. [57]           |
| 35 | 2013 | Hong Kong            | Case study and model or process      | Contractors                  | Construction        | Lu et al. [58]              |
| 36 | 2013 | UK                   | Survey                               | All                          | All                 | Eadie et al. [59]           |
| 37 | 2013 | USA                  | Theory and general assumptions       | Design agencies; Contractors | Design/Construction | Solnosky et al. [19]        |
| 38 | 2013 | Australia            | Model or process                     | Design agencies              | Design              | Wang et al. [60]            |
| 39 | 2013 | Italy                | Case study                           | Design agencies              | Design              | Di et al. [61]              |
| 40 | 2013 | Korea                | Theory and general assumptions       | Contractors                  | Construction        | Park et al. [62]            |
| 41 | 2012 | USA                  | Survey and case studies              | All                          | All                 | McGraw-Hill[63]             |
| 42 | 2012 | USA                  | Survey and case studies              | All                          | All                 | McGraw-Hill[64]             |
| 43 | 2012 | Canada               | Survey and case studies              | Owners                       | All                 | Neelamkavil et al. [65]     |
| 44 | 2012 | Korea                | Case study and quantifiable findings | Design agencies              | Design              | Lee et al. [66]             |
| 45 | 2012 | Singapore            | Case study and model or process      | Design agencies              | Design              | Kandil et al. [67]          |
| 46 | 2012 | UK                   | Case study and model or process      | Design agencies              | Design              | Porwal et al. [68]          |
| 47 | 2012 | Australia            | Theory and general assumptions       | All                          | All                 | Succar et al. [11]          |
| 48 | 2011 | USA                  | Survey and case studies              | All                          | All                 | Barlish et al. [18]         |
| 49 | 2011 | USA                  | Survey and case studies              | Contractors                  | All                 | Mehmet et al. [69]          |
| 50 | 2011 | USA                  | Survey and Case studies              | All                          | All                 | Azhar et al. [70]           |
| 51 | 2010 | USA                  | Survey                               | All                          | All                 | Becerik-Gerber et al. [5]   |
| 52 | 2010 | USA                  | Model or process                     | All                          | All                 | Ospina-Alvarado et al. [71] |
| 53 | 2010 | Australia            | Theory and general assumptions       | All                          | All                 | Succar et al. [72]          |
| 54 | 2010 | USA                  | Survey and case studies              | All                          | All                 | McGraw-Hill[21]             |

| NO | Year | Country<br>/District | Evaluation Methodologies             | Project Participants         | Phase               | Authors                 |
|----|------|----------------------|--------------------------------------|------------------------------|---------------------|-------------------------|
| 55 | 2010 | Australia            | Case study and model or process      | All                          | All                 | Singh et al. [73]       |
| 56 | 2009 | USA                  | Survey and case studies              | All                          | All                 | Young et al. [7]        |
| 57 | 2009 | USA                  | Survey                               | All                          | All                 | Zuppa et al. [10]       |
| 58 | 2009 | USA                  | Survey                               | All                          | All                 | Patrick et al. [74]     |
| 59 | 2009 | USA                  | Case study                           | Design agencies; Contractors | Design/Construction | Kuprenas et al. [75]    |
| 60 | 2008 | USA                  | Case study and quantifiable findings | All                          | All                 | Khanzode et al. [3]     |
| 61 | 2008 | USA                  | Survey and case studies              | All                          | All                 | Azhar et al. [76]       |
| 62 | 2008 | Israel               | Case study and model or process      | Design agencies              | Design              | Sacks et al. [77]       |
| 63 | 2008 | Israel               | Survey and case studies              | Design agencies              | Design              | Kaner et al. [78]       |
| 64 | 2006 | Jordan               | Survey                               | Owner                        | All                 | El-Mashaleh et al. [79] |
| 65 | 2000 | UK                   | Theory and general assumptions       | All                          | All                 | Andresen et al. [80]    |

From the review of the previous projects listed in Table1, the previous papers are categorized into evaluation of project-level BIM benefits, such as [57] and organizational level BIM benefits, such as [4]. As the most important part of the nature of BIM is project management related tools and processes, thus, a standard project-level evaluation framework is needed to assess BIM implementation. It has a potential use for multiple participants in improving collaboration between stakeholders, reducing the time needed for documentation of the project and, hence, producing beneficial project outcomes.

#### 118 **3.2** Classification of articles based on adopted research methods

Figure 2 illustrates the methods used based on the classification types given in [18] and 119 [26]. "Case study and quantifiable findings" type utilizes case studies containing quantifiable 120 measurements of BIM benefits. The "Case study" type analyzes BIM projects without 121 122 quantifiable benefit measurements; e this type undertakes a qualitative approach. The "Case study and model or process" type utilizes a model or process to demonstrate how the benefits 123 of BIM were obtained, but excludes quantifiable savings as a result of BIM utilization. The 124 "Model or process" type proposes a framework or evaluation process, but is either (1) not used 125 on an actual BIM project or (2) if claimed to be utilized on a project, this type does not present 126 no any quantifiable results. The "Survey" type contains independent surveys including various 127 questions targeting different stakeholders with different backgrounds. The survey aims to map 128 those stakeholders' opinions and perceptions of the benefits obtained from BIM adoption. The 129 "Survey and case studies" type contains a survey targeting a specific project on which BIM has 130 been adopted and, in some cases, interviews of the project team members are conducted. 131 132 Publications focusing on "Theory and general assumptions" have addressed mainly theoretical frameworks and discussed potential benefits without any benchmarking in a real project. 133







Fig.2 Literature Review-Summary of classifications

Figure 3 illustrates for each year between 2000 and 2016, the proportions of the methods used to evaluate BIM benefits. Over time, the BIM evaluation methods are more diverse and varied with a convergence toward surveys and case study analysis.






140


Fig.3 Percentages of the adopted BIM benefit estimation methods by publication year

# 141 **3.3 Classification of articles by participants**

Previous studies analyzed mainly the benefits of BIM considering the overall project lifecycle (Table 2) and all the participants listed in Table 1, see Figure 4. As indicated in Table 2, the main focus of the literature is on the design and the construction phases. However, the primary concern of individual participant varies and changes by phase. Thus, in the following sections, this paper attempts to fill the gap by analyzing BIM benefits from the perspectives of individual participants and address primary concerns by individual rather than by the whole



Of course, different BIM users from the project participants are usually involved in different project phases involving different kind of benefits. For example, the designers give exclusive attention to the design phase. Owners are concerned with the whole project life cycle. Construction managers and contractors are naturally more interested in the construction phase. Detailed information about the relationships between the project participants and their concerned phase is illustrated in Figure 5.



159 160

148

organization.

Fig. 5 Relationships between the project participants and their concerned phases

161 Another interesting finding in more recent research is the consideration of BIM benefits 162 related to individual participants (see Figure 6).






Fig. 6 Percentages of benefit analysis by participant by year of publication


# 165 **3.4 Classification of articles by benefit indicators**

166 The classification of articles by benefit indicators is illustrated in Table 3. In total, 23 167 benefit indicators were evaluated in the selected papers and reports, as shown in Figure 7. These 168 benefits can then be categorized into four types, which are operational, strategic, organizational 169 and managerial <sup>[23, 81]</sup>, as shown in Table 4.

|        |              |                     |                          |                 |               |              |                          |                       |                         |                              | 1              | Benef          | ïts                      |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
|--------|--------------|---------------------|--------------------------|-----------------|---------------|--------------|--------------------------|-----------------------|-------------------------|------------------------------|----------------|----------------|--------------------------|---------------------|-----------------------|--------------------------|------------------|------------------------|---------------------------|----------------------|-----------------|-------------------------|--------------------------|
|        |              |                     |                          |                 |               | Opera        | ationa                   | 1                     |                         |                              |                |                | Strategic Organizational |                     |                       |                          |                  | onal                   | Managerial                |                      |                 |                         |                          |
| N<br>O | Reduced cost | Quality improvement | Reduced project duration | Improved safety | Visualization | Sustainable  | Productivity improvement | Reduced change orders | Fewer claims/litigation | Reduced errors and omissions | Reduced rework | Prefabrication | Competitive advantage    | Market new business | Customer satisfaction | Coordination improvement | Staff's learning | Economization of labor | Communication improvement | Accurate data output | Model archiving | Negative risk reduction | Improved decision-making |
| 1      | $\checkmark$ |                     | $\checkmark$             |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                          |                     |                       | $\checkmark$             |                  |                        | $\checkmark$              | $\checkmark$         |                 |                         | $\checkmark$             |
| 2      | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    |               | $\checkmark$ |                          |                       |                         | $\checkmark$                 | $\checkmark$   |                |                          |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 3      | $\checkmark$ |                     |                          |                 | $\checkmark$  |              | $\checkmark$             |                       |                         | $\checkmark$                 | $\checkmark$   | $\checkmark$   |                          |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 4      | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    | $\checkmark$  |              |                          |                       |                         |                              |                |                |                          |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 5      | $\checkmark$ |                     | $\checkmark$             |                 |               |              |                          | $\checkmark$          |                         | $\checkmark$                 | $\checkmark$   |                |                          |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 | $\checkmark$            |                          |
| 6      |              |                     |                          |                 |               | $\checkmark$ |                          |                       |                         |                              |                |                |                          |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 7      |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                          |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 8      |              |                     | $\checkmark$             |                 |               |              |                          |                       |                         |                              |                |                |                          |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 9      |              | $\checkmark$        |                          |                 |               |              |                          | $\checkmark$          |                         |                              |                |                |                          |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 10     |              |                     |                          |                 | $\checkmark$  |              | $\checkmark$             |                       |                         |                              |                |                |                          |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |

|        |              |                     |                          |                 |               |              |                          |                       |                         |                              | ]              | Benef          | ïts                   |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
|--------|--------------|---------------------|--------------------------|-----------------|---------------|--------------|--------------------------|-----------------------|-------------------------|------------------------------|----------------|----------------|-----------------------|---------------------|-----------------------|--------------------------|------------------|------------------------|---------------------------|----------------------|-----------------|-------------------------|--------------------------|
|        |              |                     |                          |                 |               | Opera        | ationa                   | 1                     |                         |                              |                |                | s                     | trateg              | ic                    | Orga                     | nizati           | onal                   |                           | Μ                    | anage           | rial                    |                          |
| N<br>O | Reduced cost | Quality improvement | Reduced project duration | Improved safety | Visualization | Sustainable  | Productivity improvement | Reduced change orders | Fewer claims/litigation | Reduced errors and omissions | Reduced rework | Prefabrication | Competitive advantage | Market new business | Customer satisfaction | Coordination improvement | Staff's learning | Economization of labor | Communication improvement | Accurate data output | Model archiving | Negative risk reduction | Improved decision-making |
| 11     |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         | $\checkmark$                 |                |                |                       |                     |                       | $\checkmark$             |                  |                        | $\checkmark$              | $\checkmark$         |                 |                         |                          |
| 12     |              | $\checkmark$        |                          |                 |               |              |                          | $\checkmark$          |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 13     |              |                     |                          |                 |               | $\checkmark$ |                          |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 14     |              |                     | $\checkmark$             |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 15     |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 16     |              |                     |                          |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 17     |              |                     |                          |                 | $\checkmark$  |              |                          |                       |                         |                              |                |                |                       |                     |                       | $\checkmark$             | $\checkmark$     |                        | $\checkmark$              |                      |                 |                         |                          |
| 18     |              |                     |                          |                 | $\checkmark$  |              | $\checkmark$             | $\checkmark$          |                         | $\checkmark$                 | $\checkmark$   | $\checkmark$   |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 |                         |                          |
| 19     | $\checkmark$ |                     |                          |                 |               | $\checkmark$ |                          | $\checkmark$          |                         | $\checkmark$                 |                |                |                       |                     |                       |                          | $\checkmark$     |                        | $\checkmark$              |                      |                 | $\checkmark$            |                          |
| 20     |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         |                              |                | $\checkmark$   |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         | $\checkmark$             |
| 21     | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              |                          | $\checkmark$          |                         |                              |                |                |                       |                     | $\checkmark$          | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 | $\checkmark$            |                          |
| 22     | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    |               |              |                          | $\checkmark$          |                         |                              |                |                |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 | $\checkmark$            |                          |
| 23     | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           | $\checkmark$         |                 |                         |                          |
| 24     |              |                     | $\checkmark$             |                 | $\checkmark$  |              |                          |                       |                         |                              |                |                |                       |                     |                       | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 25     |              |                     | $\checkmark$             | $\checkmark$    |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 |                         |                          |
| 26     | $\checkmark$ |                     | $\checkmark$             |                 | $\checkmark$  |              |                          | $\checkmark$          |                         |                              | $\checkmark$   |                |                       |                     |                       | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 27     | $\checkmark$ |                     | $\checkmark$             |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 28     |              |                     | $\checkmark$             |                 | $\checkmark$  |              | $\checkmark$             |                       |                         |                              | $\checkmark$   |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 29     | $\checkmark$ |                     | $\checkmark$             |                 | $\checkmark$  |              | $\checkmark$             |                       |                         | $\checkmark$                 |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         | $\checkmark$             |
| 30     | $\checkmark$ |                     | $\checkmark$             |                 |               |              |                          |                       | $\checkmark$            |                              |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 31     | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    | $\checkmark$  |              | $\checkmark$             | $\checkmark$          |                         |                              |                |                | $\checkmark$          |                     |                       |                          |                  | $\checkmark$           |                           |                      |                 |                         | $\checkmark$             |
| 32     | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              |                          |                       | $\checkmark$            |                              |                |                |                       |                     |                       | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 | $\checkmark$            |                          |
| 33     | $\checkmark$ |                     | $\checkmark$             | $\checkmark$    | $\checkmark$  |              | $\checkmark$             | $\checkmark$          |                         |                              |                | $\checkmark$   |                       |                     | $\checkmark$          |                          |                  |                        | $\checkmark$              | $\checkmark$         |                 |                         |                          |
| 34     | $\checkmark$ |                     | $\checkmark$             |                 |               |              | $\checkmark$             |                       |                         | <u> </u>                     | <u> </u>       |                |                       | <u> </u>            |                       | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 | $\checkmark$            |                          |
| 35     | $\checkmark$ |                     | $\checkmark$             |                 | $\checkmark$  | <u> </u>     |                          | $\checkmark$          |                         | <u> </u>                     | $\checkmark$   | $\checkmark$   | <u> </u>              | <u> </u>            |                       | $\checkmark$             |                  | <u> </u>               | $\checkmark$              |                      |                 | <u> </u>                |                          |
| 36     | <u> </u>     |                     |                          | $\checkmark$    |               | <u> </u>     |                          |                       |                         |                              |                |                | <u> </u>              | <u> </u>            |                       |                          |                  | <u> </u>               | <u> </u>                  | <u> </u>             |                 | <u> </u>                |                          |
| 37     |              | $\checkmark$        |                          |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 | <u> </u>                | $\checkmark$             |
| 38     | $\checkmark$ |                     |                          |                 |               |              |                          |                       |                         |                              |                |                |                       |                     | $\checkmark$          | $\checkmark$             |                  |                        |                           |                      |                 | <u> </u>                |                          |
| 39     | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 | <u> </u>                |                          |
| 40     | $\checkmark$ |                     |                          |                 |               | $\checkmark$ | $\checkmark$             |                       |                         | $\checkmark$                 | $\checkmark$   |                |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 | <u> </u>                |                          |
| 41     |              |                     |                          |                 |               |              |                          |                       |                         |                              |                |                |                       |                     |                       |                          | $\checkmark$     |                        |                           |                      |                 | <u> </u>                |                          |
| 42     | $\checkmark$ |                     | $\checkmark$             |                 |               |              |                          |                       | $\checkmark$            | $\checkmark$                 | $\checkmark$   |                |                       | $\checkmark$        |                       | $\checkmark$             |                  |                        | $\checkmark$              |                      |                 | <u> </u>                |                          |
| 43     | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    | $\checkmark$  | $\checkmark$ | $\checkmark$             | $\checkmark$          | $\checkmark$            | $\checkmark$                 | $\checkmark$   | $\checkmark$   |                       | $\checkmark$        |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |

|          |              |                     |                          |                 |               |              |                          |                       |                         |                              | ]              | Benef          | ïts                   |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
|----------|--------------|---------------------|--------------------------|-----------------|---------------|--------------|--------------------------|-----------------------|-------------------------|------------------------------|----------------|----------------|-----------------------|---------------------|-----------------------|--------------------------|------------------|------------------------|---------------------------|----------------------|-----------------|-------------------------|--------------------------|
|          |              |                     |                          |                 |               | Opera        | ationa                   | 1                     |                         |                              |                |                | s                     | Strateg             | gic                   | Orga                     | nizati           | onal                   |                           | M                    | anage           | rial                    |                          |
| N<br>O   | Reduced cost | Quality improvement | Reduced project duration | Improved safety | Visualization | Sustainable  | Productivity improvement | Reduced change orders | Fewer claims/litigation | Reduced errors and omissions | Reduced rework | Prefabrication | Competitive advantage | Market new business | Customer satisfaction | Coordination improvement | Staff's learning | Economization of labor | Communication improvement | Accurate data output | Model archiving | Negative risk reduction | Improved decision-making |
| 44       | $\checkmark$ | $\checkmark$        | $\checkmark$             | $\checkmark$    | $\checkmark$  |              | $\checkmark$             | $\checkmark$          |                         |                              | $\checkmark$   | $\checkmark$   |                       |                     |                       | $\checkmark$             | $\checkmark$     |                        | $\checkmark$              |                      |                 |                         |                          |
| 45       | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              |                          | $\checkmark$          |                         | $\checkmark$                 | $\checkmark$   |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 46       | $\checkmark$ |                     | $\checkmark$             |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 47       |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 48       | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 |               |              |                          |                       |                         | $\checkmark$                 | $\checkmark$   |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |
| 49       | $\checkmark$ |                     | $\checkmark$             | $\checkmark$    | $\checkmark$  |              |                          |                       |                         |                              | $\checkmark$   |                |                       |                     |                       | $\checkmark$             |                  |                        |                           |                      |                 |                         | $\checkmark$             |
| 50       |              |                     |                          |                 | √             |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        | $\checkmark$              |                      |                 |                         |                          |
| 51       | $\checkmark$ | $\checkmark$        | $\checkmark$             |                 | √             | $\checkmark$ |                          |                       |                         |                              |                |                |                       |                     |                       | √                        |                  |                        |                           |                      |                 |                         |                          |
| 52       |              |                     |                          |                 | V             |              | $\checkmark$             |                       |                         |                              |                | $\checkmark$   |                       |                     |                       | $\checkmark$             |                  |                        |                           | ,                    |                 |                         |                          |
| 53       | ,            |                     | ,                        |                 | V             |              |                          |                       |                         | V                            |                | ,              |                       |                     |                       | ,                        |                  |                        | $\checkmark$              | $\checkmark$         | ,               |                         | $\checkmark$             |
| 54       | V            |                     | √                        |                 | $\checkmark$  |              |                          | 1                     |                         |                              |                | $\checkmark$   |                       |                     |                       | $\checkmark$             |                  |                        | 1                         |                      | V               |                         |                          |
| 55       | $\checkmark$ |                     | V                        |                 | V             | -            |                          | $\checkmark$          |                         | V                            |                |                |                       |                     |                       |                          |                  |                        |                           |                      | -               |                         |                          |
| 56<br>57 |              |                     |                          |                 | N<br>√        |              |                          | $\checkmark$          |                         | <u> </u>                     |                |                |                       |                     |                       | N                        |                  |                        | V                         |                      |                 |                         |                          |
| 57       | v<br>√       |                     |                          |                 | v             |              |                          | N                     |                         | $\checkmark$                 |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         | N N                      |
| 59       | v<br>√       |                     | v<br>√                   |                 |               |              |                          | V                     | V                       | v<br>√                       |                |                |                       | $\checkmark$        |                       |                          |                  |                        |                           |                      |                 |                         | +                        |
| 60       | , v          |                     |                          |                 | v<br>√        |              | , ,                      | , v                   | , v                     |                              |                |                |                       |                     |                       |                          | , v              |                        | , ,                       |                      |                 |                         | +                        |
| 61       |              |                     |                          |                 | v<br>√        |              |                          |                       |                         |                              |                |                | $\checkmark$          |                     |                       | v<br>√                   |                  |                        |                           |                      |                 |                         | +                        |
| 62       |              | $\checkmark$        | $\checkmark$             |                 | √             |              | $\checkmark$             |                       |                         | $\checkmark$                 |                |                |                       |                     |                       | √                        |                  |                        |                           |                      |                 |                         | +                        |
| 63       |              | ,<br>               |                          |                 | √             | -            |                          |                       |                         |                              |                |                |                       | -                   |                       | √                        |                  | -                      |                           |                      | -               |                         |                          |
| 64       |              |                     |                          |                 | -             |              |                          |                       |                         | +                            |                |                |                       | 1                   |                       | √                        |                  |                        | $\checkmark$              |                      |                 |                         | √                        |
| 65       |              |                     |                          |                 |               |              | $\checkmark$             |                       |                         |                              |                |                |                       |                     |                       |                          |                  |                        |                           |                      |                 |                         |                          |



172

173

Fig.7 Numbers of articles by BIM benefit indicator


Cost and project scheduling being the primary concerns from the perspective of the 174 construction industry; reduced cost and reduced project duration are the most discussed benefits. 175 In addition, visualization and communication improvement are considered to be evaluating 176 indicators of great importance. Table 4 shows that operational benefits were the most mentioned 177 and they were important to both the industry and scholars. 178

179

Table. 4 Classification of BIM benefits

| Classification | Percentage | <b>Corresponding Benefits</b>  |
|----------------|------------|--|
|                |            | Reduced cost/ Quality improvement/ Reduced project duration/ Improved    |
| Operational    | 70.09%     | safety/ Visualization/ Sustainable/ Productivity improvement/ Reduced    |
| Operational    | 70.09%     | change orders/ Fewer claims (litigation) / Reduced errors and omissions/ |
|                |            | Reduced rework/Prefabrication  |
| Strategic      | 2.49%      | Advantage in competition/ Market new business/ Customer satisfaction     |
| Organizational | 10.59%     | Coordination improvement/ staff's learning/ Economization of labor       |
| Managarial     | 16.82%     | Communication improvement/ Accurate data output/ Model archiving/        |
| Managerial     | 10.82%     | Negative risk reduction/ Improved decision-making                        |
| Total          | 100%       |  |


To date, the researchers have focused on reduced project duration and cost while putting little emphasis on sustainability, as indicated in Figure 8. Amongst the selected papers, only eight papers attempted to assess the benefit of BIM on sustainability. As BIM can contribute to achieve sustainable constructions <sup>[57, 82]</sup>, it is surprising that there are not many practical studies about this issue. Thus, more future research might be needed to identify the benefits of BIM applications on sustainability.



# 186 187

#### Fig.8 Frequencies of operational BIM application benefits

There might be a gap between what the industry and scholars find important when 188 evaluating the BIM benefits. As illustrated in Figure 9, for strategic benefits, researchers have 189 put more emphasis on customer satisfaction. From the point view of industry, marketing new 190 business was proposed to be the primary benefit of implementing BIM technology <sup>[63]</sup>. 191 Moreover, providing new service was nominated as a secondary benefit from the perspective 192 of the industry; this has never been mentioned by any research publication. Thus, researchers 193 should take into account the requirements of the industry in order to assess the benefits in a 194 more practical way. 195




196

197

Fig. 9 Frequencies of strategic BIM benefits

According the information listed in Table 3, the organizational BIM benefits include economization of labor, staff's learning and coordination improvement. Figure 10 shows that the organizational BIM benefit was considered to be an effective tool to improve coordination.
It shows that BIM adoption is more effective when it includes a continues professional
development and training. Previous studies show that less research has been done in
organizational benefits aspect compared to the other types of BIM benefits. It might be a future
research direction.


205



#### 206 207

# Fig. 10 Frequencies of organizational BIM benefits

In conclusion, the publication analysis shows a fragmented approach. When analyzing the 208 previous studies of BIM benefits, operational benefits were a primary concern in all phases. 209 210 Detailed information can be found in Figure 11. Managerial and organizational benefits did improve significantly thanks to BIM adoption during the construction phase compared to the 211 planning, design and maintenance/operation phases. In conclusion, the research focus has often 212 varied depending on the project phase. From the review we have undertaken, it appears that an 213 individual project participant is more often concerned by individual or specific project phases. 214 215 Operational benefits were of much concern in all phases of the construction projects. Figure 11 shows that researchers focused on analyzing the impact on the managerial and organizational 216 aspects in the construction phase where in previous literature, BIM implementation was 217 supposed to contribute more in the design phase. 218



## 219

220




Figure 12 illustrates the relationships between the participants and their primary concerns,

and shows that all participants focus essentially on the operational benefits. This can be explained by the cost and time driver of any construction project.







Fig. 12 The relationships between participants and their concerned benefits

## 226 4 Establishment of BIM benefits evaluation framework

Based on the literature review, a framework is proposed and illustrated in Figure 13. A BIM evaluation should include content, context and process <sup>[83]</sup>. Hence, understanding who affects the evaluation, what is being evaluated and how to evaluate benefits are fundamental to the evaluation framework. The proposed framework in this paper consists of three parts: 1) project participants, 2) benefits indicators and, 3) measurement methods. These are shown as the three axes in Figure 13. The relationship amongst these three axes will be explained in the following paragraphs and tables.



234

236

237 4.1 Relationship between measurement methods and benefits indicators axes

For different project participants, they have different expectations to implement BIM, thus have different benefit indicators. The BIM benefit indicators for different participants are identified according to the relevant literature. Depending on the nature of the indicator,

tri-axial model

Fig. 13 BIM evaluation framework: participants, benefits indicators and measurement methods--

quantitative or qualitative methods are used to measure the benefits <sup>[84]</sup>. Some of the indicators 241 cannot be measured using quantitative means <sup>[23]</sup>. For the other indicators, the proposed 242 framework provides measurement methods to calculate the cost/benefit ratio of BIM 243 implementation. The chosen measurement method for each evaluating indicator is from the 244 previous study which has been implemented in real construction projects. The methods adopted 245 to measure the individual indicators are listed in Table 5. To evaluate the benefits of BIM; 246 certain indicators such as satisfaction of owner, satisfaction of BIM user, etc. are of qualitative 247 nature. Different methodology can be used to evaluate these indicators such as surveys and 248 interviews. 249

250

Table. 5 measurement methods for different benefit indicators in the framework

| Classification | Indicators  | Measurement methods  | Participants                    |
|----------------|---|--|---------------------------------|
|                | Reduced cost [5,6,7,10,18,19,21,23,35,37,39,41,42,45-54,57,59-62,73-<br>77,79,80]   | Percent of the time projects are delivered<br>on/under budget <sup>[70,85]</sup>       | All                             |
|                | Quality<br>improvement <sup>[10,18,19,21,23,35,39,42,45,48,52,57,59,62,65,66,70,74,76,78,80]</sup>                              | Cost of Repairing Claims (Defects) / Total<br>Project Cost <sup>[86]</sup>             | All                             |
| Operational    | Reduced project duration <sup>[6,7,10,18,19,21,23,35,39,42,45-54,57,59-66,69-71,73-77,79,80]</sup>                              | Percent of the time projects are delivered<br>on/ahead of schedule <sup>[70,85]</sup>  | All                             |
|                | Improved safety <sup>[3,21,45,46,48,49,23,19,18,7,10,74,79,60]</sup>  | (the Quantity of Accidents)*100/ the total<br>Number of Workers <sup>[86]</sup>        | A 11                            |
|                | Improved safetyers were stated as a set   | (the Quantity of Work Days Lost)*100/ the<br>Annual Average of Workers <sup>[86]</sup> | All                             |
| Classification | Indicators  | Measurement methods  | Participants                    |
|                | Visualization <sup>[47-49,51,19,59-62,18,69-71,21,10,73-75,76,37,38,40,42]</sup>  | Qualitative <sup>[70]</sup>  | All                             |
|                | Sustainable <sup>[46,48,49,56,59,67,68,70,5,7,21,61,35,37,41]</sup>   | Energy consumption upgrade rate <sup>[87]</sup>  | Design agencies;<br>Operators   |
|                | Productivity improvement <sup>[47-49,51,52,23,6,58-62,19,18,70,21,10,74,76-80,35,36,40,44]</sup>                                | Qualitative <sup>[79,88]</sup>   | All                             |
|                | Reduced change orders <sup>[45,48,23,19,59,21,3,76,77,37,39-41]</sup>   | Cost of change/total cost of project <sup>[56,89]</sup>                                | All                             |
| Operational    | Fewer claims/litigation <sup>[53,63,64,66,7,21]</sup>   | Number of claim/litigation   | Design agencies                 |
|                | Reduced errors and omissions <sup>[47,49,19,61-64,66,5,21,10,35-</sup>  | Costs of rework due to design errors <sup>[66,90]</sup>                                | Design agencies;                |
|                | 37,40,41]   | Costs associated with schedule delays due to errors <sup>[66]</sup>                    | Contractors                     |
|                | Reduced rework <sup>[47,49,51,52,19,60,62-64,66,18,21,7,75,3,80,40,42]</sup>  | Rework costs <sup>[90]</sup>   | All                             |
|                | Prefabrication <sup>[46,48,49,6,18,69,7,21,75,3,78,40,44]</sup>   | Qualitative <sup>[7]</sup>   | All                             |
|                | Competitive advantage <sup>[23,65,21,76,79,80]</sup>  | Qualitative <sup>[63]</sup>  | All                             |
| Strategic      | Market new business <sup>[49,63,7,21]</sup>   | Qualitative <sup>[63]</sup>  | Design agencies;                |
|                | Customer satisfaction <sup>[48,49,23,59-65,70,21,7,76,78-80,4-5,7,16,18-20,36,40-41,46,48-50,39]</sup>                          | Percent of repeat business customers <sup>[70,85]</sup>                                | Design agencies;<br>Contractors |
| Organizational | Coordination improvement <sup>[45-52,57,19,59-</sup><br>61,65,18,69,70,71,72,75,3,1-6,8,14,16-17,20,34-36,38-39,44-45,73,35-40] | Qualitative <sup>[64]</sup>  | All                             |

|                | Staff's learning <sup>[23,38,41,58,21,72,80]</sup>  | $L_{eff}BIM(T) = \int L_{eff}BIM(T) = \int [f_{(T)} - f'_{(T)}]$<br>Where $L_{eff}BIM(T)$ stands for aggregate<br>learning effects contributed by BIM; and<br>$f_{(T)}$ stands for best-fit learning curve for a<br>repetitive task without BIM adoption; and<br>$f'_{(T)}$ represents best-fit learning curve for<br>a repetitive task using BIM <sup>[58]</sup> | Owners;<br>Contractors;<br>Operators |
|----------------|---|---|--------------------------------------|
|                | Economization of labor <sup>[42,47,65,18,21,3,77,61]</sup>  | Budgeted Cost of Man-hours / Actual Cost of Man-hours <sup>[86]</sup> Planned Man-hours / Actual Man-hours <sup>[86]</sup>  | Owners;<br>Contractors               |
| Classification | Indicators  | Measurement methods   | Participants                         |
|                | Communication improvement <sup>[46-53,55,57,19,68,69,72,21,75,3,80,51,60,61,73,36,38,39,41]</sup> | Reduced number of requests for<br>information (RFIs) <sup>[91,92]</sup>   | Design agencies;<br>Contractors      |
|                | Accurate data output <sup>[48,36,49,55,6,59,67,69,70,21,60,51]</sup>                              | Overestimate construction costs <sup>[85,89]</sup>  | A 11                                 |
|                | Accurate data output  | Underestimate construction schedule [85,89]   | All                                  |
| Managerial     | Model archiving <sup>[6,69,62,73]</sup>   | Qualitative <sup>[69]</sup>   | Owners;<br>Contractors;              |
|                |   |   | Operators                            |
|                | Negative risk reduction <sup>[45,39,41,43,46,48,57,21,80,61]</sup>                                | Qualitative <sup>[21]</sup>   | Operators<br>Design agencies         |

251

# 4.2 Relationship amongst measurement methods, benefits indicators and participants

Previous studies show that different project participants and BIM users have different primary concerns <sup>[94]</sup>. Based on the literature review, the BIM evaluation metrics of primary interest to the project stakeholders are also presented in Table 5.

From the review and based on the owner concerns, BIM implementation should include, but not be limited to: a) 3D modeling, clash detections and design coordination <sup>[95]</sup>; b) performance analysis such as energy and excavation simulation <sup>[96]</sup>; c) 4D modeling and scenario simulation <sup>[97]</sup>; d) quantity take-off <sup>[98]</sup> and cost analysis and; e) site training based on BIM<sup>[99]</sup>.

In the case of design agencies concerns, BIM implementation should include, but not be limited to: a) 3D modeling<sup>[100]</sup>, coordination between numerous drawings to identify potential conflicts or defect within the model<sup>[101]</sup>; b) design validation<sup>[102]</sup>; c) quantity take-off and cost analysis<sup>[103]</sup>; d) an effective communication environment based on BIM models<sup>[104,105]</sup>; and e) performance analysis, including energy<sup>[106]</sup> and evacuation simulation<sup>[107]</sup>. In the case of contractors, BIM implementation should include, but not be limited to: a) 3D
modeling and clash detection<sup>[108]</sup>; b) design validation<sup>[109]</sup>; c) quantity take-off and cost analysis;
d) 4D visualization and prefabrication<sup>[110]</sup>, construction planning and monitoring<sup>[111,112]</sup> and; e)
an effective communication web platform based on BIM models<sup>[113]</sup>.

Using these functions, the indicators of different types BIM benefits can be improved. For 270 instance, 3D modeling and design coordination can help to detect the design errors before 271 construction, which may reduce the rework, change orders, project duration and construction 272 cost. Furthermore, it improves the design coordination amongst different specialties and model 273 archiving. Another example, 4D modeling and scenario simulation makes the owners and 274 contractors understand the accurate difference between planned schedule and actual schedule. 275 Together with the quantity take-off function, the difference between planned cost and actual 276 cost can be calculated. Besides, the site workers can better understand the detailed working 277 process before construction, thus it improves the working productivity. 278

#### 279 5 Research Conclusions

BIM is becoming a well-established tool and an innovative methodology to improve the 280 productivity in the entire life cycle of projects, which includes construction, operation and 281 maintenance. Hitherto, some practitioners have hesitated to adopt this approach. The 282 investment in BIM is justified on the basis of an evaluation of the benefits. The benefits of BIM 283 implementation are divided into operational, managerial, organizational, and strategic factors. 284 This paper presents a framework to analyze these benefits from the perspective of different 285 participants and different phases. For each type of benefit, the method of measurement was 286 suggested by analyzing prior research. To address the needs and interests of different users, the 287 functions were identified and defined for future development of different BIM application 288 systems in the most efficient way. The proposed framework prepared the ground for empirical 289 290 research to evaluate the benefits of implementing BIM applications. This framework gives industry practitioners a better understanding of the effectiveness of BIM applications. Therefore, 291 it will facilitate the adoption of BIM technology in the construction industry. While the 292 proposed framework is inherently realistic, it is built based on a thorough literature review and 293 294 of the authors' rich experience in developing, implementing and evaluating BIM systems. In future research, the authors will further validate the proposed framework while implementing 295 BIM in new case studies supported by construction project owners within both the private and 296 public sectors. 297

# 298 6 Acknowledgement

The presented work has been supported by the National Science Foundation of China (NSFC) through grant 71471072. The authors gratefully acknowledge NSFC's support.

# 302 7 References

301

[1] Suermann P C, Issa R R A. Evaluating industry perceptions of building information modeling (BIM) impact on construction. Journal of Information Technology in Construction, 2009, 14: 574-594.

[2] Park J, Kim B, Kim C, Kim H. 3D/4D CAD Applicability for Life-Cycle Facility Management. ASCE Journal of Computing in Civil Engineering. 2011.25:129-138.

[3] Khanzode A, Fischer M, Reed D. Benefits and lessons learned of implementing building virtual design and construction (VDC) technologies for coordination of mechanical, electrical, and plumbing (MEP) systems on a large healthcare project, Journal of Information Technology in Construction, 2008,13: 324-342

[4] Arayici Y, Coates P, Koskela L, et al. BIM adoption and implementation for architectural practices. Structural Survey, 2011, 29(1): 7-25

[5] Becerik-Gerber B, Rice S. The perceived value of building information modeling in the US building industry. Journal of Information Technology in Construction, 2010, 15(2): 185-201.
[6] Luth G P, Schorer A, Turkan Y. Lessons from using BIM to increase design-construction integration. Practice Periodical on Structural Design and Construction, 2014, SPECIAL ISSUE: Construction Engineering: Leveraging Project and Career Success, 103–110.

[7] Young N, Jones S, Bernstein H, Gudgel J. The Business Value of BIM: getting Building Information Modeling to the bottom line, The McGraw-Hill Companies, New York, 2009. Available at:

http://fiatech.org/images/stories/research/2009\_BIM\_SmartMarket\_Report.pdf (Accessed on October 22, 2016).

[8] Mitropoulos P, Tatum C B. Forces driving adoption of new information technologies. ASCE Journal of Construction Engineering and Management, 2000, 126(5): 340-348.

[9] Irani Z, Sharif A M, Love P E D. Linking knowledge transformation to information systems evaluation. European Journal of Information Systems, 2005, 14(3): 213-228.

[10] Zuppa D, Issa R R A, Suermann P C. BIM's impact on the success measures of construction projects. ASCE Journal of Computing in Civil Engineering, 2009: 503-512.

[11] Succar B, Sher W, Williams A. Measuring BIM performance: Five metrics. Architectural Engineering and Design Management, 2012, 8(2): 120-142.

[12] bimSCORE, bimSCORE official website, https://www.sbi.international/, (Accessed on October 21, 2016)

[13] Won J, Lee G. How to tell if a BIM project is successful: A goal-driven approach. Automation in Construction, 2016, 69: 34-43.

[14] Bakis N, Kagioglou M, Aouad G. Evaluating the business benefits of information systems.

The3rd International SCRI Symposium, Salford Centre for Research and Innovation, University of Salford, Salford. 2006.

[15] Peterson F, Hartmann T, Fruchter R, Fischer M. Teaching construction project management

with BIM support: Experience and lessons learned. Automation in Construction, 2011, 20(2): 115-125.

[16] Sacks R, Koskela L, Dave B A, Owen R. Interaction of lean and building information modeling in construction. Journal of Construction Engineering and Management, 2010, 136(9): 968-980.

[17] Chen C, Dib H Y, Lasker G C. Benefits of implementing building information modeling for healthcare facility commissioning. ASCE Journal of Computing in Civil Engineering, 2011, 578-585.

[18] Barlish K, Sullivan K. How to measure the benefits of BIM—A case study approach. Automation in construction, 2012, 24: 149-159.

[19] Solnosky R. Current Status of BIM Benefits, Challenges, and the Future Potential for the Structural Discipline.Structures Congress 2013: Bridging Your Passion with Your Profession. ASCE, 849-859.

[20] McGraw-Hill, 2008. Building Information Modelling (BIM). Transforming Design and Construction to Achieve Greater Industry Productivity. [online] Available at: http://construction.ecnext.com/mcgraw\_hill/includes/BIM2008.pdf (Accessed on 18th November 2013).

[21] McGraw-Hill, 2010. The Business Value of BIM in Europe. Getting Building Information Modelling to the Bottom Line in the United Kingdom, France and Germany. [online] Available at:

http://images.autodesk.com/adsk/files/business\_value\_of\_bim\_in\_europe\_smr\_final.pdf (Accessed on October 22, 2016).

[22] McGraw-Hill. Green BIM. How Building Information modeling is contributing to green design and construction. McGraw-Hill Construction, 2010.

[23] Love P E D, Simpson I, Hill A, Standing C. From justification to evaluation: Building information modeling for asset owners. Automation in Construction, 2013, 35: 208-216.

[24] Li H, Lu W, Huang T. Rethinking project management and exploring virtual design and construction as a potential solution. Construction Management and Economics, 2009, 27(4): 363-371.

[25] Irani Z. Investment evaluation within project management: an information systems perspective. Journal of the Operational Research Society, 2010, 61(6): 917-928.

[26] Barlish K. How To Measure the Benefits of BIM: A Case Study Approach. ARIZONA STATE UNIVERSITY, 2011.

[27] Wasmi H A, Castro-Lacouture D. Potential Impacts of BIM-Based Cost Estimating in Conceptual Building Design: A University Building Renovation Case Study. Construction Research Congress 2016. 408-417.

[28] Lee S, Yu J. Comparative Study of BIM Acceptance between Korea and the United States. Journal of Construction Engineering and Management, 2015, 142(3): 05015016.[29] Wang J, Wang X, Shou W, et al. Building information modeling-based integration of

MEP layout designs and constructability. Automation in Construction, 2016, 61: 134-146.

[30] Bradley A, Li H, Lark R, et al. BIM for infrastructure: An overall review and constructor perspective. Automation in Construction, 2016, 71: 139-152.

[31] Wong J K W, Zhou J. Enhancing environmental sustainability over building life cycles

through green BIM: A review. Automation in Construction, 2015, 57: 156-165.

[32] Nath T, Attarzadeh M, Tiong R L K, et al. Productivity improvement of precast shop drawings generation through BIM-based process re-engineering. Automation in Construction, 2015, 54: 54-68.

[33] Lu W, Fung A, Peng Y, et al. Demystifying Construction Project Time–Effort Distribution Curves: BIM and Non-BIM Comparison. Journal of Management in Engineering, 2015, 31(6): 04015010.

[34] Francom T C, El Asmar M. Project Quality and Change Performance Differences Associated with the Use of Building Information Modeling in Design and Construction Projects: Univariate and Multivariate Analyses. Journal of Construction Engineering and Management, 2015, 141(9): 04015028.

[35] Cao D, Wang G, Li H, et al. Practices and effectiveness of building information modelling in construction projects in China. Automation in Construction, 2015, 49: 113-122.

[36] Terreno S, Anumba C J, Gannon E, et al. The benefits of BIM integration with facilities management: a preliminary case study. ASCE Journal of Computing in Civil Engineering (2015), 2015: 675-683.

[37] Czmoch I, Pękala A. Traditional Design versus BIM Based Design. Procedia Engineering, 2014, 91: 210-215

[38] Xu H, Feng J, Li S. Users-orientated evaluation of building information model in the Chinese construction industry. Automation in Construction, 2014, 39: 32-46.

[39] Fazli A, Fathi S, Enferadi M H, et al. Appraising Effectiveness of Building Information Management (BIM) in Project Management. Proceedia Technology, 2014, 16: 1116-1125.

[40] Nepal M P, Jupp J R, Aibinu A A. Evaluations of BIM: frameworks and perspectives. ASCE Journal of Computing in Civil and Building Engineering (2014), 2014: 769-776.

[41] Giel B, Issa R R A. Framework for Evaluating the BIM Competencies of Building Owners//Computing in Civil and Building Engineering (2014). ASCE, 552-559.

[42] Masood R, Kharal M K N, Nasir A R. Is BIM Adoption Advantageous for Construction Industry of Pakistan? Procedia Engineering, 2014, 77: 229-238.

[43] Tomek A, Matějka P. The Impact of BIM on Risk Management as an Argument for its Implementation in a Construction Company. Procedia Engineering, 2014, 85: 501-509.

[44] Abdirad H, Pishdad-Bozorgi P. Trends of Assessing BIM Implementation in Construction Research. ASCE Journal of Computing in Civil and Building Engineering (2014), 2014: 496-503.

[45] Love P E D, Matthews J, Simpson I, Hill A,Olatunji O A. A benefits realization management building information modeling framework for asset owners. Automation in Construction, 2014, 37: 1-10.

[46] Volk R, Stengel J, Schultmann F. Building Information Modeling (BIM) for existing buildings—Literature review and future needs. Automation in Construction, 2014, 38: 109-127.

[47] Boktor J, Hanna A, Menassa C C. State of Practice of Building Information Modeling in the Mechanical Construction Industry. Journal of Management in Engineering, 2013, 30(1): 78-85.

[48] Stowe K, Zhang S, Teizer J, Jaselskis E J. Capturing the Return on Investment of All-In Building Information Modeling: Structured Approach. Practice Periodical on Structural Design and Construction, 2014,10.1061/(ASCE)SC.1943-5576.0000221.

[49] McGraw-Hill.The Business Value of BIM for Construction in Major Global Market: How Contractors Around the World are Driving Innovation With BIM. McGraw-Hill Construction, 2014.

[50] Monteiro A, Mêda P, Poças Martins J. Framework for the coordinated application of two different integrated project delivery platforms. Automation in Construction, 2014, 38: 87-99.

[51] Wang X, Truijens M, Hou L, Wang Y, Zhou Y. Integrating Augmented Reality with Building Information Modeling: Onsite construction process controlling for liquefied natural gas industry. Automation in Construction, 2014, 40: 96-105.

[52] Vaughan J L, Leming M L, Liu M, Jaselskis E. Cost-Benefit Analysis of Construction Information Management System Implementation: Case Study. ASCE Journal of Construction Engineering and Management, 2012, 139(4): 445-455.

[53] Clevenger C M, Khan R. Impact of BIM-enabled design-to-fabrication on building delivery. Practice Periodical on Structural Design and Construction, 2013, 19(1): 122-128.

[54] Giel B K. Return on investment analysis of building information modeling in construction. University of Florida, 2009.

[55] Xu S, Liu K, Tang L. Cost Estimation in Building Information Models. ICCREM 2013: Construction and Operation in the Context of Sustainability. ASCE, 555-566.

[56] Bynum P, Issa R R A, Olbina S. Building information modeling in support of sustainable design and construction. ASCE Journal of Construction Engineering and Management, 2012, 139(1): 24-34.

[57] Bryde D, Broquetas M, Volm J M. The project benefits of Building Information Modelling (BIM). International Journal of Project Management, 2013, 31(7): 971-980.

[58] Lu W, Peng Y, Shen Q, Li H. Generic model for measuring benefits of BIM as a learning tool in construction tasks. ASCE Journal of Construction Engineering and Management, 2012, 139(2): 195-203.

[59] Eadie R, Browne M, Odeyinka H, Mckeown C, Mcniff S. BIM implementation throughout the UK construction project lifecycle: An analysis. Automation in Construction, 2013, 36: 145-151.

[60] Wang Y, Wang X, Wang J, Yung P, Jun G. Engagement of facilities management in design stage through BIM: framework and a case study. Advances in Civil Engineering, 2013:1-8

[61] Di Mascio D, Wang X. Building Information Modelling (BIM)-supported cooperative design in sustainable renovation projects: Benefits and limitations. Lecture Notes in Computer Science, Springer, 2013:205-212.

[62] Park C S, Lee D Y, Kwon O S, Wang X. A framework for proactive construction defect management using BIM, augmented reality and ontology-based data collection template. Automation in Construction, 2013, 33: 61-71.

[63] McGraw-Hill, The Business Value of BIM in North America. McGraw-Hill Construction , 2012.

[64] McGraw-Hill, The business value of BIM infrastructure Smart Market Report, McGraw-Hill Construction, 2012

[65] Neelamkavil J, Ahamed S S.The Return on Investment from BIM Driven Projects in Construction. National Research Council, Canada, 2012.

[66] Lee G, Park H K, Won J. D<sup>3</sup> City project - Economic impact of BIM-assisted design validation. Automation in Construction, 2012, 22: 577-586.

[67] Kandil A, Hastak M, Dunston P S. Economic and environmental assessment of deconstruction strategies using building information modeling. Bridges, 2014, 10: 1730-1739.
[68] Porwal A, Hewage K N. Building Information Modeling–Based Analysis to Minimize Waste Rate of Structural Reinforcement. Journal of Construction Engineering and Management, 2011, 138(8): 943-954.

[69] Mehmet F H. Benefits OF BIM for construction Managers and BIM Based scheduling. Worcester Polychnic Institute.2011.

[70] Azhar S. Building information modeling (BIM): Trends, benefits, risks, and challenges for the AEC industry. Leadership and Management in Engineering, 2011, 11(3): 241-252.

[71] Ospina-Alvarado A M, Castro-Lacouture D. Interaction of Processes and Phases in Project Scheduling Using BIM for A/E/C/FM Integration. Construction Research Congress 2010. 2010: 939-948.

[72] Succar B. The five components of BIM performance measurement. Proceedings of CIB World Congress, Salford. 2010.

[73] Singh V, Gu N, Wang X. A theoretical framework of a BIM-based multi-disciplinary collaboration platform. Automation in Construction, 2011, 20(2): 134-144.

[74] Patrick C S. Evaluating The Impact OF BIM on Construction. University of Florida, 2009.[75] Kuprenas, J. and Mock, C. Collaborative BIM Modeling Case Study - Process and Results.ASCE Journal of Computing in Civil Engineering, 2009: 431-441.

[76] Azhar S, Nadeem A, Mok J Y N, Leung B H Y. Building Information Modeling (BIM): A new paradigm for visual interactive modeling and simulation for construction projects//Complete Proceedings, First International Conference on Construction in Developing Countries. 2008: 435-446.

[77] Sacks R, Barak R. Impact of three-dimensional parametric modeling of buildings on productivity in structural engineering practice. Automation in Construction, 2008, 17(4): 439-449.

[78] Kaner I, Sacks R, Kassian W, QuittT. Case studies of BIM adoption for precast concrete design by mid-sized structural engineering firms, Journal of Information Technology in Construction, 2008, 13: 303-323

[79] El-Mashaleh M, O'Brien W J, Minchin Jr R E. Firm performance and information technology utilization in the construction industry. ASCE Journal of Construction Engineering and Management, 2006, 132(5): 499-507.

[80] Andresen J, Baldwin A, Betts M, Carter C, Hamilton A, Stokes E and Thorpe T A Framework for Measuring IT Innovation Benefits, Journal of Information Technology in Construction,2000,5:57-72

[81] Irani Z. Information systems evaluation: navigating through the problem domain. Information & Management, 2002, 40(1): 11-24

[82] K. Wong, Q. Fan. Building information modelling (BIM) for sustainable building design, Facilities, 2013, 31(3/4):138 - 157

[83] Stockdale R, Standing C, Love P E D. Propagation of a parsimonious framework for evaluating information systems in construction. Automation in construction, 2006, 15(6): 729-

736.

[84] B. Farbey, F. Land, D. Targett. IS evaluation: a process of bringing together benefits, costs and risks, Rethinking Management Information Systems, Oxford University Press, New York ,1999: 204–228

[85] Takim R, Akintoye A. Performance indicators for successful construction project performance.18th Annual ARCOM Conference.2002, 2: 545-555.

[86] Ram 1' rez R R, Alarcón L F C, Knights P. Benchmarking system for evaluating management practices in the construction industry. Journal of Management in Engineering, 2004, 20(3): 110-117.

[87] Remenyi D, Money A H, Bannister F. The effective measurement and management of ICT costs and benefits. Elsevier, 2007.

[88] Chelson D E. The effects of building information modeling on construction site productivity. United States—Maryland: University of Maryland, College Park; 2010.

[89] Fisher D, Miertschin S, Pollock Jr D R. Benchmarking in construction industry. Journal of Management in Engineering, 1995, 11(1): 50-57.

[90] Love P E D, Edwards D J, Smith J, Walker D H T. Divergence or congruence? A path model of rework for building and civil engineering projects. Journal of Performance of Constructed Facilities, 2009, 23(6): 480-488.

[91] Riese M, Peake D. 3D BIM—Virtual design and construction—Gehry Technologies experience. SimTecT 2007 Simulation Conference (SimTecT 2007) Brisbane, Queensland, Australia. 2007.

[92] Young N W, Jones S A, Bernstein H M. Building Information Modeling (BIM)-Transforming Design and Construction to Achieve Greater Industry Productivity. Smart Market Report, 2008:48

[93] Lin Y C. Construction 3D BIM-based knowledge management system: a case study. Journal of Civil Engineering and Management, 2014, 20(2): 186-200

[94] Sebastian R, Van Berlo L. Tool for benchmarking BIM performance of design, engineering and construction firms in the Netherlands. Architectural Engineering and Design Management, 2010, 6(4): 254-263.

[95] Mayo G, Giel B, Issa R R A. BIM use and requirements among building owners. Computing in Civil Engineering: Proceedings of the 2012 ASCE International Conference on Computing in Civil Engineering, June 17-20, 2012, Clearwater Beach, Florida. ASCE Publications, 2012: 349-356.

[96] Aranda-Mena G, Crawford J, Chevez A, Froese T. Building information modelling demystified: does it make business sense to adopt BIM?. International Journal of Managing Projects in Business, 2009, 2(3): 419-434.

[84] Fischer M, Kunz J. The scope and role of information technology in construction. Proceedings-Japan Society of Civil Engineers. DOTOKU GAKKAI, 2004: 1-32.

[98] Firat C E, Arditi D, Hämäläinen J P, Stenstrand J, Kiiras J. Quantity Take-Off in Model-Based Systems. <u>http://itc.scix.net/data/works/att/w78-2010-112.pdf</u> (2010) (Accessed on August 7, 2015)

[99] Teizer J. Wearable, wireless identification sensing platform: Self-Monitoring Alert and Reporting Technology for Hazard Avoidance and Training (SmartHat), Journal of Information Technology in Construction, 2015, (20)5:295-312

[100] Teicholz P, Sacks R, Liston K. BIM handbook: a guide to building information modeling for owners, managers, designers, engineers, and contractors. Wiley, 2011.

[101] Aram S, Eastman C, Sacks R. Requirements for BIM platforms in the concrete reinforcement supply chain. Automation in Construction, 2013, 35: 1-17.

[102] Kreider R, Messner J, Dubler C. Determining the frequency and impact of applying BIM for different purposes on projects//Proceedings of the 6th International Conference on Innovation in Architecture, Engineering & Construction (AEC), June. 2010: 9-11.

[103] Campbell D A. Building information modeling: the Web3D application for AEC. Proceedings of the twelfth international conference on 3D web technology. ACM, 2007: 173-176.

[104] Woo J H. BIM (Building Information Modeling) and Pedagogical Challenges. Proceedings of the 43rd ASC National Annual Conference. 2006: 12-14.

[105] Shen W, Shen Q, Sun Q. Building Information Modeling-based user activity simulation and evaluation method for improving designer–user communications. Automation in Construction, 2012, 21: 148-160.

[106] Kim K, Kim G, Yoo D, Yu J. Semantic material name matching system for building energy analysis. Automation in Construction, 2013, 30: 242-255.

[107] Rüppel U, Schatz K. Designing a BIM-based serious game for fire safety evacuation simulations. Advanced Engineering Informatics, 2011, 25(4): 600-611.

[108] Song S, Yang J, Kim N. Development of a BIM-based structural framework optimization and simulation system for building construction. Computers in Industry, 2012, 63(9): 895-912.
[109] Zhang S, Teizer J, Lee J K, Eastman C M, Venugopal M. Building information modeling (BIM) and safety: automatic safety checking of construction models and schedules. Automation in Construction, 2013, 29: 183-195.

[110] Hergunsel M F. Benefits of building information modeling for construction managers and BIM based scheduling. Worcester Polytechnic Institute, 2011.

[111] Giel B, Issa R R A. BIM Return on Investment. Journal of Building Information Modeling, 2011:24-27

[112] Golparvar-Fard M, Peña-Mora F, Arboleda C A, et al. Visualization of construction progress monitoring with 4D simulation model overlaid on time-lapsed photographs. Journal of Computing in Civil Engineering, 2009, 23(6): 391-404.

[113] Hagedorn B, Döllner J, High-level web service for 3D building information visualization and analysis, Proceedings of the 15th annual ACM international symposium on Advances in geographic information systems, November 07-09, 2007, Seattle, Washington