1	Perceptual span is independent of font size for older and young readers: Evidence
2	from Chinese
3	
4	Fang Xie
5	Tianjin Normal University
6	Jingxin Wang
7	Tianjin Normal University
8	Lisha Hao
9	Tianjin Normal University
10	Xue Zhang
11	Tianjin Normal University
12	Kayleigh L. Warrington
13	University of Leicester
14	
15	Author Note:
16	Author affiliations: Fang Xie, Faculty of Psychology, Tianjin Normal University, Tianjin,
17	China; Jingxin Wang, Faculty of Psychology, Tianjin Normal University, Tianjin, China;
18	Lisha Hao, Faculty of Psychology, Tianjin Normal University, Tianjin, China; Xue Zhang,
19	Faculty of Psychology, Tianjin Normal University, Tianjin, China; Kayleigh L. Warrington,
20	Department of Neuroscience, Psychology and Behaviour, University of Leicester, UK.
21	Correspondence should be addressed to Kayleigh L. Warrington, Department of
22	Neuroscience, Psychology and Behaviour, University of Leicester, George Davies Centre,
23	Lancaster Road, Leicester, LE1 7HA, UK. Email: klw53@leicester.ac.uk. Correspondence
24	may also be addressed to Jingxin Wang, Academy of Psychology and Behavior, Tianjin
25	Normal University, Hexi District, Tianjin, China, 300374, Email: <u>wjxpsy@126.com</u> .
26	
27	The research was supported by a scholarship from the Chinese Scholarship Council to
28	Fang Xie, a research grant from the National Natural Science Foundation of China to
29	Jingxin Wang (81771823), and a visiting scholarship from the British Council / Newton
30	Fund to Kayleigh Warrington.

- 1 The data sets supporting these analyses are available through Figshare:
- 2 <u>https://figshare.com/s/0fb4f02aa48c3232bbd1</u>

1

Abstract

2 Research suggests that visual acuity plays a more important role in parafoveal processing in 3 Chinese reading than in spaced alphabetic languages, such that in Chinese, as font size 4 increases, the size of the perceptual span decreases. The lack of spaces and the complexity of 5 written Chinese may make characters in eccentric positions particularly hard to process. Older adults generally have poorer visual capabilities than young adults, particularly in 6 7 parafoveal vision and so may find large characters in the parafovea particularly hard to 8 process compared with smaller characters, due to their greater eccentricity. Therefore, the 9 effect of font size on the perceptual span may be larger for older readers. Crucially, this 10 possibility has not previously been investigated, however this may represent a unique source 11 of age-related reading difficulty in logographic languages. Accordingly, to explore the 12 relationship between font size and parafoveal processing for both older and young adult 13 readers we manipulated font size and the amount of parafoveal information available with different masking stimuli in two silent reading experiments. The results show that decreasing 14 15 font size disrupted reading behavior more for older readers, such that reading times were 16 longer for smaller characters, but crucially, the influence of font size on the perceptual span 17 was absent for both age groups. These findings provide new insight into age-related reading 18 difficulty in Chinese by revealing that older adults can successfully process substantial 19 parafoveal information across a range of font sizes. This indicates that older adults' 20 parafoveal processing may be more robust than previously considered. 21 22 Key words: reading, perceptual span, visual acuity, font size 23 24 Main body word count, excluding abstract and references = 782025

1 Normal reading relies on a series of saccadic eye movements along each line of text, 2 separated by brief fixational pauses, during which visual information is acquired. The region 3 of text (e.g. the number of characters/letters or words) from which useful information can be 4 extracted on a single fixation is termed the "perceptual span". It has been studied using gaze-5 contingent moving-window techniques (McConkie & Rayner, 1975) in which text is 6 presented normally within a specified region (window) around fixation and text beyond this 7 window is obscured (e.g., by replacing letters in words with an 'X'; McConkie & Rayner, 8 1975, 1976; for a review, see Rayner, 2014). This window moves in synchrony with the 9 reader's eye movements, so that when the eyes fixate a new location, text at this location is 10 shown normally (within the defined window) and text outside of the window, both to the left 11 and right of fixation, is masked. To examine the extent that readers use information in the 12 periphery, the assumption is that when the window is smaller than the perceptual span, 13 reading will be disrupted. The size of the window can be varied to determine the window size 14 required for reading to proceed at its normal speed; this window represents the perceptual 15 span.

16 The perceptual span plays an important role in fluent reading. Research shows that span size varies as a function of text difficulty and reading ability such that when the fixated word 17 is more difficult to process, more resources are allocated to this word, resulting in a smaller 18 19 perceptual span (Henderson & Ferreira, 1990; Kennison & Clifton, 1995). It is therefore 20 noteworthy that substantial evidence indicates older adults (60+ years) typically experience 21 greater reading difficulty than young adults (18-30 years) during alphabetic (e.g., English) or logographic (e.g., Chinese) reading and so have slower reading speeds and make more and 22 23 longer fixations, despite typically achieving similar levels of comprehension in eve 24 movement experiments (e.g., Kliegl, Grabner, Rolfs, & Engbert, 2004; McGowan, White, Jordan & Paterson, 2014; Paterson, McGowan, & Jordan, 2013a,b,c; Rayner, Reichle, Stroud, 25

1 Williams, & Pollatsek, 2006; Rayner, Yang, Schuett & Slattery, 2014; Warrington, 2 McGowan, Paterson & White, 2018, 2019; Whitford & Titone, 2016, 2017; Li, Li, Wang, 3 McGowan & Paterson, 2018; Wang, Li, Li, Xie, Chang, Paterson, White, & McGowan, 4 2018a; Wang, Li, Li, Xie, Liversedge, & Paterson, 2018b; Zang, Zhang, Bai, Yan, Paterson, 5 & Liversedge, 2016; Xie, Li, Zhao, Wang, Paterson, White, & Warrington, 2019, though note 6 that in depth off-line assessments of comprehension often do report age differences, see 7 Wingfield & Stine-Morrow, 2000; Thornton & Light, 2006; DeDe & Flax, 2016; Stine-8 Morrow & Radvansky, 2017).

9 This has led researchers to speculate that visual and cognitive declines in later 10 adulthood, including reduced sensitivity to parafoveal information (Crassini, Brown, & 11 Bowman, 1988; Sekuler, Bennett, & Mamelak, 2000) results in a smaller perceptual span and 12 produces slower reading. Indeed, Rayner et al. (2009) presented evidence that older adult 13 readers have a smaller and less asymmetric perceptual span compared with young adult 14 readers. Other studies also suggest less efficient parafoveal processing by older readers 15 (Rayner, Castelhano, & Yang, 2010; Rayner et al., 2014). However, more recent research has 16 failed to replicate this age difference (Whitford & Titone, 2015; see also Risse & Kliegl, 17 2011) or has suggested that age differences in parafoveal processing may depend on the cognitive demands of the task (Payne and Stine-Morrow, 2012). Further, generally the 18 19 observed differences have been small and only marginally significant (Rayner et al., 2014). 20 Therefore, whether there are adult age differences in the use of parafoveal processing to 21 facilitate reading remains an open question.

Crucially, to date knowledge about the effects of visual and cognitive aging on the reading process is based almost exclusively on findings from alphabet languages and it is not known whether these effects generalize to other writing systems. As such, very little is known about the nature of parafoveal processing in older age in Chinese. However, there is

1 reason to believe that parafoveal processing may be particularly challenging in logographic 2 languages. The perceptual span of skilled young adult readers of Chinese extends 3 approximately 1 character to the left of the fixated character and 3-4 characters to its right 4 (Inhoff & Liu, 1998; see also Yan, Zhou, Shu, & Kleigl, 2015) compared with 3-4 letters to 5 the left of fixation and 14-15 letters to the right (McConkie & Rayner, 1975, 1976; Rayner, 6 Well, & Pollatsek, 1980) in English. This smaller perceptual span is likely a consequence of 7 the increased visual complexity of written Chinese, relative to English. In particular, there are 8 no spaces to mark word boundaries, and so readers must depend on lexical knowledge to 9 segment characters into words (Li, Rayner, & Cave, 2009; Wei, Li, & Pollatsek, 2013). Individual characters can also contain many individual strokes (e.g., 鹳 ["guan"], meaning 10 11 "stork"), making them visually dense. Further, characters typically carry more complex 12 linguistic information (Inhoff & Liu, 1998; Liu, Angele, Luo, & Li, 2018) such that a single 13 character can convey complex meaning which may require many letters in English. The 14 increased complexity of written Chinese relative to languages such as English may pose 15 unique difficulty to older readers. It therefore seems clear that exploring parafoveal 16 processing in a visually dense language such as Chinese may be crucial to understanding 17 cross-language variation (or similarity) in age-related reading difficulty. Particularly as 18 evidence already suggests these characteristics of the Chinese script are a source of difficulty 19 for older adults during normal reading (S. Li et al., 2018; L. Li et al., 2019; Zang et al., 20 2016).

In addition to the Chinese perceptual span being smaller in size, the factors determining the size of the span may also differ from alphabetic languages. Specifically, there is interesting evidence that, across a range of typical font sizes (O'Regan, 1983) the span for alphabetic languages is unrelated to letter size (and so, visual acuity) due to an almost perfect trade-off between the increase of letter visibility with large font size and the

decrease of visual acuity with the large text becoming more eccentric (O'Regan, 1990). This
has been demonstrated using parafoveal magnification to offset acuity limitations (Miellet,
O'Donnell & Sereno, 2009), and more standard perceptual span paradigms (Yan, Zhou, Shu
& Kliegl, 2015, Experiment 2). In contrast, research suggests that the perceptual span in
Chinese is modulated by font size, such that the perceptual span is smaller when the text is
larger (Yan et al., 2015, Experiment 3, see also Shu, Zhou, Yan & Kliegl, 2011.)

7 In Yan et al's (2015) study, text was presented either entirely normally (unmasked) or 8 with one character to the left of fixation and three characters to the right presented normally 9 and the remaining characters masked with visually similar characters. The aim was to directly 10 examine the processing of parafoveal information for three font sizes: small, medium or large 11 (corresponding to 0.7° , 1.0° , and 1.3° of visual angle per-character). They found that the 12 disruption resulting from the parafoveal mask was greatest in the small font condition and 13 smallest in the large font condition, such that in the large font condition, reading speeds were 14 similar to in the unmasked condition. This reduction in disruption was taken to indicate more 15 limited parafoveal processing for large characters. Yan et al (2015) concluded that the 16 presence of spaces in alphabetic languages plays a key role in guiding the eyes across a range 17 of font sizes, even when acuity is low (e.g., McConkie, Kerr, Reddix, & Zola, 1988; Reichle, Rayner, & Pollatsek, 1999; Shu, et al., 2011). The indication is that acuity plays a more 18 19 important role in parafoveal processing in Chinese than in spaced alphabetic languages as the 20 lack of spaces in written Chinese, coupled with the greater complexity of the characters, 21 makes characters in eccentric positions particularly hard to process.

It is this finding that is of central interest in the current experiments as if the size of the perceptual span for Chinese is determined by visual acuity, we may expect these effects to be enhanced for older adults. It is well documented that older adults have poorer visual capabilities due to declines that occur naturally in later life and these declines are greater

1 outside of central vision (for a review, see Owsley, 2011). In addition, older adults 2 experience a loss of sensitivity to fine visual detail (Crassini et al., 1988; Elliott, Whitaker, & 3 MacVeigh, 1990), a loss of contrast sensitivity (e.g., Wright and Drasdo, 1985), and an 4 increase in sensitivity to visual crowding (Scialfa, Cordazzo, Bubric, & Lyon, 2013), all of 5 which may limit their ability to resolve the identity of individual characters. Research in 6 English suggests that older adults read more slowly when text is very small or very large 7 (.15° and 12° per character, respectively, Akutsu, Legge, Ross, Schuebel, 1991). Moreover, 8 such effects may be enhanced in Chinese due to visual complexity and the lack of spaces. 9 Therefore, older Chinese adults' overall reading speed may benefit from having text 10 presented in a larger font. However, as age-related declines in visual acuity are more 11 pronounced in the parafovea, older adults may have particular difficulty in recognizing large 12 font size characters parafoveally due to their eccentricity as fewer large characters can 13 occupy foveal vision and the uncrowded window (Pelli, & Tillman, 2008). Older readers 14 therefore may have a larger font size effect on the processing of parafoveal information 15 compared with young adults, and so may have a smaller perceptual span for large characters, 16 despite possibly having faster reading speeds due to the greater ease of identifying these 17 characters foveally. No studies to date have investigated this issue for older adults. However, if older Chinese readers do show reduced parafoveal processing for large text, this may 18 19 represent an important cross-linguistic difference in the manifestation of age-related reading 20 difficulty. Therefore, in order to fully understand the relationship between acuity, attention 21 and the perceptual span across different writing systems, it is crucial to examine font size 22 effects on parafoveal processing for both older and young Chinese readers.

23 The key aim of the current experiments was to compare the effect of font size on
24 parafoveal processing for the two age groups, and not to provide a comprehensive
25 investigation of the size of the perceptual span. As such, the window size used in the masked

1 condition was selected to match that employed by Yan et al (2015) and to roughly match the 2 size of the perceptual span reported in previous experiments for young adults (one character 3 available to the left of fixation and three to the right). However, the current study may also 4 provide an important initial indication of whether the perceptual span changes in older age. 5 Accordingly, we manipulated font size (small, medium and large characters) in 6 different viewing conditions (masked and unmasked) in two Experiments. We anticipated, in 7 line with previous research, that older adults would read more slowly than their younger 8 counterparts. In line with findings for alphabetic languages (e.g., Akutsu et al., 1991) we also 9 anticipated that older adults may read particularly slowly when font size is small. With 10 respect to the masking manipulation, for young adults, we expected to replicate the findings 11 of Yan et al (2015), that is, the difference in reading times between unmasked and masked 12 conditions would be largest for small font size characters and decrease with increasing font 13 size, indicating a reduction in the perceptual span with increasing character size. Most 14 importantly, we aimed to examine whether the effect of font size on the parafoveal 15 processing differs in older age. A larger font size effect for older adults, such that the 16 reduction in disruption between the masked and unmasked condition for large characters is 17 greater for this age group, may indicate a greater decrease in the size of the perceptual span 18 with increasing character size.

19

Method

This research was approved by the research ethics committee of the Faculty of
Psychology at Tianjin Normal University and conducted in accordance with the principles of
the Declaration of Helsinki.

Participants. Participants were 48 young adults from Tianjin Normal University and
48 older adults from a residential home in Tianjin. All participants completed both
Experiment 1 and Experiment 2, and testing on Experiment 2 began around one month after

the completion of Experiment 1. All were native Mandarin Chinese readers, assessed for
educational background, interest in reading and visual and cognitive abilities, as described
below. A summary of the participant characteristics is shown in Table 1. The age groups
were closely matched on years of formal education and all participants reported reading for
several hours per-week. Participants were screened for high-contrast acuity (corrected acuity
of $> 20/40$ in Snellen values) using a Tumbling E eye-chart (Taylor, 1978), and as is typical
(Elliott, Yang, & Whitaker 1995), acuity was higher for young than older adults. Participants
were also screened for non-impaired cognition using the Beijing version of the Montreal
Cognitive Assessment (Nasreddine et al., 2005), applying an exclusion criterion of $< 26/30$.
Vocabulary and working memory capabilities were assessed using the Vocabulary
Knowledge Test from the WAIS-III Chinese version (Wechsler, Chen, & Chen, 2002) and
the WAIS-III forward and backward Digit Span subtest (Wechsler, 1997). Raw vocabulary
scores were slightly higher for older adults (though scaled scores did not differ). However,
raw scores for both forward and backward digit span were lower for the older adults, as is
typical for these age-groups (Ryan, Sattler, & Lopez, 2000).
Insert Table 1
Simulations of statistical power were conducted using the simR package in R (Green
& MacLeod, 2016). We selected the participant number to match Yan et al.'s study (2015)
and then conducted analyses to ensure that this design provided sufficient power. The power
to detect effects of viewing condition, and font, and the interaction of viewing condition and
font (L vs. M; M vs. S) were assessed based on means and standard deviations for fixation
duration from Yan et al. (2015). (Note that Yan et al.'s (2015) study only included young
adults). These analyses confirmed that this design was sufficiently powered (>99%).

reading material. These were between 15 and 24 characters and 8 and 14 words long. Of

these sentences, 96 were used in Experiment 1, another 96 were used in Experiment 2. In
each Experiment, participants read 16 sentences in each condition, and across participants
each sentence was shown in every experimental condition. The experimental sentences were
preceded by 10 practice items in each experiment.

5 The sentences were presented using a gaze-contingent moving-window paradigm in 6 which text outside the window region was masked. The study used a 2 (age-group: older 7 adults and young adults) \times 2 (viewing condition: unmasked and masked) \times 3 (font size: 32, 42, and 56 pixels; corresponding to 0.7° , 1.0° , and 1.3° of visual angle per-character, 8 9 respectively) mixed design. In order ensure comparability with previous research, viewing 10 condition and font size were chosen to match those used in Yan et al.'s (2015) study. The 11 masked viewing condition allowed readers to obtain correct character information from one 12 character to the left of the fixated character and its three successive characters to the right of 13 it.

14 In Experiment 1, characters outside the window of visible text were masked with 15 pseudo-characters (characters formed from components found in Chinese characters but not a 16 real character in Chinese). (See Figure 1). The average number of strokes contained in each 17 character was slightly higher for pseudo-characters compared to the original characters (i.e. the characters presented in the normal condition, M = 8.3 for original, M = 9.8 for masking 18 19 pseudo-characters, p < .01). The pseudo-characters were created with the character editor on 20 a Window system laptop. A norming task with 10 young and 10 older adults (none of whom 21 participated in the main experiment), where participants were asked to indicate whether the 22 presented character was a real character or not, confirmed that participants were able to 23 successfully identify these characters as pseudo-characters (M = 95%).

In Experiment 2, characters outside the window of visible text were masked with
visually-similar characters (See Figure 1). Visual similarity was achieved by matching shapes

1	and structures between original characters and their corresponding masking characters. As
2	shown in Figure 1, original characters were substituted by masking characters with the same
3	layouts (i.e., horizontal, vertical, or surround). Characters were matched in number of strokes
4	(M = 8.3 for original, M = 8.3 for masking similar characters) and character frequency $(M =$
5	665 per million for original, and $M = 664$ per million for masking). The frequency analysis is
6	based on the Modern Chinese corpus: http://www.cncorpus.org/. Visual complexity (i.e.
7	number of strokes) and frequency were controlled both within and outside the visible window
8	of text. None of the masking characters provided a meaningful continuation of the text
9	beyond the experimentally defined window.
10	Apparatus and Procedure. Sentences were displayed as black text on a white
11	background in Song font on a 24-inch high-definition BenO monitor (1920 x 1080 resolution

background in Song font on a 24-inch high-definition BenQ monitor (1920 x 1080 resolution,
144Hz refresh rate). The time taken for the display change to complete was ~9ms. The
viewing distance used in the experiment was 75cm. Eye movements were recorded using an
EyeLink 1000 plus eye-tracker (SR Research), using the tower mount, with a spatial
resolution of .01° and the position of each participant's right eye sampled at 1000Hz. A chin
and forehead rest were used to minimize head movements. Although viewing was binocular,
only right eye movements were recorded.

18 At the start of the experiment, participants were instructed to read normally and for 19 comprehension. The eye-tracker was calibrated for each participant using a 3-point horizontal 20 calibration to ensure spatial accuracy $< .40^{\circ}$. At the start of each trial, a fixation cross was 21 presented to the left of the screen. To avoid having to vary the level of fixation accuracy 22 required to trigger the sentence, the cross was the same size in all conditions (equal in size to 23 one medium font character). Once the participant fixated this location, a sentence was 24 presented, with the first character replacing the cross. Participants pressed a response key 25 once they finished reading each sentence. On one-third of trials, the sentence was then

replaced by a yes/no comprehension question, to which participants responded by pressing a
 response key. Calibration was checked between trials and the eye-tracker was recalibrated as
 necessary.

4 Data analysis. Comprehension accuracy was high for all participants (Experiment 1: 5 young adults, M = 90.3%; older adults, M = 92.8%; Experiment 2: young adults, M = 95.2%; 6 older adults, M = 96.5%, min: 81%) and did not differ across age groups (ps > .05), 7 indicating that both groups could comprehend the sentences well. Mean comprehension 8 accuracy was above 90% in all conditions and did not differ across font size or viewing 9 condition (ps > .05). Following standard procedures, fixations shorter than 80ms or longer 10 than 1200ms were removed (affecting 5.0% of fixations for Experiment 1 and 4.6% in 11 Experiment 2), and trials were removed if they were terminated prematurely, if track loss 12 occurred or if very few fixations were made (< 5 fixations, affecting < 1% trials in each 13 experiment).

14 Data were analyzed with Linear Mixed-Effects Models (LMMs, Baayen, Davidson, & 15 Bates, 2008) using R (R Development Core Team, 2016) and the lme4 package (Bates, Maechler, & Bolker, 2014). Following current practice, a maximal random effects model was 16 17 used where possible (Barr, Levy, Scheepers, & Tily, 2013). If the maximal model did not converge, the model was trimmed by first trimming the random structure for items, starting 18 19 with removal of the random effect correlations, then the random slopes. Participants and 20 items were specified as crossed random effects. Contrasts to examine effects of age-group 21 (young vs. older), viewing condition (unmasked vs. masked), and font size (large vs. 22 medium, and medium vs. small) were defined using sliding contrasts in the MASS package 23 (Venables & Ripley, 2002; sliding contrasts were employed both for main effects and to 24 examine interactions).

Further contrasts comparing the large font size versus the small font size were also

1 conducted; however, the pattern of results was very similar for the medium versus small 2 contrast, and so, for brevity, these are reported in the Supplemental files. Following reviewer 3 suggestion, additional models were also constructed with (centered) acuity and digit span 4 scores included as continuous variables and model comparison was used to determine 5 whether these variables should be included in the reported models. For both Experiments 1 6 and 2, including acuity did not improve model fit for any measure (in all cases p > .18). In 7 both experiments, a larger digit span was associated with shorter fixation durations 8 (Experiment 1: b = -3.28, SE = 1.28, t = -2.57, Experiment 2: b = -3.54, SE = 1.35, t = -2.62. 9 However, digit span did not interact with age, font or viewing condition. Where adding digit 10 span improved model fit, the pattern of effects was the same as for the base models in which 11 digit span was not included. For simplicity, these variables are not discussed further and the 12 remaining results report models without acuity or digit span.ⁱ

Sentences reading time is the main measure of interest². In addition, to provide greater 13 insight into the time course of these effects, several additional sentence-level measures were 14 15 examined: average fixation duration (the mean duration of all fixations); progressive saccade length (the amplitude (in characters) of forward-moving saccades); number of regressions 16 (number of backwards movements in the text); first-pass reading time (the sum of fixations 17 18 that occurred the first time a word was encountered) and re-reading time (the sum of fixations 19 on words after first-pass). As the pattern of results was consistent across measures, for 20 simplicity, sentences reading time, average fixation and progressive saccade length are 21 reported in the main text, while number of regressions, first-pass reading time and re-reading time are reported in Supplemental files. Analyses for both untransformed and log-22 23 transformed data produced the same patterns of results, and so only results for untransformed 24 data are reported. Following convention, t > 1.96 were considered significant.

Experiment 1

1	In the current experiment, we first aimed to verify the effect of font size of the
2	processing of parafoveal information found for young adults in Yan's study, and further
3	explore whether there are age differences in this effect.
4	Results. Means and standard errors for eye movement measures are shown in Table 2.
5	The results of LMM analyses are summarized in Table 3. Follow-up contrasts are
6	summarized in the text and statistical values are included in the Supplemental files. Plots
7	showing sentences reading time are shown in Figure 2. Compared with young adults, older
8	adults read more slowly and made longer fixation durations. These findings suggest that the
9	older adults experienced greater reading difficulty and resonate with previous findings on
10	adult age differences in eye movements when reading Chinese or alphabetic languages (e.g.,
11	Li et al., 2018; Wang et al., 2018a, b; Warrington et al., 2018, 2019; Xie et al., 2019). Also
12	consistent with previous findings for Chinese language reading, the older adults made shorter
13	progressive saccades compared with the young adults (e.g., Li et al, 2018; Wang et al, 2018a,
14	b; Xie et al, 2019), indicating that the older readers moved their eyes more cautiously.
15	Insert Table 2 and 3 and Figure 2
16	Further, the effect of viewing condition replicated previous findings (Yan et al.,
17	2015). When rightward vision was limited to three characters, readers exhibited longer
18	reading times, longer average fixation durations, and shorter progressive saccades. Thus,
19	reading was disrupted when text to the right of the fixated word was limited to three
20	characters and suggests that readers acquire parafoveal information at least four characters to
21	the right of fixation.
22	These effects of viewing condition further interacted with age. Follow-up contrasts
23	showed significant effects of viewing condition for both age groups, with longer reading

25 condition, ts > 1.96. However, these effects of viewing condition were larger for the young

times and longer fixation durations for the masked condition compared with unmasked

24

1 adults (sentences reading time: young adults = 558-ms effect, older adults = 387-ms effect; 2 average fixation duration: young adults = 17-ms effect, older adults = 11-ms effect) 3 compared with the older adults. In addition, there was a significant difference in progressive 4 saccade length between unmasked and masked viewing condition for younger, but not for 5 older adults. These results provide evidence to suggest that both young and older adults can 6 process parafoveal information at least four characters to the right of fixation when characters 7 are masked by pseudo-characters. However, as these effects are larger for young adults, there 8 may be age-group differences in the size of the perceptual span, or in the depth of parafoveal 9 processing undertaken across the span. Further research is needed to establish this. 10 Moreover, main effects of font size were also significant. Increasing character size 11 significantly decreased reading times, average fixation durations and the length of 12 progressive saccades. Font size effects were qualified by interactions with age-group in all 13 measures. Follow-up contrasts for average fixation duration showed significant effects of font 14 size for both age groups, with longer fixation durations for smaller font size compared with 15 larger, ts > 1.96. These effects were larger for older, compared to young adults (large vs. 16 medium: young adults = 11-ms effect, older adults = 18-ms effect; medium vs. small: young 17 adults = 10-ms effect, older adults = 23-ms effect). For the sentences reading time, further contrasts revealed that reading times for smaller font characters were significantly longer 18 19 than for larger font characters for older, but not young adults (large vs. medium: young adults 20 = 24-ms effect, older adults = 126-ms effect; medium vs. small: young adults = 21-ms effect, 21 older adults = 199-ms effect). Similarly, for the progressive saccade length, there was 22 significant difference in large and medium font size for older, but not young adults. Overall, 23 young adults' reading behaviour was quite consistent across different font sizes. However, 24 for older adults, reading times decreased as font size increased. This indicates that older 25 adults may experience difficulty processing small characters. This likely reflects age-related

1 changes in vision and attentional mechanisms.

2 Surprisingly, there were no significant two-way interactions between font size and 3 viewing condition in any of the measures examined, suggesting that the effect of font size is 4 similar across different viewing conditions. Crucially, the absence of an interaction between 5 viewing condition and font size is in direct contrast to the findings of Yan et al. (2015) and 6 suggest that perhaps in Chinese, like in alphabetic languages, the perceptual span is 7 independent of character size. Further, a three-way interaction was only found in average 8 fixation duration. However, follow-up contrasts revealed a similar pattern of disruption for 9 each age group. Overall, the results of the LMM analyses suggests that character size does 10 not influence the acquirement of parafoveal information during the reading of Chinese for 11 either older adults, or young adults.

12 In addition to the LMM analysis, Bayes factors (Kass & Raftery, 1995) were 13 calculated for each measure to confirm the null two-way interaction between viewing 14 condition and font size and the three-way interaction between age, viewing condition, and 15 font size. These were computed using the lmBF function within the BayesFactor package 16 (Morey & Rouder, 2015) in R (R Core Team, 2015), with the scaling factor for g-priors set to 17 0.5, and using 100,000 Monte Carlo iterations. Participants and items were specified as 18 random factors. Following Vandekerckhove, Matzke, and Wagenmakers (2015), Bayes 19 factors (BFs) > 3 were taken to provide weak to moderate support for a model, and BFs > 1020 to provide strong support, while BFs < 1 were taken to provide evidence against a model and 21 in favor of the base model. Based on the LMM analysis, we constructed a denominator model 22 (base model to which other models were compared) for each measure. The Bayes factor 23 analysis favored the denominator model over either a model containing a two-way interaction 24 between viewing condition and font size (sentences reading time, BF = 0.004, average 25 fixation duration, BF = 0.004, progressive saccade length, BF = 0.011) or a model containing

a three-way interaction (sentences reading time, BF = 0.005; progressive saccade length, BF
= 0.011), suggesting that the perceptual span is independent of the font size for both age
groups. In addition, in line with the LMM analysis, Bayesian analysis for average fixation
duration provided moderate support for a model including a three-way interaction (BF =
6.980). To sum, the Bayes Factor analysis confirmed the LMM analysis findings and
provided evidence for the absence of a font size effect on the acquirement of parafoveal
information.

8 Discussion. In the current study, we aimed to replicate the effect of font size on the 9 acquirement of parafoveal information in Chinese reading reported by Yan et al. (2015). 10 More importantly, we aimed to explore whether there are age differences in this effect. 11 However, in Experiment 1, we failed to obtain evidence for a notion that the perceptual span 12 depends on font size during Chinese reading for either age group, as most interactions 13 between age, viewing condition and font size were far from significance. Overall, the 14 findings in Experiment 1 give little evidence to show that character size has an effect on the 15 acquirement of parafoveal information during Chinese reading. Therefore, this would suggest 16 that older Chinese readers can successfully process parafoveal information across range of 17 font sizes and that older adults' parafoveal processing may be more robust than previously 18 assumed. If this is the case, age-related limitations in parafoveal acuity may not limit 19 parafoveal processing in older age.

However, it is worthy to note that we adopted different mask stimuli from the ones used in Yan et al.'s (2015) study. In Experiment 1, each character outside the window of legible text was masked by a pseudo-character. These characters were generally more complex than the characters within the window, creating a difference in the average strokecomplexity within and outside of the defined window. This transition in complexity could have affected oculomotor activity even if it occurred to the right of the effective range of

1 vision (Inhoff & Liu, 1998). Moreover, previous moving-window studies demonstrate that 2 the size of the perceptual span of young adults is dynamically influenced by the type of 3 masking stimuli (Yan, Zhang, Zhang, & Bai, 2013, note that this study is published in the 4 Chinese language). This may be because visually-similar masks effectively provide useful 5 parafoveal orthographic information, which is known to facilitate the subsequent foveal 6 processing (Yan et al., 2015). The information provided by the pseudo-characters is not real 7 information. Moreover, as the pseudo-character was unrelated to the masking character, it 8 could not provide any useful orthographic information for pre-processing (e.g. see 9 parafoveal-on-foveal effect, Drieghe, 2011) which may increase processing difficulty, and 10 prove distracting. Considerable evidence suggests that older adults are typically more 11 susceptible to external distraction than young adults (e.g., Kemper & McDowd, 2006; Mund, 12 Bell, & Buchner, 2010; Meijer, de Groot, Van Boxtel, Van Gerven, & Jolles, 2006). Certain 13 types of text replacement, such as pseudo-characters, may interfere with normal reading and 14 the font size effects on the perceptual span, moreover, this interference may be more marked 15 for older than young adult readers. Therefore, in order to provide a direct replication of Yan 16 et al.'s (2015) study, and to further explore whether there is an effect of font size on the perceptual span for both older and young adults. Experiment 2 employs a visually-similar 17 18 character-replacement.

19

Experiment 2

The results of Experiment 1 provided a suggestion that there is no effect of font size on parafoveal processing for either older adults, or young adults. As these results are in contrast to previous findings, we aimed to examine this issue further. Therefore, Experiment 2 examined whether the perceptual span depends on font size, and whether the nature and size of these effects differs across age groups, when characters are replaced by visually1 similar characters. The design of this experiment is identical to that employed by Yan et al,

2 with the addition of the older adult group.

3 Results. Means and standard errors are shown in Table 2. The results of LMM 4 analyses are summarized in Table 4. Follow-up contrasts are summarized in the text and 5 statistical values are included in the supplemental files. Plots showing sentences reading time 6 are shown in Figure 3. In line with Experiment 1, main effects of age-group were obtained in 7 all measures. This again suggests that older adults experienced greater reading difficulty than 8 young adults. There were also significant main effects of viewing condition. In comparison to 9 the unmasked condition, the masked viewing condition produced longer reading times, longer 10 fixation durations and shorter progressive saccades.

11

Insert Table 4 and Figure 3

12 Main effects of viewing condition further interacted with age-group. Follow-up 13 contrasts revealed significant effects of viewing condition for both age groups, ts > 1.96. 14 However, these effects of viewing condition were larger for the young adults (sentence 15 reading time: young adults = 972-ms effect, older adults = 447-ms effect; average fixation 16 duration: young adults = 25-ms effect, older adults = 12-ms effect), compared with their older 17 counterparts. As in Experiment 1, there was significant difference in progressive saccade 18 length between unmasked and masked viewing condition for younger, but not for older 19 adults. In line with Experiment 1, results indicate that both age groups utilize parafoveal 20 information to the right of fixation, however there may be age differences in the processing 21 of parafoveal information which require further investigation.

The effect of font size on eye movements nicely replicate Experiment 1. Increasing font size significantly decreased fixation durations and progressive saccade length. Moreover, smaller font size characters produced longer reading times. The main effects of font size were qualified by interactions with age-group. Follow- up contrasts revealed, in line with

1	Experiment 1, that older adults experienced exhibited longer reading times when the font was
2	smaller, while young adults reading times were consistent across font sizes.

3 Crucially, in line with Experiment 1, but in contrast to the finding of Yan et al. (2015) 4 there were no interactions between viewing condition and font size, and no three-way 5 interactions, $t_s < 1.96$. As in Experiment 1, the Bayes Factors analysis were also calculated to 6 confirm the null two-way interaction between viewing condition and font size and null three-7 way interaction. The denominator models were again constructed based on the LMM analysis 8 for all the measures. These analyses favored a model with no three-way interaction 9 (sentences reading time: BF = 0.015, average fixation duration: BF = 0.007, progressive 10 saccade length, BF = 0.021), and no two-way interaction between viewing condition and font 11 size (sentences reading time: BF = 0.009, average fixation duration: BF = 0.004, progressive 12 saccade length: BF = 0.018). Again, the Bayes Factor analysis supports the LMM analysis 13 and suggests an absence of a font size effect on the acquirement of parafoveal information for 14 both age groups.

15 Discussion. Experiment 2 further investigated aging and the font size effect on 16 parafoveal processing by masking characters outside the window of normal text with visually-similar characters. Crucially, in line with the findings of Experiment 1, there were no 17 18 two-way interactions between viewing condition and font size and no three-way interaction 19 between age, viewing condition and font size. Thus, the size of the perceptual span during the 20 reading of Chinese appears to remain largely stable across font size. The current results are 21 not consistent with Yan et al.'s (2015) study for young adults. Possible reasons for this are 22 considered in the General Discussion. These results demonstrate that older Chinese readers 23 can successfully process parafoveal information across range of font sizes. Furthermore, this 24 work extends previous findings to suggest that the font size has no effect on the acquirement 25 of parafoveal information for both young and older adult readers during Chinese reading.

1

General Discussion

2 The present study explored effects of font size on the perceptual span for older and 3 young adults during Chinese reading to test whether older adults' parafoveal processing is 4 more limited for larger font characters. We anticipated that older readers of Chinese may 5 experience particular difficulty processing large characters and that this may represent an 6 important source of age-related reading difficulty in logographic languages. To investigate 7 this, we manipulated the font size and the amount of parafoveal information available with 8 different masking stimuli in two experiments. These experiments yielded several key 9 findings: (1) Compared with young adults, older adults experience reading difficulty during 10 Chinese reading; (2) Both young and older adults read more slowly when parafoveal 11 information is limited to one character to the left of fixation and three characters to the right 12 of fixation; (3) Older adults experience greater reading difficulty when text is small, while 13 reading times are quite consistent across font sizes for young adults; (4) Both experiments 14 demonstrated that the effect of parafoveal masking is similar across font sizes for both older 15 and young adults, providing evidence that perceptual span size in Chinese is independent of 16 font size and that older adults can successfully process a similar amount of parafoveal information across a range of font sizes. Each of these findings is discussed in turn. 17 18 In these experiments older adults read more slowly, made longer fixations, and 19 shorter progressive saccades compared with young adults. This replicates age-related 20 differences in eve movement behavior reported in earlier studies and contributes to the 21 growing body of evidence demonstrating that older readers of Chinese experience greater 22 reading difficulty than their younger counterparts (e. g., Li et al., 2018; Wang et al., 2018a, b; 23 Xie et al., 2019).

The results also suggest that when parafoveal information is masked by either pseudocharacters or visually-similar characters, both young and older adults make substantial use of

1 parafoveal information to inform their reading. As we did not directly investigate perceptual 2 span size, we cannot make strong claims about the exact size of the span. However, it appears 3 to subtend at least four characters to the right for both older and young adults based on the 4 present findings. However, the results also suggest there may be age-group differences in the 5 extent of the perceptual span, or in the depth of processing undertaken across the span. 6 Findings from alphabetic languages have produced inconsistent results with respect to age 7 differences in parafoveal processing. It will be important for future research to establish 8 whether there are cross-linguistic differences in such effects as this will inform our 9 understanding of the generalizability of principles about how cognitive aging affects 10 language processing. Further, research using a range of mask sizes and types is needed to 11 establish whether there are truly differences in the perceptual span or whether this reflects 12 some other age differences such as sensitivity to visual information outside the masked area 13 which does not affect the perceptual span (see, e.g., Jordan, Kurtev, McGowan, & Paterson, 14 2016).

15 Both Experiments also show effects of font size on eye movement behavior. Notably 16 for young adults, reading times were invariant across font size, while older adults had shorter 17 reading times when reading larger font size characters compared with smaller characters. 18 These results therefore provide an indication that effects of font size vary across the adult 19 lifespan in Chinese reading, as in English (Akutsu et al., 1991). This is an important 20 consideration for future research, as researchers should ensure that they use a font size 21 sufficiently large for older adults to achieve their full reading performance. These results 22 likely reflect the visual and attentional changes that occur in older age. Decreased sensitivity 23 to fine visual detail (Crassini et al., 1988), may make the encoding of small characters less 24 efficient, and changes in information processing and visual attention (Madden, 2007) may increase the time taken to process the large amount of information that is available in foveal 25

1 vision.

2 Despite older adults' shorter reading times when the font is larger, we anticipated that 3 as a result of age-related declines in parafoveal visual vision and increased sensitivity to 4 visual crowding (e.g. Crassini et al, 1988; Elliott et al., 1990), older adults would show 5 reduced effects of parafoveal masking as font size increased, indicating a smaller perceptual 6 span for large font characters. However, the absence of three-way interactions between age-7 group, viewing condition, and font size, indicates that, contrary to expectation, older adults 8 do not have a larger font size effect on the perceptual span compared with young adults. This 9 finding provides an important indication that in spite of age-related visual difficulty, older readers do not have greater difficulty processing parafoveal information when text is 10 11 presented in large fonts, despite these large characters appearing at greater eccentricity than 12 smaller characters. It has typically been assumed (e.g., Ball, Beard, Roenker, Miller, & 13 Griggs, 1988; Sekuler, Bennett, & Mamelak, 2000) that older adults' poorer acuity in the 14 parafovea may limit their ability to process information parafoveally and that this may slow 15 reading. These results dispute this assertion, as older adults are able to successfully 16 parafoveally process eccentric large font characters. It has previously been argued that older 17 adults of alphabetic languages may dynamically modulate the deployment of their attention to compensate for age-related limitations of visual acuity (Risse & Kliegl, 2011), in order to 18 19 prioritize parafoveal processing (while making longer individual fixations). Such a strategy 20 may allow older adults to maintain parafoveal processing across font sizes and this may 21 represent a general strategy that is employed by older readers from a range of languages. However, to more fully understand the universality of the role of acuity on parafoveal 22 23 processing in older age, these effects should also be investigated in alphabetic languages. 24 While we do not find evidence of an age difference in font size effects on parafoveal 25 processing, one clear difficulty in the interpretation of these results for older adults is that

while we did not find a three-way interaction, we also found no two-way interactions
between viewing condition and font size. Taken together, these results suggest that the
perceptual span in Chinese reading does not depend on font size, and therefore, visual acuity,
for either young or older adults. These results could indicate that, like alphabetic language
reading, a trade-off between the increase of character visibility with large font size and the
decrease of visual acuity with the large text becoming more eccentric results in a similar span
size across different font sizes (e.g. Miellet et al., 2009).

8 This suggests that in Chinese, as in English, the key factor limiting the perceptual 9 span is attentional rather than visual constraints, with the physical size of the span adapting to 10 the amount of information to be processed (as evidenced by the smaller span for Chinese 11 compared with English). However, to fully establish this, further experiments may seek to 12 modulate foveal processing demands (foveal load) during Chinese reading. Such experiments 13 may be particularly illuminating as older readers of English show greater sensitivity to foveal 14 load (e.g. Payne and Stine-Morrow, 2012). Therefore, it would be valuable to establish 15 whether any age differences in parafoveal processing may be attention, rather than acuity 16 based.

17 Yan et al reported that their results reflect the lack of spaces and greater complexity of 18 written Chinese making characters in eccentric positions (such as large font characters) 19 particularly hard to process. It has been suggested that Chinese readers may develop higher 20 parafoveal processing efficiency compared with alphabetic language readers, because of the 21 absence of spaces (Zhou, Kliegl, Yan, 2013). Thus, the lack of word boundaries in written 22 Chinese is not a major obstacle to parafoveal processing as evidence suggests that the size of 23 the perceptual span varies as a function of reading efficiency (Rayner et al., 2010), and so this 24 increased efficiency may allow both young and older skilled readers to successfully move 25 their eyes across a range of font sizes even in the absence of spaces.

1 However, it is unclear why Yan found this effect, yet we failed to. Further work is 2 needed to establish this; however we consider a few possibilities. Notably, the average 3 reading speed in Yan et al., (2015) was considerably slower than the speeds in the current 4 experiments. A recent meta-analysis (Brysbaert, 2019) estimates average word-per-minute 5 (wpm) reading rates for Chinese at 260wpm. Based on the information provided in Yan's 6 paper, we estimate the wpm reading rate in the unmasked condition as around 170 (across 7 font sizes). Whereas, when we convert our reading times to reading rates, we find rates more 8 in line with the estimates given by Brysbaert (Exp1: 272wpm; Exp2: 251wpm). Readers 9 allocate more processing resources to the foveally fixated word and engage less in parafoveal processing of upcoming text when they have greater difficulty processing words (e.g., 10 11 Häikiö, Bertram, Hyönä, & Niemi, 2009; Rayner, 1986; Sperlich et al., 2016; Chace, Rayner, 12 & Well, 2005; Rayner et al., 2010; Veldre & Andrews, 2014). Note, that while older adults 13 are also slower readers, they are generally considered to be skilled readers who read with 14 normal comprehension, but at a slower rate than their younger peers (Rayner et al., 2010) due 15 to age-related decline, rather than lower skill. This may indicate that the readers in Yan et al's 16 (2015) study were less efficient processers and so may have experienced greater difficulty 17 guiding their eyes across a range of font sizes in the absence of word spacing. However, additional analyses considering fast and slow readers in the current experiments separately 18 19 (based on sentence reading times) found no evidence of a font size effect on parafoveal 20 processing for slower readers, despite our slow readers showing similar reading speeds to the 21 participants in Yan et al. (2015). As these analyses involved splitting the dataset, we cannot rule out that this effect may be present with greater statistical power, but we did not observe 22 23 any trends within our dataset. These analyses are reported in full in the Supplemental files. 24 An alternative interpretation is that because the perceptual span is larger than the 25 masked viewing condition substantial disruption is found in all conditions. As readers could

1	preview more than three characters even when reading largest font size text, a larger viewing
2	condition may reveal more subtle font size effects obscured in this study. Overall, while we
3	cannot exclude the possibility that more subtle font size effects may exist when using
4	different masking stimuli or different mask sizes, at least when using masks that provide
5	orthographic information, with a mask size that roughly matches the typical perceptual span
6	size reported for Chinese, these effects do not appear to be present. Therefore, even if more
7	subtle effects do exist, the clear finding is that an inability to process parafoveal information
8	across a range of font sizes is unlikely to be a major contributory factor to adult age
9	differences in Chinese reading. This finding has important implications for understanding the
10	nature of adult age differences in reading across different writing systems.
11	In summary, while previous research has focused almost exclusively on alphabetic
12	languages, the present study provides novel insight into parafoveal processing across
13	adulthood during Chinese reading. The overall pattern of results suggests that during normal
14	reading, as in English, the perceptual span is independent of font size for both young and
15	older adults. Crucially, in spite of age-related visual decline, older adults' parafoveal
16	processing appears unaffected by font size. Therefore, the current experiments have furthered
17	our knowledge of effects of normative aging on Chinese reading and indicate that older
18	adults' parafoveal processing may be more robust than previously considered.

1 2	References
3	Akutsu, H., Legge, G. E., Ross, J. A., & Schuebel, K. J. (1991). Psychophysics of readingx.
4	effects of age-related changes in vision. Journal of Gerontology, 46(6), P325-P331.
5	doi: 10.1093/geronj/46.6.P325
6	Apel, J. K., Henderson, J. M., & Ferreira, F. (2012). Targeting regressions: Do readers pay
7	attention to the left? Psychonomic Bulletin & Review, 19, 1108–1113.
8	doi:10.3758/s13423-012-0291-1
9	Baayen, R. H., Davidson, D. J., & Bates, D. M. (2008). Mixed-effects modeling with crossed
10	random effects for subjects and items. Journal of Memory and Language, 59, 390-412.
11	http://dx.doi.org/10.1016/j.jml .2007.12.005
12	Ball, K. K., Beard, B. L., Roenker, D. L., Miller, R. L., & Griggs, D. S. (1988). Age and
13	visual search: Expanding the useful field of view. Journal of the Optical Society of
14	America A: Optics, Image Science, and Vision, 5, 2210–2219.
15	Barr, D. J., Levy, R., Scheepers, C., & Tily, H. J. (2013). Random effects structure for
16	confirmatory hypothesis testing: Keep it maximal. Journal of Memory and Language,
17	68, 255–278. http://dx.doi.org/10.1016/j.jml .2012.11.001
18	Bates, D., Mächler, M., Bolker, B., & Walker, S. (2014). Fitting linear mixed-effects models
19	using lme4. arXiv preprint arXiv:1406.5823. Retrieved from http://CRAN.R-
20	project.org/package=lme4
21	Brysbaert, M. (2019). How many words do we read per minute? A review and meta-analysis
22	of reading rate. Journal of Memory and Language, 109, 104047.
23	Chace, K. H., Rayner, K., & Well, A. D. (2005). Eye Movements and Phonological
24	Parafoveal Preview: Effects of Reading Skill. Canadian Journal of Experimental
25	Psychology/Revue canadienne de psychologie expérimentale, 59(3), 209-217.
26	http://dx.doi.org/10.1037/h0087476

Crassini, B., Brown, B., & Bowman, K. (1988). Age-related-changes in contrast sensitivity in
central and peripheral retina. Perception, 17, 315-332.
DeDe, G., & Flax, J. K. (2016). Language comprehension in aging. Language, Cognition and
Aging, 107-133.
Drieghe, D. (2011). Parafoveal-on-foveal effects on eye movements during reading. In S. P.
Liversedge, I. D. Gilchrist, & S. Everling (Eds.), Oxford library of psychology. The
Oxford handbook of eye movements (pp. 839-855). New York, NY, US: Oxford
University Press.
Elliott, D., Whitaker, D., & MacVeigh, D. (1990). Neural contribution to spatiotemporal
contrast sensitivity decline in healthy ageing eyes. Vision Research, 30, 541-547.
http://dx.doi.org/10.1016/0042-6989(90) 90066-T
Elliott, D.B., Yang, K.C., & Whitaker, D. (1995). Visual acuity changes throughout
adulthood in normal, healthy eyes: Seeing beyond 6/6. Optometry and Vision Science,
72, 186-191.
Green, P., & MacLeod, C. J. (2016). SIMR: An R package for power analysis of generalized
linear mixed models by simulation. Methods in Ecology and Evolution, 7, 493-498.
Häikiö, T., Bertram, R., Hyönä, J., & Niemi, P. (2009). Development of the letter identity
span in reading: Evidence from the eye movement moving window paradigm. Journal
of Experimental Child Psychology, 102, 167–181.
http://dx.doi.org/10.1016/j.jecp.2008.04.002
Henderson, J. M., & Ferreira, F. (1990). Effects of Foveal Processing Difficulty on the
Perceptual Span in Reading. Journal of Experimental Psychology: Learning, Memory
and Cognition, 16(3), 417-429. https://doi.org/10.1037/0278-7393.16.3.417

1	Inhoff, A. W., & Liu, W. (1998). The Perceptual Span and Oculomotor Activity during the
2	Reading of Chinese Sentences. Journal of Experimental Psychology: Human
3	Perception and Performance, 24(1), 20-34. https://doi.org/10.1037/0096-1523.24.1.20
4	Kass, R. E., & Raftery, A. E. (1995). Bayes factors. Journal of the American Statistical
5	Association, 90, 773-795. http://dx.doi.org/10.1080/01621459.1995.10476572
6	Kemper, S., McDowd, J. (2006). Eye movements of young and older adults while reading
7	with distraction. <i>Psychology and Aging</i> , 21(1), 32-39. <u>http://dx.doi.org/10.1037/0882-</u>
8	<u>7974.21.1.32</u>
9	Kennison, S. M., & Clifton, C. (1995). Determinants of Parafoveal Preview Benefit in High
10	and Low Working Memory Capacity Readers: Implications for Eye Movement Control.
11	Journal of Experimental Psychology: Learning, Memory, and Cognition, 21(1), 68–81.
12	https://doi.org/10.1037/0278-7393.21.1.68
13	Kliegl, R., Grabner, E., Rolfs, M., & Engbert, R. (2004). Length, frequency, and
14	predictability effects of words on eye movements in reading. European Journal of
15	Cognitive Psychology, 16(1-2), 262-284.
16	http://dx.doi.org/10.1080/09541440340000213
17	Li, S., Li, L., Wang, J., McGowan, V. A., & Paterson, K. B. (2018). Effects of word length
18	on eye guidance differ for young and older Chinese readers. Psychology and Aging,
19	<i>33</i> (4), 685-692. <u>http://dx.doi.org/10.1037/pag0000258</u>
20	Li, X., Rayner, K., & Cave, K. R. (2009). On the segmentation of Chinese words during
21	reading. Cognitive Psychology, 58(4), 525-552.
22	https://doi.org/10.1016/j.cogpsych.2009.02.003
23	Madden DJ. (2007). Aging and visual attention. Current Directions in Psychological Science,
24	16, 70–74.

1	McConkie, G. W., & Rayner, K. (1975). The span of the effective stimulus during a fixation
2	in reading. Perception & Psychophysics, 17(6), 578-586.
3	https://doi.org/10.3758/BF03203972
4	McConkie, G. W., & Rayner, K. (1976). Asymmetry of the perceptual span in reading.
5	Bulletin of the Psychonomic Society, 8(5), 365–368.
6	https://doi.org/10.3758/BF03335168
7	McConkie, G. W., Kerr, P. W., Reddix, M. D., & Zola, D. (1988). Eye movement control
8	during reading: I. The location of initial eye fixations in words. Vision Research, 28,
9	1107–1118.
10	McGowan, V. A., White, S. J., Jordan, T. R., & Paterson, K. B. (2014). Aging and the use of
11	interword spaces during reading: Evidence from eye movements. Psychonomic Bulletin
12	& Review, 21, 740–747. http://dx.doi.org/10.3758/s13423-013-0527-8
13	Meijer, W. A., de Groot, R. H., Van Boxtel, M. P., Van Gerven, P. W., & Jolles, J. (2006).
14	Verbal learning and aging: combined effects of irrelevant speech, interstimulus interval,
15	and education. Journals of Gerontology, 61(5), P285-94. doi:10.1093/geronb/61.5.
16	P285
17	Miellet, S., O'Donnell, P. J., & Sereno, S. C. (2009). Parafoveal magnification: visual acuity
18	does not modulate the perceptual span in reading. Psychological Science, 20(6), 721-
19	728. doi: 10.1111/j.1467-9280.2009. 02364.x
20	Morey, R. D., & Rouder, J. N. (2015). BayesFactor: Computation of Bayes factors for
21	common designs. R package version 0.9.12-2. Retrieved from http://CRAN.R-
22	project.org/package=BayesFactor
23	Mund, I., Bell, R., & Buchner, A. (2010). Age differences in reading with distraction:
24	Sensory or inhibitory deficits? Psychology and Aging, 25(4), 886-897.
25	http://dx.doi.org/10.1037/a0019508

1	Nasreddine, Z.S., Phillips, N.A., Bédirian, V., Charbonneau, S., Whitehead, V., Collin, I.,
2	Cummings, J.L., & Chertkow, H. (2005). The Montreal Cognitive Assessment, MoCA:
3	a brief screening tool for mild cognitive impairment. Journal of the American Geriatric
4	Society, 53, 695- 699. http:// dx.doi.org/10.1111/j.1532-5415.2005.53221
5	O'Regan, J. K. (1990) Eye movements and reading. In: Eye movements and their role in
6	visual and cognitive processes, pp. 395–453, ed. E. Kowler. Elsevier. [aEDR, rKR,
7	RRe]
8	Owsley, C. (2011). Aging and vision. Vision Research, 51(13), 1610-1622.
9	http://dx.doi.org/10.1016/j.visres.2010.10.020
10	Paterson, K. B., McGowan, V. A., & Jordan, T. R. (2013a). Filtered text reveals adult age
11	differences in reading: Evidence from eye movements. Psychology and Aging, 28, 352-
12	364. <u>http://dx.doi.org/10.1037/a0030350</u>
13	Paterson, K. B., McGowan, V. A., & Jordan, T. R. (2013b). Effects of adult aging on reading
14	filtered text: Evidence from eye movements. PeerJ, 1, e63.
15	http://dx.doi.org/10.7717/peerj.63
16	Paterson, K. B., McGowan, V. A., & Jordan, T. R. (2013c). Aging and the control of
17	binocular fixations during reading. Psychology and Aging, 28, 789–795.
18	doi:10.1037/a0033328
19	Paterson, K. B., McGowan, V. A., White, S. J., Malik, S., Abedipour, L., & Jordan, T. R.
20	(2014). Reading direction and the central perceptual span in Urdu and English. Plos
21	One, 21(2), 505-511. doi: 10.1371/journal.pone.0088358
22	Payne, B. R., & Stine-Morrow, E. A. L. (2012). Aging, parafoveal preview, and semantic
23	integration in sentence processing: Testing the cognitive workload of wrap-up.
24	Psychology and Aging, 27(3), 638-649. https://doi.org/10.1037/a0026540
25	R Core Team (2015). R: A language and environment for statistical computing. R foundation

1	for statistical computing, Vienna, Austria. http://www.R-project.org
2	Rayner, K. (1986). Eye movements and the perceptual span in beginning and skilled readers.
3	Journal of Experimental Child Psychology, 41(2), 211-236.
4	http://dx.doi.org/10.1016/0022-0965(86)90037-8
5	Rayner, K., Reichle, E., Stroud, M., Williams, C., & Pollatsek, A. (2006). The effect of word
6	frequency, word predictability, and font difficulty on the eye movements of young and
7	older readers. Psychology and Aging, 21, 448-465. doi:10.1037/0882-7974.21.3.448
8	Rayner, K., Slattery, T. J., & Bélanger, N. N. (2010). Eye movements, the perceptual span,
9	and reading speed. Psychonomic Bulletin & Review, 17, 834-839.
10	http://dx.doi.org/10.3758/PBR.17.6.834
11	Rayner, K., Yang, J., Schuett, S., & Slattery, T. J. (2014). The effect of foveal and parafoveal
12	masks on the eye movements of older and younger readers. Psychology and Aging, 29,
13	205–212. doi:10.1037/a0036015
14	Reichle, E. D., Rayner, K., & Pollatsek, A. (1999). Eye movement control in reading:
15	accounting for initial fixation locations and refixations within the E-Z Reader model.
16	Vision Research, 39(26), 4403–4411. https://doi.org/10.1016/S0042-6989(99)00152-2
17	Risse, S., & Kliegl, R. (2011). Adult age differences in the perceptual span during reading.
18	Psychology and Aging, 26(2), 451-460. http://dx.doi.org/10.1037/a0021616
19	Ryan, J.J., Sattler, J.M., & Lopez S.J. (2000). Age effects on Wechsler Adult Intelligence
20	Scale-III subtests. Archives of Clinical Neuropsychology, 15, 311-317.
21	Scialfa, C.T., Cordazzo, S., Bubric, K., & Lyon, J. (2013). Aging and visual crowding.
22	Journals of Gerontology Series B: Psychological Sciences and Social Science, 6, 522-
23	528.
24	Sekuler, A. B., Bennett, P. J., & Mamelak, M. (2000). Effects of aging on the useful field of
25	view. Experimental Aging Research, 26, 103–120.

1	Shu, H., Zhou, W., Yan, M., & Kliegl, R. (2011). Font size modulates saccade-target
2	selection in Chinese reading. Attention, Perception, & Psychophysics, 73, 482-490.
3	http://dx.doi.org/10.3758/s13414-010- 0029-y
4	Sperlich, A., Meixner, J., & Laubrock, J. (2016). Development of the perceptual span in
5	reading: A longitudinal study. Journal of Experimental Child Psychology, 146, 181-
6	201. doi:10.1016/j.jecp.2016.02.007
7	Stine-Morrow, E. A., & Radvansky, G. A. (2017). Discourse processing and development
8	through the adult lifespan. In M. F. Schober, D. N. Rapp, & M. A. Britt (Eds.). The
9	Routledge Handbook of Discourse Processes, Second Edition (pp. 247-268). Taylor
10	and Francis.
11	Taylor, H. R. (1978). Applying new design principles to the construction of an illiterate E
12	chart. American Journal of Optometry and Physiological Optics, 55, 348–351.
13	Thornton, R., & Light, L. L. (2006). Language Comprehension and Production in Normal
14	Aging. In J. E. Birren & K. W. Schaire (Eds.). Handbook of the psychology of aging
15	(pp. 261-287). Amsterdam, Netherlands: Elsevier. http://dx.doi.org/10.1016/B978-
16	<u>012101264-9/50015-X</u>
17	Trueswell, J. C., Tanenhaus, M. K., & Garnsey, S. M. (1994). Semantic influences on parsing:
18	Use of thematic role information in syntactic ambiguity resolution. Journal of Memory
19	& Language, 33, 285–318. <u>https://doi.org/10.1006/jmla.1994.1014</u>
20	Vandekerckhove, J., Matzke, D., & Wagenmakers, EJ. (2015). Model comparison and the
21	principle of parsimony. In J. Busemeyer, J. Townsend, Z. J. Wang, & A. Eidels (Eds.),
22	Oxford Handbook of Computational and Mathematical Psychology, (pp. 300-319).
23	Oxford: Oxford University Press.

1	Veldre, A., & Andrews, S. (2014). Lexical quality and eye movements: Individual
2	differences in the perceptual span of skilled adult readers. The Quarterly Journal of
3	Experimental Psychology, 67, 703–727. doi:10.1080/17470218.2013.826258
4	Venables, W. N., & Ripley, B. D. (2002). Modern applied statistics with S (4th ed.). New
5	York, NY: Springer. http://dx.doi.org/10.1007/978-0-387-21706-2
6	Wang, J., Li, L., Li, S., Xie, F., Chang, M., Paterson, K. B., McGowan, V. A. (2018a). Adult
7	age differences in eye movements during reading: The evidence from Chinese.
8	Journals of Gerontology: Series B, Psychological Sciences and Social Sciences, 73(4),
9	584-593. http://dx.doi.org/10.1093/geronb/gbw036
10	Wang, J., Li, L., Li, S., Xie, F., Liversedge, S. P., & Paterson, K. B. (2018b). Effects of aging
11	and text-stimulus quality on the word-frequency effect during Chinese reading.
12	Psychology and Aging, 33(4). http://dx.doi.org/10.1037/pag000025
13	Warrington, K. L., McGowan, V. A., Paterson, K. B., & White, S. J. (2018). Effects of aging,
14	word frequency, and text stimulus quality on reading across the adult lifespan: evidence
15	from eye movements. Journal of Experimental Psychology: Learning, Memory &
16	Cognition, 44, 1714-1729. doi: 10.1037/x1m0000543
17	Warrington, K.L., McGowan, V.A., Paterson, K.B., & White, S.J. (2019). Effects of adult
18	aging on letter position coding in reading: Evidence from eye movements. Psychology
19	and Aging. 34(4), 598-612. http://dx.doi.org/10.1037/pag0000342
20	Wechsler, D. (1997). WAIS-III administration and scoring manual. San Antonio, TX:
21	Psychological Corporation.
22	Wechsler, D., Chen, Y. H., & Chen, X. Y. (2002). WAIS-III Chinese version technical
23	manual. San Antonio, TX: Psychological Corporation.

- Wei, W., Li, X., & Pollatsek, A. (2013). Word properties of a fixated region affect outgoing
 saccade length in Chinese reading. *Vision Research*, 80, 1–6.
- 3 https://doi.org/10.1016/j.visres.2012.11.015
- 4 Whitford, V., & Titone, D. (2016). Eye movements and the perceptual span during first- and
- 5 second-language sentence reading in bilingual older adults. *Psychology and Aging*,

6 *31*(1), 58-70. <u>http://dx.doi.org/10.1037/a0039971</u>

- Whitford, V., & Titone, D. (2017). The effects of word frequency and word predictability
 during first- and second-language paragraph reading in bilingual older and younger
- 9 adults. *Psychology and Aging*, *32*(2), 158-177. <u>http://dx.doi.org/10.1037/pag0000151</u>
- 10 Wingfield, A., & Stine-Morrow, E. A. L. (2000). Language and speech. In F. I. M. Craik &
- T. A. Salthouse (Eds.), *The handbook of aging and cognition* (pp. 359-416). Hillsdale,
 NJ: Erlbaum.
- Wright, C. E., & Drasdo, N. (1985). The influence of age on the spatial and temporal contrast
 sensitivity function. *Documenta Ophthalmologica*, *59*, 385-395.
- 15 Xie, F, Li, L., Zhao, S., Wang, J., Paterson, K. B., White, S. J., Warrington, K.L. (2019).
- 16 Aging and Pattern Complexity Effects on the Visual Span: Evidence from Chinese

17 Character Recognition. *Vision*, *3*, 11. doi:10.3390/vision3010011

- 18 Yan, G., Zhang, Q., Zhang, L., Bai, X. (2013). The effect of masking materials on perceptual
- 19 span in Chinese reading. *Journal of Psychological Science*, *36*(6), 1317-1322. doi:
- 20 10.16719/j.cnki.1671-6981.2013.06.018
- 21 Yan, M., Zhou, W., Shu, H., & Kliegl, R. (2015). Perceptual span depends on font size
- during the reading of chinese sentences. *Journal of Experimental Psychology: Learning Memory and Cognition*, 41(1), 209–219. https://doi.org/10.1037/a0038097
- 24 Zang, C., Zhang, M., Bai, X., Yan, G., Paterson, K. B., & Liversedge, S. P. (2016). Effects of
- 25 word frequency and visual complexity on eye movements of young and older Chinese

- 1 readers. *Quarterly Journal of Experimental Psychology*, 69(7), 1409-1425.
- 2 doi:10.1080/17470218.2015.1083594
- Zhou, W., Kliegl, R., & Yan, M. (2013). A validation of parafoveal semantic information
 extraction in reading Chinese. *Journal of Research in Reading*, *36*, S51–S63.
- 5 doi:10.1111/j.1467-9817.2013.01556.
- 6
- 7

1 Footnotes

- 2 ¹ Note, we do not make any claims about the role of acuity or digit span in the perceptual
- 3 span, as it may be that the measures of acuity and digit span employed here lack the
- 4 sensitivity to detect such effects in reading.
- 5 ² Reading rate (average number of characters read per minute) is often the key measure of
- 6 interest in gaze-contingent moving-window experiments and we originally intended to report
- 7 this measure. However, there is evidence that calculating reading rates per-unit time can
- 8 result in inflation of reading rates for short sentences and reading times (Trueswell,
- 9 Tanenhaus, & Garnsey, 1994). As this inflation may differentially affect reading rates for
- 10 young and older adults, raw sentence reading times were deemed to provide a more accurate
- 11 reflection of the data. Reading rate analyses did, however, show the same pattern of effects
- 12 reported here.

- 1 Figure legend
- 2 Figure 1. An example sentence in each condition for each experiment. The asterisk indicates
- 3 the fixation location during reading.
- 4 Figure 2. Experiment 1. Sentences reading time in each condition both age groups. Error bars
- 5 correspond to one standard error.
- 6 Figure 3. Experiment 2. Sentences reading time in each condition both age groups. Error bars
- 7 correspond to one standard error.
- 8
- 9

1 Figure 1

Experiment 1 stimuli examples

Unmasked _56 pixels: 轻度扭伤后应立即采用冰块冷敷以减少肿胀。

Unmasked _ 42 pixels: 轻度扭伤后应立即采用冰块冷敷以减少肿胀。

株闵诋<u>敬</u>萘应立即采用妲烪柈洴昰汝伝拮短。 ★

Experiment 2 stimuli examples

Unmasked_56 pixels: 电子邮件取代了纸质书信成为人们交流的工具。

Masked_56 pixels: 四于络阶语代了纸质书便用生了他共强和方再。

Unmasked _ 42 pixels: 电子邮件取代了纸质书信成为人们交流的工具。

Masked_42 pixels: 四于络阶语代了纸质书便用生了他共强和方再。

Unmasked _ 32 pixels: 电子邮件取代了纸质书信成为人们交流的工具。

*

*

*

Masked _ 32 pixels: 四于络阶语代了纸质书便用生了他共强和方再。













Table	1. Partici	pant Charac	cteristics.
-------	------------	-------------	-------------

1 2

Age	Aga (Vaars)	Visual Acuity	Formal Education	Voca	Digit Span (Raw scores)		
Group	Age (Tears)	(Snellen Values)	(Years)	Raw Scores	Scaled Scores	Forward	Backward
Young	19.4 (1.1)	20/24	13.7 (.97)	69.1 (5.9)	15.6 (1.8)	9.1 (.9)	6.0 (1.7)
	Range = 18-22	Range = 20/16-20/33	Range = 13-16	Range = 57-79	Range = 13-19	Range = 7-11	Range $= 2-8$
Oldor	66.9 (3.7)	20/32	12.9 (1.36)	72.0 (3.9)	15.6 (0.9)	7.7 (1.0)	4.7 (.9)
Oldel	Range = 61-76	Range = 20/19-20/40	Range = 9-16	Range = 64-78	Range = 14-17	Range = 5-10	Range $= 3-7$
				t(94) = 2.83,	t(94) = .07,	t(94) = 6.90,	t(94) = 4.54,
				<i>p</i> = .006	<i>p</i> = .942	<i>p</i> < .001	<i>p</i> < .001

Note. Only raw scores are presented for digit span because scaled scores can only be calculated from the combined measures. Scaled scores for the combined digit span produce the same pattern as the raw scores, Young, M = 13.8 SD = 2.5, Range = 7-19; Older, M = 12.5, SD = 1.6, Range = 8-16, t(94)=3.16, p=.002.

6

7

Table 2 Means and SDs and SEs for Eye Movements Measures in Experiment 1 and 2

	Young							Older					٨F	VF	F	'F
	Unmasked Masked			Unmasked Masked						V L	ĨĹ					
													Young	Unmasked	42	32
	56	42	32	56	42	32	56	42	32	56	42	32	vs.	vs.	vs.	vs.
													Older	Masked	56	42
Experiment 1				I			I									
Sentences reading	2746	2751	2717	3300	3330	3325	4722	4827	5027	5078	5233	5432	2011	161	70	00
time (ms)	(131)	(132)	(123)	(136)	(130)	(144)	(168)	(161)	(161)	(165)	(171)	(175)	-2011	-404	78	90
Average fixation	234	246	255	253	262	272	249	265	288	258	277	301	10	14	14	16
duration (ms)	(4)	(4)	(5)	(4)	(4)	(4)	(3)	(3)	(4)	(3)	(4)	(4)	-19	-14	14	10
Progressive	2.1	0.1	25	1.0	1.0	22	1.6	1.0	2.1	1.6	1.0	2.1				
saccade length	2.1	2.1	2.5	1.9	1.9	2.3	1.0	1.8	2.1	1.0	1.8	2.1	0.3	0.2	0.1	0.3
(characters)	(.06)	(.06)	(.08)	(.05)	(.04)	(.06)	(.04)	(.05)	(.06)	(.04)	(.04)	(.05)				
Experiment 2																
Sentences reading	3366	3394	3326	4299	4299	4414	5391	5543	5680	5793	6022	6149	1011	700	00	80
time (ms)	(158)	(166)	(173)	(212)	(192)	(213)	(189)	(188)	(188)	(194)	(199)	(193)	-1911	-709	98	89

Average fixation	233	246	257	258	270	282	250	268	291	261	279	303	17	10	16	17
duration (ms)	(3)	(4)	(4)	(4)	(4)	(4)	(3)	(3)	(4)	(3)	(3)	(4)	-1/	-19	10	17
Progressive	• •															
saccade length	2.0	2.0	2.4	1.8	1.8	2.1	1.6	1.8	2.1	1.6	1.7	2.0	0.2	0.2	0.1	04
saccade length	(.05)	(.05)	(.07)	(.04)	(.04)	(.06)	(.04)	(.05)	(.06)	(.04)	(.05)	(.05)	0.2	0.2	0.1	0.7
(characters)																

1 *Note.* AE = age group effect; VE = viewing condition effect; FE = font size effect. Standard errors are shown in parentheses. SEs were calculated

2 across participant variance.

		Sentences	Average	Progressive
		reading time	fixation	saccade length
		(ms)	duration (ms)	(characters)
	b	4039.67	263.26	1.99
Intercept	SE	114.15	2.81	0.04
	t	35.39	93.76	44.69
Age group	b	-2026.76	-19.35	0.31
Varma va Oldan	SE	199.46	5.49	0.09
1 oung vs. Older	t	-10.16*	-3.52*	3.63*
Viewing condition	b	487.02	14.28	-0.14
Madrad va Unmadrad	SE	41.89	1.27	0.02
Maskeu vs. Umnaskeu	t	11.63*	11.25*	-7.37*
Font size	b	72.31	14.09	0.08
56 40	SE	25.68	0.71	0.01
50 VS. 42	t	2.82*	19.93*	7.94*
	b	88.40	16.42	0.36
42 vs. 32	SE	25.68	0.71	0.01
	t	3.44*	23.22*	35.83*
	b	197.74	5.81	-0.23
Age group * Viewing condition	SE	83.79	2.45	0.04
	t	2.36*	2.38*	-6.36*
Age group * Font size	b	-116.32	-7.23	-0.12
A go grown *56 vg 12	SE	51.36	1.41	0.02
Age group 50 vs. 42	t	-2.27*	-5.11*	-5.93*
	b	-219.17	-13.17	-0.00
Age group * 42 vs. 32	SE	51.37	1.41	0.02
	t	-4.27*	-9.31*	-0.17
Viewing condition * Font size	b	39.57	0.77	0.00
Viewing condition * 56 va 49	SE	51.36	1.41	0.02
viewing conurtion * 50 vs. 42	t	0.77	0.55	0.21
Viewing condition * Font size	b	13.20	0.65	-0.04

Table 3 Linear Mixed Model Statistics for Eye Movements Measures in Experiment 1

Viewing condition * 42 vg 32	SE	51.37	1.41	0.02
viewing condition + 42 vs. 52	t	0.26	0.46	-1.76
Age group * Viewing condition	h	-12.80	-7.08	-0.01
*Font size	υ		7.00	0.01
Age * Viewing condition * 56	SE	102.73	2.83	0.04
vs. 42	t	-0.13	-2.50*	-0.23
A go * Viewing condition * 42	b	18.52	1.66	0.05
Age · viewing condition · 42	SE	102.74	2.83	0.04
vs. 32	t	0.18	0.59	1.14

Note. Significant fixed factor effects are indicated with an asterisk.

		Sentences	Average	Progressive
		reading time	fixation	saccade length
		(ms)	duration (ms)	(characters)
	b	4805.97	266.54	1.91
Intercept	SE	138.03	2.94	0.04
	t	34.82	90.54	44.68
Age group	b	-1914.48	-17.52	0.20
Voung va Oldon	SE	244.72	5.81	0.08
Toung vs. Older	t	-7.82*	-3.02*	2.35*
Viewing condition	b	713.58	18.36	-0.13
Magkad va Unmagkad	SE	62.40	1.41	0.02
waskeu vs. Omnaskeu	t	11.44*	13.01*	-6.29*
Font size	b	103.45	15.66	0.09
56 vg 12	SE	34.23	0.69	0.01
50 vs. 42	t	3.02*	22.56*	8.00*
	b	76.88	17.16	0.34
42 vs. 32	SE	34.25	0.69	0.01
	t	2.25*	24.72*	30.45*
Ago group * Viewing	b	526.49	13.49	-0.16
Age group • viewing	SE	120.21	2.80	0.04
condition	t	4.38*	4.82*	-3.98*
Age group * Font size	b	-180.20	-5.66	-0.14
A go group * 56 vg 12	SE	68.46	1.39	0.02
Age group * 50 vs. 42	t	-2.63*	-4.08*	-6.18*
	b	-107.77	-12.27	0.02
Age group * 42 vs. 32	SE	68.50	1.39	0.02
	t	-1.57	-8.84*	0.73
Viewing condition * Font size	b	27.02	-0.54	-0.04
Viewing condition * 56 vs.	SE	68.46	1.39	0.02
42	t	0.40	-0.39	-1.75
	b	81.57	1.40	-0.00

Table 4 Linear Mixed Model Statistics for Eye Movements Measures in Experiment 2

Viewing condition * 42 vs.	SE	68.50	1.39	0.02
32	t	1.19	1.01	-0.18
Age * Viewing condition *Font size	b	-105.79	-2.24	0.04
Age * Viewing condition *	SE	136.93	2.78	0.05
56 vs. 42	t	-0.77	-0.81	0.82
Age * Viewing condition *	b	207.17	1.06	0.04
Age $12 \text{ yrs} = 32$	SE	137.00	2.78	0.05
72 45. 32	t	1.51	0.38	0.94

Note. Significant fixed factor effects are indicated with an asterisk.
