

1 Human-cat relationship in an oceanic Biosphere Reserve: the case of La Palma Island,  
2 Canary Archipelago

3

4

5 Félix M. Medina<sup>a,b</sup>, Elsa Bonnaud<sup>c</sup>, Mark J. Farnworth<sup>d</sup>, Manuel Nogales<sup>b</sup>

6

7

8 <sup>a</sup> Servicio de Medio Ambiente, Cabildo Insular de La Palma, Avenida Los Indianos 20,  
9 2º, 38700 Santa Cruz de La Palma, Canary Islands, Spain

10 <sup>b</sup> Island Ecology and Evolution Research Group (IPNA-CSIC), Astrofísico Francisco  
11 Sánchez 3, 38206 La Laguna, Tenerife, Canary Islands, Spain

12 <sup>c</sup> Ecologie, Systématique and Evolution, UMR CNRS 8079, Univ. Paris Sud, Orsay  
13 91405, France

14 <sup>d</sup> School of Biological Sciences, Plymouth University, Drake Circus  
15 Devon, PL4 8AA, United Kingdom

16

17

18 Corresponding author. Tel.: +34922423100 (ext. 6824). *E-mail address*:

19 [felix.medina@cablapalma.es](mailto:felix.medina@cablapalma.es) (F.M. Medina)

20

21

22

23

24

25

1 ABSTRACT

2

3 Removal of feral cats from island environments is useful mechanism by which their  
4 ecological impact on endangered species can be reduced or ended. Nevertheless,  
5 because cats are anthropogenic in their origins, social perceptions of management  
6 practices play a large role in their implementation. Four-hundred questionnaires were  
7 delivered (386 were returned) with 100 going to each of the following: local residents,  
8 environmental workers, tourists, and hunters. Questions explored respondents'  
9 knowledge about island biodiversity and invasive species as well as attitudes towards  
10 cat population management methods. Habitat destruction and introduction of invasive  
11 species were considered the main threats for the conservation of island biodiversity.  
12 Most respondents considered cats to have a negative impact on biodiversity and  
13 sterilization campaigns were considered most appropriate for cat population control.  
14 Several free sterilization campaigns have been conducted in La Palma Island Biosphere  
15 Reserve in order to reduce free-ranging cats and were well received by local people.  
16 This research, which combined concepts of management, ecology and social sciences,  
17 provides valuable insights which may be applicable on other several islands where  
18 cats and people are present and in conflict with conservation priorities.

19

20 *Keywords:* Conservation; *Felis catus*; Invasive species; Oceanic islands;  
21 Questionnaires; Human-animal relationship.

22

23

24

25

# 1 **Introduction**

2

3           The domestic cat (*Felis catus*) originates from the Near Eastern wildcats (*Felis*  
4 *silvestris lybica*) approximately 9000 years ago (Driscoll et al., 2007). This commensal  
5 relationship likely arose from the cat's ability to effectively control rodents but has,  
6 over time, developed into one of companionship (Turner, 2000). Three different statuses  
7 for cats have been broadly described depending on their associations with humans: (1)  
8 house/pet/companion cats living with people that provide food, affection and shelter; (2)  
9 stray or roaming cats linked to one or several households which receive some of their  
10 nutritional needs from people but may be required to hunt, and (3) feral cats  
11 independent of humans that reproduce and feed independently of people and  
12 anthropogenic food sources (see Farnworth et al., 2010a; Liberg et al., 2000).

13           Cats, brought by people, have dispersed worldwide including to many remote  
14 islands, where populations have become feral (Fitzgerald & Turner, 2000). Once  
15 introduced, cats mainly preyed upon other introduced mammals but also native  
16 mammals, birds, reptiles and insects (Bonnaud et al., 2011), being responsible, at least  
17 in part, for 8% of global bird, mammal and reptile extinctions and the decline of almost  
18 14% of critically endangered vertebrates on islands (Medina et al., 2011).

19           Predation strongly impacts upon prey population dynamics both in terms of  
20 companion (pet) cats in urban and suburban habitats (Woods et al., 2003) and stray and  
21 feral cats in uninhabited environments (Fitzgerald & Turner, 2000). For this reason, cats  
22 are considered as one of the 100 worst invasive species (Lowe et al., 2000).

23           Faced with issues related to cat presence, eradication campaigns have been  
24 conducted on 100 islands worldwide (DIISE, 2014) using a range of techniques  
25 including trapping, hunting, poisoning, and introduction of diseases (Campbell et al.,

1 2011; Nogales et al., 2004). Extirpation of feral cats from islands is a powerful  
2 conservation tool strongly supported by conservation organisations (Farnworth et al.,  
3 2014). Nevertheless, on inhabited islands social factors can restrict its implementation  
4 because the opposition of cat owners or animal rights organizations (Nogales et al.,  
5 2013; Parkes et al., 2014). Thus, other management strategies like trap-neuter release,  
6 trap-neuter release with removal of kittens for adoption, trap-test-vaccinate-alter-return-  
7 monitor, trap-euthanize, and inaction are more often accepted (Loyd & DeVore 2010).  
8 Although potentially useful for small-managed groups of cats these processes may be  
9 too expensive and not efficient enough to be applied across larger cat populations (Lohr  
10 et al., 2013; Metsers et al., 2010). As unowned (stray) cat numbers are positively  
11 correlated with human population density (Aguilar & Farnworth, 2012, 2013), it is  
12 crucial to obtain analyses of social, cultural, and economic issues to increase the  
13 possibility that local communities support removal managements (Proulx, 1988; Opper  
14 et al., 2011). Cat populations can therefore be seen as an anthropogenic problem  
15 requiring community-based solutions.

16 Questionnaires are suitable tools to obtain public or stakeholder perceptions  
17 regarding human impacts on ecosystems, ecological management processes as well as  
18 animal management, invasive mammal impacts and human-wildlife conflicts  
19 (Farnworth et al., 2014; White et al., 2005). Some of them were used to measure human  
20 attitudes toward cats specifically (Turner, 2000) and focused on different aspects like  
21 cat-human relationships (Franklin, 2007), interdependence (Haspel & Calhoun, 1990),  
22 management options (Farnworth et al., 2011), or predation rates (Tschanz et al., 2011).

23 In the Canary Islands owners release kittens into the wild increasing feral cat  
24 populations and generating a major issue for the conservation of endangered species  
25 (Medina & Nogales, 2009). Consequently, several control programs were conducted to

1 minimize cat population dynamics and its subsequent impact on native wildlife. To  
2 avoid undesirable conflicts between animal right organisations and conservation  
3 biologists, effective information and education campaigns were considered as a basic  
4 tool (Medina & Nogales, 2009; Rando, 2004). Despite this, few questionnaires had been  
5 carried out on islands taking into account human attitudes and social perceptions as they  
6 relate to the presence and effects of cats on island ecologies. There have been no such  
7 studies on most of the 5% of the worlds' 179,000 small and medium sized islands where  
8 cats have been introduced (B.R. Tershy, personal communication) including the  
9 Canaries. The main objective of this contribution is to establish, through a  
10 questionnaire, the opinion of specific groups of La Palma Island Biosphere Reserve  
11 inhabitants toward the effect of cat presence on island ecosystems. Specifically, we aim  
12 to evaluate the following: (1) the inhabitant's knowledge about island biodiversity and  
13 the consequences of invasive species, (2) the inhabitant's opinion about cat presence,  
14 and (3) their attitude towards cat population management. Each of these is considered in  
15 light of the respondents' specific interest group those being: local residents,  
16 environmental workers, tourists, and hunters.

17

18

## 19 **Material and methods**

20

### 21 *Study area*

22

23 The Canarian archipelago is situated in the Atlantic Ocean, some 100 km off the  
24 African continent. With an area of 728 km<sup>2</sup> and an altitude of 2426 m a.s.l. (Roque de  
25 Los Muchachos), the island of La Palma (28° 40' N, 17° 50' E) is located in the north-

1 west of the archipelago. Island's climate is influenced by the ecological zones  
2 associated with its altitude, the wet north-east trade winds, and the mountain orientation  
3 given a highly differentiated vegetation belts (see del Arco et al., 1999 for details).

4 A relative small area (511 ha) on the island was declared a Biosphere Reserve in  
5 1983 (El Canal y Los Tiles). Nevertheless, considering both the natural value of this  
6 island and the fact that only conservation programs were carried out during a long  
7 period, the entire island was declared as Biosphere Reserve in 2002, to comply with the  
8 other two functions of these natural spaces: development and logistic. Biosphere  
9 Reserves are recognised areas of representative environments which have been  
10 internationally designated within the framework of UNESCO's MAB Program for their  
11 value to conservation through providing the scientific knowledge, skills and values to  
12 support sustainable development (Bridgewater & Cresswell, 1998).

13

#### 14 *Questionnaires*

15

16 Similar to the work of Farnworth et al. (2014) and based on knowledge of the  
17 population under exploration four groups of respondents were purposively sampled .  
18 Such sampling techniques were predicated upon the assumption that points-of-view  
19 with respect to invasive predators (cats) and ecosystem conservation on the island  
20 would differ amongst groups of users. As per the aims of this work, exploring this  
21 dynamic was integral to understanding conflicts which may arise. Groups included  
22 were: local residents (to provide a non-specialist perspective on the issues in the  
23 research); hunters (because they may treat cats as competitors for game species);  
24 environmental workers (who likely have a close relationship with nature conservation  
25 on the island), and tourists (as non-specialists and non-locals). Questionnaires to local

1 residents and tourists were freely available in public spaces while hunters and  
2 environmental workers were contacted at their respective associations. Adults from  
3 both sexes were able to respond. However, it is to be noted that more than 95% of the  
4 environmental workers and hunters in La Palma Island are known to be men, with a  
5 substantial bias towards older individuals. For this reason, sex and age biases were  
6 integral to the purposive sampling process and so were considered only in terms of  
7 their limitations for the study..

8           Between March and July 2012, 400 self-administered questionnaires were  
9 distributed amongst the principal villages proportional to the number of inhabitants.  
10 Direct and discrete questionnaires allowed avoidance of unintended influence by  
11 interviewers (Ash & Adams, 2003).

12           Questions were divided in three different groups those: (1) concerned with  
13 general aspects of biodiversity on La Palma Island Biosphere Reserve, to measure the  
14 general knowledge of people about island biodiversity and the related main  
15 conservation concerns; (2) addressing specific issues about feral cats and their perceived  
16 effect on the conservation of native species; and (3) assessing attitudes towards issues  
17 associated with the presence of cats on the island. The questionnaire (Table 1) was  
18 distributed in Spanish, English, French and German according to the respondent  
19 encountered.

20

## 21 *Analysis*

22

23           Survey data were analysed using chi-square and likelihood ratio tests (G-test),  
24 which were commonly used in similar studies (Ash & Adams, 2003; Haspel & Calhoun,  
25 1990) using the total number of answers in questionnaires. When it was necessary to use

1 the same data set and to avoid Type I error, we applied the more conservative sequential  
2 Bonferroni correction (0.05/k) proposed by Rice (1989).

3

4

## 5 **Results**

6

7 386 of the 400 distributed questionnaires were successfully answered and  
8 returned. From these, 320 questionnaires were randomly considered in order to have the  
9 same sample size ( $n = 80$ ) in each of the four social selected groups.

10 There was no statistically significant difference amongst groups with regard to  
11 understanding that island and mainland biodiversity differed ( $G = 7.67$ ,  $df = 3$ ,  $P =$   
12  $0.053$ ). Habitat destruction and introduction of invasive species were considered the  
13 main threats for the conservation of island biodiversity ( $\chi^2 = 405.71$ ,  $df = 5$ ,  $P < 0.001$ )  
14 (Fig. 1). Obviously, hunters mainly did not consider hunting as a problem for  
15 biodiversity but statistical differences were not observed ( $\chi^2 = 11.84$ ,  $df = 3$ ,  $P = 0.008$ ,  
16 Bonferroni correction). Other mentioned threats included contamination, climate change  
17 and incorrect use of poisons. Of the tourists interviewed, 44 % thought that tourism was  
18 one of the main threats to conservation of the island ( $\chi^2 = 41.35$ ,  $df = 3$ ,  $P < 0.001$ ) (Fig.  
19 1).

20 Of the respondents, 73.9% knew that invasive species are present on the island.  
21 Tourists showed the lowest knowledge (41%) about this issue ( $\chi^2 = 64.02$ ,  $df = 3$ ,  $P <$   
22  $0.001$ ). Ten species (seven animals and three plants) were cited in 73.7% of the total  
23 answers. Among animals, barbary sheeps (*Ammontragus lervia*), rabbits (*Oryctolagus*  
24 *cuniculus*), rats (*Rattus rattus*), mice (*Mus domesticus*) and cats were the most  
25 mentioned, while crimson fountaingrass (*Pennisetum setaceum*) was the most cited

1 plant species (see Annex 1 to check the complete list of mentioned species). Most  
2 respondents (77%,  $n = 182$ ) considered these invasive species to be a substantial  
3 problem for the conservation of native biodiversity. However, this concern changes  
4 significantly between groups ( $G = 30.35$ ,  $df = 3$ ,  $P < 0.001$ ), more hunters thought that  
5 invasive species are not a substantial threat. Of 307 questionnaires, 141 respondents  
6 (45.9%) considered competition with native species as the main impact.

7       Most respondents answered that the presence of cats on the island had a negative  
8 effect on its biodiversity. This effect was considered neutral by tourists and local  
9 residents and detrimental by hunters (Fig. 2); no statistical differences appeared  
10 amongst groups ( $\chi^2 = 16.39$ ,  $df = 6$ ,  $P = 0.012$ , Bonferroni correction). The main cat  
11 negative effects mentioned by 127 specific answers were impacts on native species ( $n =$   
12 54) and diseases spread ( $n = 6$ ). Contrarily, the main positive effect mentioned was their  
13 predation of rodents ( $n = 15$ ).

14       Nearly all respondents (97.8%,  $n = 313$  of 320 questionnaires) had cats at home  
15 (Fig. 3). All interviewed tourists answered that they did not bring their cats with them.  
16 For this reason this group was not taken into account in the following questions (8 to 11,  
17 see Table 1). Main owners (85.7%) have 1 to 5 cats at home, while some of them  
18 (7.1%) maintained 6 to 20 cats; 70 respondents (2.9%) have more than 20 cats and 4.3%  
19 of the respondents do not know how many cats they actually have at home. 58% of  
20 respondents, among cat owners, did not neuter their cats. No statistical difference was  
21 observed amongst respondent groups ( $\chi^2 = 1.46$ ,  $df = 2$ ,  $P = 0.483$ ). The main reason  
22 was that respondents did not think it useful (46%) ( $G = 21.12$ ,  $df = 5$ ,  $P = 0.001$ ).  
23 However, economic reasons and no knowing where and when it was done were also  
24 mentioned. No other reasons were specifically mentioned.

1           More than 70% of respondent cat owners said that their cats have free access to  
2 natural habitats. On the other hand, most of them ( $n = 115$ ) answered that when their  
3 cats bred, they gave the kittens up for adoption ( $G = 95.5$ ,  $df = 8$ ,  $P < 0.001$ ). Only in  
4 4% of the cases (all of them local residents) was an animal protection association cited  
5 as a solution, while 36% of the owners maintain kittens at home as pets and 18%  
6 decided to kill them at birth (Fig. 4). Lastly, 7% of the respondent cat owners released  
7 kittens into the environment (16.7% of hunters took this decision).

8           Several alternative management options were proposed to respondents (Table 1).  
9 Cat sterilization paid for by the owners was considered the best option by 42% of  
10 respondents (including tourists in this last question) and 40.6% considered education  
11 campaigns necessary (Fig. 5). The solution was different dependent upon the respondent  
12 groups ( $\chi^2 = 133.71$ ,  $df = 24$ ,  $P < 0.001$ ). Education programs were the most accepted  
13 solution for environmental workers and local residents, while capture and euthanasia  
14 was the most accepted by hunters (55.3%). Sterilisation paid for by cat owners was  
15 mainly mentioned by tourists possibly representing an assumed cultural norm that was  
16 misaligned with that of their destination. Such contradictions between tourist  
17 expectations and local practices may impact negatively on tourists' perceptions of their  
18 visit, especially if differences are considered to be at the expense of animal welfare  
19 (Beckman et al., 2014).

20

21

## 22 **Discussion**

23

24           This questionnaire was a useful tool to better understand the attitudes of people  
25 towards cats and cat impacts upon wildlife as well as their considerations around

1 appropriate control methods for cat populations (White et al., 2005). The 320 analysed  
2 responses represented 0.35 % of the total island population (ca. 87,000 inhabitants plus  
3 23,000 tourists visiting the island during the survey). This percentage, as well as the  
4 95.5% of response rate, is in accordance with the recommended values for robust in-  
5 person interviews (White et al., 2005).

6 In general respondents were aware of biodiversity of the island and the role of  
7 invasive species (and specifically cats) in threatening its conservation.

8 Beyond their value as companion animals, cats were considered useful for the  
9 control of rodents (Haspel & Calhoun, 1990). Respondents also used cats to control  
10 native insects, lizards, and birds because they are considered to damage crops.

11 As for other islands (e.g. New Zealand: Farnworth et al., 2010*b*) cat  
12 management is not legislatively enforced and most cat owner respondents do not control  
13 their pet movements beyond their property. On this island, urban and natural areas are  
14 often adjacent and cats can easily move between them, covering long distances and  
15 increasing their negative effect on wildlife. Unlike the Farnworth et al. (2010*b*) study in  
16 New Zealand most of the inhabitants of La Palma had not sterilized their cats, so  
17 companion cats wandering increases both (i) the reproductive dynamics of feral  
18 populations and (ii) the predation pressure upon native species (Medina & Nogales,  
19 2009). Plus, inhabitants have a lot of cats at home and they release kittens into natural  
20 habitats after their pets breed (Medina & Nogales, 2009). During the survey (five  
21 months) at least 11 cats were known to be released in urban and natural areas. Active  
22 abandonment of reproductively viable cats requires substantial investigation. This is  
23 especially so considering that undesirable owner behaviors (such as abandonment)  
24 sustain feral cat populations (Finkler & Terkel, 2012) which, in turn, may pose a risk to  
25 protected ecologies (Aguilar and Farnworth 2015).

1            Respondents commented that neutering their cats is not of primary importance  
2 and above all they are not aware of this surgical procedure and its cost. Consequently it  
3 appeared (1) a lack of information about sterilization processes considered expensive,  
4 complicated and dangerous for cats and (2) a need for education about cat impact on  
5 native fauna and natural island ecosystems in general. One solution could be to  
6 subsidize sterilizations (Oppel et al., 2014), and convince owners to keep their cats  
7 inside their property (Lepczyk et al., 2010). Some authors argue that the more owners  
8 care about their cats (i.e. resource, social and health needs) the less impact cats have on  
9 prey populations (Kays & DeWan, 2004). However, the harmful effects of free-ranging  
10 companion cats upon native species are still substantial, especially when cat population  
11 density is high (e.g. Medina et al., 2011).

12            Differences observed between the four group's answers could represent cultural  
13 differences and divergent points of view towards nature and ecosystem preservation.  
14 However, it is also important to note that the groups also contained inherent biases, for  
15 example hunters and conservation workers were almost entirely male biased samples. It  
16 is not possible to extricate such biases from the purposively sampled data and the  
17 conclusions drawn should be considered in light of this. The most significant difference  
18 observed was that hunters, as opposed to other groups, did not consider invasive species  
19 a substantial threat to biodiversity conservation efforts. This is likely related to the fact  
20 that two of the most pernicious invasive mammals on the island, the rabbit and the  
21 barbery sheep, are the most important game animals for them. Furthermore, it was  
22 surprising that although hunters reported cats as highly detrimental and requiring lethal  
23 control to minimise competition for game, they were the respondent group that most  
24 commonly released kittens into the environment. The lack of awareness about  
25 conservational requirements within the biosphere is probably due to a lack of enough

1 informative campaigns about the risks of invasive species, particularly cats. As expected  
2 environmental workers demonstrated more specific knowledge as they have received  
3 specific education concerning this issue. Lastly, as far as we know, no informative  
4 campaigns are presented to the tourists before they visit the island. We consider that  
5 educational campaigns are likely the most important effective tools for improving social  
6 knowledge about the negative effects of feral and their management (40.6% of  
7 respondents in this study; e.g. Loyd & DeVore, 2010).

8           In general trap-euthanize is considered the most efficient management tool for  
9 feral cat population (Loyd & DeVore, 2010). On La Palma Biosphere Reserve, several  
10 sterilization campaigns have been conducted by animal rights associations, with the  
11 collaboration of the Island Government (Cabildo de La Palma) without specific  
12 objectives. Considering the current impacts of cats (Medina et al., 2006), and the results  
13 of this questionnaire, the most valuable management action on this island may be to  
14 conduct massive owned-cat sterilization campaigns, as well as capture and euthanize  
15 feral and stray cats in priority areas for conservation. This could be the best solution for  
16 avoiding welfare compromise of cats impossible to adopt (Lepczyk et al., 2010).  
17 Although this management action may not be efficient enough to mitigate all issues  
18 (Oppel et al., 2011), it is one of the best solutions when total eradication is undesirable  
19 or impossible (Farnworth et al., 2011). Similar management decisions have already  
20 been applied worldwide to: (1) obtain a compromise between Governments,  
21 stakeholders, and pet owners, (2) reduce of prevent abandonment of kittens into the  
22 environment, and (3) decrease the number of domestic cats in urban and suburban areas  
23 (Hervías et al., 2012).

24  
25

1 **Conclusions**

2

3 Cats are currently affecting at least 13 Critically Endangered species on 12  
4 islands worldwide where eradication has been considered as a priority for their  
5 conservation, and where effective education or social programs are important tools for  
6 increasing the sensitivity of local communities (Nogales et al., 2013). European laws  
7 establish that domestic animals must be kept under owner control and their release into  
8 nature is forbidden. Without any political emphasis a continuous increase in the feral cat  
9 population seems inevitable. As cat control techniques may be unpopular, educational  
10 and awareness campaigns are required to increase public understanding and acceptance  
11 (Proulx, 1988). Underlying the divergent status and respective impact of neutered  
12 domestic, stray and feral cats can improve cat control acceptance (Farnworth et al.,  
13 2011). Cat population management is a multi-factorial problem which requires  
14 engagement with numerous stakeholder groups. This may prove problematic as such  
15 groups, as shown here, may fundamentally differ in their approach to, and consideration  
16 of, the issues involved. It is therefore important to promote an adaptive decision-  
17 making process which engages all stakeholders (Perry & Perry, 2008; van Heezik,  
18 2010). Only by focussing on areas of consensus can the conflicts which arise between  
19 domestic cats, protected ecologies and their respective human caretakers be solved.

20

21

22 **Acknowledgements**

23

24 We are grateful to all the respondents on La Palma Island Biosphere Reserve, as  
25 well as all the people who help us when conducting this questionnaire. Marcela Niño

1 helps us with the social aspects of questionnaires and translates them into English  
2 making interesting comments to preliminary results. Katarina Smith translates  
3 questionnaires into German and helps us in the field. Francisco Sánchez, José Javier  
4 Fernández, Narciso Lorenzo, and Rafael Pedro Rodríguez from the Servicio de Medio  
5 Ambiente del Cabildo Insular de La Palma for their logistical support. Steffen Oppel  
6 made useful comments on the first draft of this manuscript.

7  
8

## 9 **References**

10

11 Aguilar, G. D., & Farnworth, M. J. (2012). Stray cats in Auckland, New Zealand:

12 Discovering geographic information for exploratory spatial analysis. *Applied*  
13 *Geography*, 34, 230-238.

14 Aguilar, G. D., & Farnworth, M. J. (2013). Distribution characteristics of unmanaged

15 cat colonies over a 20 year period in Auckland, New Zealand. *Applied*  
16 *Geography*, 37, 160-167.

17 Aguilar, G. D., Farnworth, M. J., & Winder, L. (2015). Mapping the stray domestic cat

18 (*Felis catus*) population in New Zealand: Species distribution modelling with a  
19 climate change scenario and implications for protected areas.

20 *Applied Geography*, 63, 146-154.

21 Ash, S. J., & Adams, C. E. (2003). Public preferences for free-ranging domestic cat

22 (*Felis catus*) management options. *Wildlife Society Bulletin*, 31, 334-339.

23 Beckman, M., Hill, K. E., Farnworth, M. J., Bolwell, C. F., Bridges, J., & Acke, E.

24 (2014). Tourists' perceptions of the free-roaming dog population in Samoa.

25 *Animals*, 4, 599-611.

1 Bonnaud, E., Medina, F. M., Vidal, E., Nogales, M., Tershy, B., Zavaleta, E., Donlan,  
2 C.J., Keitt, B., Le Corre, M., & Horwath, S.V. (2011). The diet of feral cats on  
3 islands: a review and a call for more studies. *Biological Invasions*, 13, 581-603.

4 Bridgewater, P. B., & Cresswell, I. D. (1998). The reality of the world network of  
5 Biosphere Reserves: its relevance for the implementation of the Convention on  
6 Biological Diversity. In Proceedings of a Workshop at the 1996 IUCN World  
7 Conservation Congress, *Biosphere Reserves – myth or reality?* (pp. 1-6).  
8 Montreal, Canada, Gland, Switzerland and Cambridge, UK: IUCN.

9 Campbell, K. J., Harper, G., Algar, D., Hanson, C. C., Keitt B. S., & Robinson, S.  
10 (2011). Review of feral cat eradications on islands. In C. R. Veitch, M. N. Clout,  
11 & D. R. Towns (Eds.), *Island Invasives: Eradication and Management*.  
12 *Proceedings of the International Conference on Island Invasives* (pp. 37–46).  
13 Gland, Switzerland and Auckland, New Zealand: IUCN.

14 del Arco, M., Acebes, J. R., Pérez de Paz, P. L., & Marrero, M. C. (1999).  
15 Bioclimatology and climatophilus vegetation of Hierro (part 2) and La Palma  
16 (Canary Islands). *Phytocoenologia*, 29, 253-290.

17 DIISE (2014). *Database of Island Invasive Species Eradications. Island Conservation*.  
18 Available from <http://diise.islandconservation.org> Accessed 30.12.14

19 Driscoll, C. A., Menotti-Raymond, M., Roca, A. L., Hupe, K., Johnson, W. E., Geffen,  
20 E., Harley, E. H., Delibes, M., Pontier, D., Kitchener, A. C., Yamaguchi, N.,  
21 O'Brien S. J., & Macdonald, D. W. (2007). The near eastern origin of cat  
22 domestication. *Science*, 317, 519-523.

23 Farnworth, M. J., Dye, N. G., & Keown, N. (2010a). The legal status of cats in New  
24 Zealand: A perspective on the welfare of companion, stray and feral domestic  
25 cats (*Felis catus*). *Journal of Applied Animal Welfare Science*, 13, 180-188.

- 1 Farnworth, M. J., Campbell, J., & Adams, N. J. (2010b). Public awareness in New  
2 Zealand of animal welfare legislation relating to cats. *New Zealand Veterinary*  
3 *Journal*, 58, 213-217.
- 4 Farnworth, M. J., Campbell J., & Adams, N. J. (2011). What's in a name? Perceptions  
5 of stray and feral cat welfare and control in Aotearoa, New Zealand. *Journal of*  
6 *Applied Animal Welfare Science*, 14, 59-74.
- 7 Farnworth, M. J., Watson, H., & Adams, N. J. (2014). Understanding control of non-  
8 native wild and feral mammals: Similarities and differences in the opinions of  
9 the general public, animal protectionists and conservationists in New Zealand  
10 (Aotearoa). *Journal of Applied Animal Welfare Science*, 17, 1-17.
- 11 Finkler, H., & Terkel, J. (2012). The contribution of owners' attitudes and behaviours to  
12 the free-roaming cat overpopulation in Tel Aviv, Israel. *Preventive Veterinary*  
13 *Medicine*, 104,125-135.
- 14 Fitzgerald, B. M., & Turner, D. C. (2000). Hunting behaviour of domestic cats and their  
15 impact on prey populations. In D.C. Turner, & P. Bateson (Eds.) *The Domestic*  
16 *Cat: the biology of its behaviour (2nd ed.)* (pp. 152-175). Cambridge, UK:  
17 Cambridge University Press.
- 18 Franklin, A. (2007). Human-nonhuman animal relationships in Australia: an overview  
19 of results from the first national survey and follow-up case studies 2000-2004.  
20 *Society and Animals*, 15, 7-27.
- 21 Haspel, C., & Calhoun, R. E. (1990). The interdependence of humans and free-ranging  
22 cats in Brooklyn, New York. *Anthrozoös*, 3, 155-161.
- 23 Hervías, S., Silva, C., Pipa, T., Oliveira, N., Henriques, A., Geraldes, P. L., Mealha, S.,  
24 Diaz, E., Bravo, I., Oppel, S., & Medina, F. M. (2012). Invasive mammal

- 1 species on Corvo Island: is their eradication technically feasible? *Airo*, 22, 12-  
2 28.
- 3 Kays, R. W., & DeWan, A. A. (2004). Ecological impact of inside/outside house cats  
4 around a suburban nature preserve. *Animal Conservation*, 7, 273-283.
- 5 Lepczyk, C. A., Dauphiné, N., Bird, D. M., Conant, S., Cooper, R. J., Duffy, D. C.,  
6 Hatley, P. J., Marra, P. P., Stone, E., & Temple, S. A. (2010). What conservation  
7 biologists can do to counter trap-neuter-return: Response to Longcore et al.  
8 *Conservation Biology*, 24, 627-629.
- 9 Liberg, O., Sandell, M., Pontier, D., & Natoli, E. (2000). Density, spatial organisation  
10 and reproductive tactics in the domestic cat and other felids. In D.C. Turner, &  
11 P. Bateson (Eds.) *The Domestic Cat: the biology of its behaviour (2nd ed.)* (pp.  
12 119-148). Cambridge, UK: Cambridge University Press.
- 13 Lohr, C. A., Cox, L. J., & Lepczyk, C. A. (2013). Costs and benefits of trap-neuter-  
14 release and euthanasia for removal of urban cats in Oahu, Hawaii. *Conservation*  
15 *Biology*, 27, 64-73.
- 16 Loyd, D. T., & DeVore, J. L. (2010). An evaluation of feral cat management options  
17 using a decision analysis network. *Ecology and Society*, 15, 10. Available from  
18 <http://www.ecologyandsociety.org/vol15/iss4/art10/> Accessed 21.10.13
- 19 Lowe, S., Browne, M., Boudjelas, S., & De Poorter, M. (2000). *100 of the world's*  
20 *worst invasive alien species: a selection from the global invasive species*  
21 *database*. Auckland, New Zealand: The Invasive Species Specialist Group  
22 (ISSG), Species Survival Commission (SSC), World Conservation Union  
23 (IUCN).

- 1 Medina, F. M., & Nogales, M. (2009). A review of the impacts of feral cats (*Felis*  
2 *silvestris catus*) in the Canary Islands: implications for the conservation of its  
3 endangered fauna. *Biodiversity and Conservation*, 18, 829-846.
- 4 Medina, F. M., García, R., & Nogales, M. (2006). Feeding ecology of feral cats on a  
5 subtropical heterogeneous oceanic island (La Palma, Canarian Archipelago).  
6 *Acta Theriologica*, 51, 75-83.
- 7 Medina, F. M., Bonnaud, E., Vidal, E., Tershy, B. R., Zavaleta, E. S., Donlan, C. J.,  
8 Keitt, B. S., Le Corre, M., Horwath, S. V., & Nogales, M. (2011). A global  
9 review of the impacts of invasive cats on island endangered vertebrates. *Global*  
10 *Change Biology*, 17, 3503-3510.
- 11 Metsers, E. M., Seddon, P. J., & van Heezik, Y.M. (2010). Cat-exclusion zones in rural  
12 and urban-fringe landscapes: how large would they have to be? *Wildlife*  
13 *Research*, 37, 47-56.
- 14 Nogales, M., Vidal, E., Medina, F. M., Bonnaud, E., Tershy, B. R., Campbell, K. J., &  
15 Zavaleta, E. S. (2013). Feral cats and biodiversity conservation: the urgent  
16 prioritization of island management. *Bioscience*, 63, 804-810.
- 17 Nogales, M., Martín, A., Tershy, B. R., Donlan, C. J., Veitch, D., Puerta, N., Wood B.,  
18 & Alonso, J. (2004). A review of feral cat eradication on islands. *Conservation*  
19 *Biology*, 18, 310-319.
- 20 Oppel, S., Beaven, B. M., Bolton, M., Vickery, J., & Bodey, T. W. (2011). Eradication  
21 of invasive mammals on islands inhabited by humans and domestic animals.  
22 *Conservation Biology*, 25, 232-240.
- 23 Oppel, S., Burns, F., Vickery, J., George, K., Ellick, G., Leo, D., & Hillman, J. C.  
24 (2014). Habitat-specific effectiveness of feral cat control for the conservation of

- 1 an endemic ground-nesting bird species. *Journal of Applied Ecology*, 51, 1246–  
2 1254.
- 3 Parkes, J., Fisher, P., Robinson, S., & Aguirre-Muñoz, A. (2014). Eradication of feral  
4 cats from large islands: an assessment of the effort required for success. *New*  
5 *Zealand Journal of Ecology*, 38, 307-314.
- 6 Perry, D., & Perry, G. (2008). Improving interactions between animal rights groups and  
7 conservation biologists. *Conservation Biology*, 22, 27-35.
- 8 Proulx, G. (1988). Control of urban wildlife predation by cats through public education.  
9 *Environmental Conservation*, 15, 358–359.
- 10 Rando, J. C. (2004). *Aspectos legales relacionados con el control de gatos vagabundos*.  
11 Unpublished study. La Laguna University.
- 12 Rice, W. R. (1989). Analyzing tables of statistical tests. *Evolution*, 43, 223-225.
- 13 Tschanz, B., Hegglin, D., Gloor, S., & Bontadina, F. (2011). Hunters and non-hunters:  
14 skewed predation rate by domestic cats in a rural village. *European Journal of*  
15 *Wildlife Research*, 57, 597-602.
- 16 Turner, D. C. (2000). The human-cat relationship. In D.C. Turner, & P. Bateson (Eds.)  
17 *The Domestic Cat: the biology of its behaviour (2nd ed.)* (pp. 193-206).  
18 Cambridge: Cambridge University Press.
- 19 van Heezik, Y. (2010). Pussyfooting around the issue of cat predation in urban areas.  
20 *Oryx*, 44, 153-154.
- 21 White, P. C. L., Vaughan Jennings, N., Renwick, A. R., & Barker, N. H. L. (2005).  
22 Questionnaires in ecology: a review of past use and recommendations for best  
23 practice. *Journal of Ecology*, 42, 421-430.
- 24 Woods, M., McDonald, R. A., & Harris, S. (2003). Predation of wildlife by domestic  
25 cats *Felis catus* in Great Britain. *Mammal Review*, 33, 174-188.

1

2

3

4

5

6

7

8

1 **Table 1**  
 2 Applied questionnaire to know the attitude of La Palma Island Biosphere Reserve  
 3 inhabitants about the island biodiversity and its conservation  
 4  
 5

---

**Biodiversity**

---

1. Do you think island biodiversity is different from mainland?
  2. In your opinion, what kind of activities can negatively affect biodiversity on the island?
    - Habitat destruction
    - Introduced invasive species
    - Tourism
    - Agriculture
    - Others (Specify which ones...)
  3. Do you know if there are any plant or animal species on the island that were introduced by humans? If yes, please name them?
  4. Do you know if these introduced species are a threat to native species on the island?
- 

**Cats**

---

5. What do you think about the presence of cats on the island: useful, detrimental or neutral?
  6. What do you think about the impact of cats on La Palma Island?
- 


**Human – cat relationship**

---

7. Do you have cats? How many?
  8. Are your cats neutered?
  9. If no why do you do you not neuter your cats?
    - Economic reasons
    - To avoid animal suffering
    - To let them reproduce
    - It is not necessary
    - I do not know where and how to do it
    - Others (Specify which ones...)
  10. Do you prevent your cats from leaving your home?
  11. When your cats have kittens, what do you do with them?
    - Give them to an animal protection association
    - Kill them
    - Maintain them at home
    - Release them into the field
    - Give them to adoption
  12. If a conservationist explains that cats have pernicious effects on biodiversity conservation on your island, what do you consider to be viable solutions?
    - Neutering paid by owner
    - Neutering paid by public administration
    - Adoption
    - Capture and euthanasia
    - Educational campaign
    - Keep cats at home
    - Cat identification
    - Control cat introduction into the island
- 

6


1 **Fig. 1.** Respondent answers ( $n = 246$ ) about the main proposed threats that affect the  
 2 biodiversity on La Palma Island Biosphere Reserve. Statistically significant differences  
 3 ( $P < 0.001$ ), among threats, occur when the letters are different, \*: statistical differences  
 4 ( $P < 0.001$ ) among respondent groups. Other threats were not included in the statistical  
 5 analysis.



1 **Fig. 2.** What the respondents ( $n = 309$ ) think about the cat effects on La Palma Island

2 Biosphere Reserve.

3



4

5

6

1 **Fig. 3.** Farm cats in a locality of La Palma Island Biosphere Reserve.

2




3


4

5

1 **Fig. 4.** What do the respondents ( $n = 52$ ) do when they have kittens? Statistically  
 2 significant differences ( $P < 0.001$ ), among threats, occur when the letters are different,  
 3 Capital letters: statistical differences ( $P < 0.001$ ) among respondent groups.



1 **Fig. 5.** Possible solutions proposed by respondents ( $n = 297$ ) to solve the cat presence  
 2 issue on La Palma Island Biosphere Reserve. Statistically significant differences ( $P <$   
 3  $0.001$ ), among threats, occur when the letters are different, \*: statistical differences ( $P <$   
 4  $0.001$ ) among respondent groups, \*\* and italics:  $P < 0.05$ .



1 **Annex 1.**

2 List of the main invasive exotic species mentioned by respondents and number of time  
 3 citing regarding question number 3: Do you know if there are any plant or animal  
 4 species on the island that were introduced by humans? If yes, please name them?  
 5  
 6

Species	Number
Crimson fountaingrass ( <i>Pennisetum setaceum</i> )	53
Barbary sheep ( <i>Ammotragus lervia</i> )	37
Feral cat ( <i>Felis catus</i> )	28
Rodents ( <i>Rattus</i> spp - <i>Mus musculus</i> )	25
Rabbits ( <i>Oryctolagus cuniculus</i> )	23
Rose-ringed parakeet ( <i>Psittacula krameri</i> )	17
Snakesroots ( <i>Ageratina adenophora</i> and <i>A. riparia</i> )	8
Snakes (Or. Squamata)	7
Sweet chestnut ( <i>Castanea sativa</i> )	5
Dog ( <i>Canis familiaris</i> )	5
Banana ( <i>Musa acuminata</i> )	5
Goat ( <i>Capra hircus</i> )	4
Insects (Hexapoda)	4
Green iguana ( <i>Iguana iguana</i> )	3
Ferret ( <i>Mustela furo</i> )	3
Barbary partridge ( <i>Alectoris barbara</i> )	3
Domestic pigeon ( <i>Columba livia</i> )	3
Monterey pine ( <i>Pinus radiata</i> )	3
Barbary falcon ( <i>Falco pelegrinoides</i> )	2
Tomatoes ( <i>Solanum lycopersicum</i> )	2
Potatoes ( <i>Solanum tuberosum</i> )	2
Avocado ( <i>Persea americana</i> )	2
Eucalypt ( <i>Eucalyptus</i> spp.)	2
Sugarcane ( <i>Saccharum officinarum</i> )	2
Tobacco ( <i>Nicotiana tabacum</i> )	2
Common walnut ( <i>Juglans regia</i> )	2
Common fig ( <i>Ficus carica</i> )	2
Bay laurel ( <i>Laurus nobilis</i> )	2
Maize ( <i>Zea mays</i> )	1
Bees ( <i>Apis mellifera</i> )	1
European seabass ( <i>Dicentrarchus labrax</i> )	1
Horse ( <i>Equus ferus caballus</i> )	1
Hottentotfig ( <i>Carpobrotus edulis</i> )	1
Dromedary ( <i>Camelus dromedarius</i> )	1
Cactus (Fam. Cactaceae)	1
Crocodile ( <i>Crocodylus niloticus</i> )	1
Acacia ( <i>Acacia</i> spp.)	1
California poppy ( <i>Eschscholzia californica</i> )	1
Veiled chameleon ( <i>Chamaeleo calyptratus</i> )	1
Guinea pig ( <i>Cavia porcellus</i> )	1
African collared dove ( <i>Streptopelia roseogrisea</i> )	1
Papaya ( <i>Carica papaya</i> )	1
Camelus ( <i>Camelus bactrianus</i> )	1
Almond ( <i>Prunus dulcis</i> )	1
Mango ( <i>Mangifera indica</i> )	1
Cockroaches (Or. Blattodea)	1
Barbary ground squirrel ( <i>Atlantoxerus getulus</i> )	1
Pond sliders ( <i>Trachemys scripta</i> )	1
Sheep ( <i>Ovis aries</i> )	1

7